FSC:8030

NIIN:01-332-3781

MSDS Number: BTWKK
=== Responsible Party ===

Company Name: QCM COMPANY

Address:930 SOUTH CENTRAL AVENUE

City:KENT State:WA ZIP:98032 Country:US

Info Phone Num: 206-859-0933

Emergency Phone Num:206-859-0933/800-424-9300 CHEMTREC

P

reparer's Name: ROY WHEELDON

CAGE:8L872

=== Contractor Identification ===

Company Name:Q C M CO Address:930 CENTRAL AVE S

Box:City:KENT State:WA

ZIP:98032-6105

ZIP:98032-6105 Country:US

Phone:253-859-0933, FAX 253-859-0935

CAGE:8L872

======= Composition/Information on Ingredients ========

Ingred Name: VINYL CHLORIDE MONOMER (SARA III)

CAS:75-01-4

RTECS #:KU9625000

Fraction by Wt: 350F,>177C

Extinguishing Media:DRY CHEMICAL, REGULAR FOAM, OR WATER FOG.

Fire Fighting Procedures: WEAR SELF-CONTAINED B

REATHING APPARATUS IF IGNITED.
Unusual Fire/Explosion Hazard:TOXIC GASES CAN FORM - CARBON DIOXIDE, CARBON MONOXIDE, AND VARIOUS HYDROCARBONS.
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILLS: ABSORB ON VERMICULITE OR FLOOR DRY. LARGE SPILLS: PUMP TO SALVAGE TANK.
========== Handling and Storage ============
Handling and Storage Precautions: CONTAINERS MAY BE HAZARDOUS WHEN EMPTIED DUE TO VAPOR BUI LD-UP. STORE BETWEEN 50 F AND 90 F, AWAY FROM HEAT OR FLAME. Other Precautions: ALL HAZARD PRECAUTIONS IN THE DATA SHEET MUST BE OBSERVED. THIS PRODUCT CONTAINS A SECTION 313 CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF TITLE III OR SARA AND 40 CFR PART 372.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:RECOMMENDED IF LOCAL EXHAUST. NIOSH APPROVED. Ventilation:LOCAL EXHAUST: RECOMMENDED FOR HEAT PROCESSING. MECHANICAL (GENERA L) RECOMMENDED. Protective Gloves:POLYETHEYLENE TYPE Eye Protection:SAFETY GLASSES Other Protective Equipment:WASH WITH SOAP AND WATER IF CONTACT WITH SKIN. WASH CONTAMINATED CLOTHING BEFORE REUSE. Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE. Supplemental Safety and Health
========== Physical/Chemical Properties ==========
Spec Gravity:1:1 (WATER=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:CLOUDY COLORED LIQUID - VISCOUS
======== Stability and Rea

ctivity Data ========	==
-----------------------	----

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH TEMPERATURES
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
VARIOUS HYDROCARBONS, HYDROGEN CHLORIDE.

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATE ACCORDING TO LOCAL AND FEDERAL STANDARDS. LIQUID FORM IS HAZARDOUS, SOLID IS NOT. LIQUID HAZARD WASTE CODES: D005, D006.

Disclai

mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.