

View NSN Online: <https://aerobasegroup.jp/nsn/3610-01-093-8902>

AM MULTIGRAPHICS, AM INTL. -- OFFSET MASTERS;ELECTROSTATIC
MASTERS,P/N:VARIES,TY:SEE SUPPL -- 3610-01-093-8902

===== Product Identification =====

Product ID:OFFSET MASTERS;ELECTROSTATIC MASTERS,P/N:VARIES,TY:SEE SUPPL

MSDS Date:05/01/1992

FSC:3610

NIIN:01-093-8902

MSDS Number: BVBKY

=== Responsible Party ===

Company Name:AM MULTIGRAPHICS, AM INTL.

Address:1800 WEST CENTRAL ROAD

City:MT. PROSPECT

S

tate:IL

ZIP:60056

Country:US

Info Phone Num:708-870-5175

Emergency Phone Num:708-870-5121/708-394-1900

CAGE:0FTL5

=== Contractor Identification ===

Company Name:AM INTL, AM MULTIGRAPHICS

Address:1800 W CENTRAL AVE

Box:City:MT. PROSPECT

State:IL

ZIP:60056-2293

Country:US

Phone:708-870-5121 (DAY)/398-1900 (NIGHT)

CAGE:0S108

Company Name:AM MULTIGRAPHICS

Address:1800 WEST CENTRAL ROAD

City:MT. PROSPECT

State:IL

ZIP:60056

Country:US

Phone:708-5121/ EVEN 708-398-1900

CAGE:0FTL5

===== Compos

ition/Information on Ingredients =====

Ingred Name:ZINC OXIDE
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 10-12%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10MG/M3 TDUST; 9394

Ingred Name:ACRYLIC RESIN
Fraction by Wt: 1-2%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PAPER
Fraction by Wt: 80-90%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Rep
orts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE/SKIN/INHAL/INGEST:N/A.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:INGRED NOT
FOUND IN NTP, OSHA, OR IARC.
Effects of Overexposure:N/A.
Medical Cond Aggravated by Exposure:NONE. TARGET ORGANS:NONE KNOWN.

===== First Aid Measures =====

First Aid:N/A.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media
:WATER.
Fire Fighting Procedures:ROUTINE FOR PAPER FIRES.
Unusual Fire/Explosion Hazard:NOT APPLICABLE.

===== Accidental Release Measures =====

Spill Release Procedures:STANDARD FOR PAPER DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MFG.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE.
Other Precautions:FOR COMMERCIAL/INDUSTRIAL USE ONLY. KEEP FROM REACH
OF CHILDREN.

=====

Exposure Controls/Personal Protection =====

Respiratory Protection:NONE.
Ventilation:N/A.
Protective Gloves:NONE.
Eye Protection:NONE.
Other Protective Equipment:N/A.
Work Hygienic Practices:NONE SPECIFIED BY MFG.
Supplemental Safety and Health
TYPES:MULTILITH SERIES 8-2004, 8-2007; 805 ELECTROSTATIC MASTERS; EL
1000 ELECTROSTATIC MASTERS; 2400 LONG RUN ELECTSTATIC MASTERS;
25TPM ELECTROSTATIC MASTERS;ECONOSTAT ELECTROSTATIC
MASTERS;PRESIDENT IAL SERIES SHORT RUN & LONG RU
N; 10K SERIES; 3E
SERIES; 2500VR ELECTROSTATIC MASTERS.

===== Physical/Chemical Properties =====

HCC:N1
Evaporation Rate & Reference:N.A
Solubility in Water:INSOLUBLE.
Appearance and Odor:PINK PAPER/ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE.
Stability Condition to Avoid:NONE.
Hazardous Decomposition Products:WHEN BURNED CARBON MONOXIDE, CARBON
DIOXIDE, AND OTHER COMBUST
ION BY-PRODUCTS RELATED TO BURNING PAPER.

===== Disposal Considerations =====

Waste Disposal Methods:STANDARD FOR PAPER DISPOSAL. ENVIRONMENTAL
DATA:(40CFR 372:SARA SEC313)ZINC COMPOUNDS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate

and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.