

BLUE CORAL SYSTEMS -- ACCLAIM, 5547 -- 7930-00-293-9358

===== Product Identification =====

Product ID:ACCLAIM, 5547

MSDS Date:02/21/1991

FSC:7930

NIIN:00-293-9358

MSDS Number: BVMZS

=== Responsible Party ===

Company Name:BLUE CORAL SYSTEMS

Address:4775 S BUTTERFIELD DR, STE 175

City:TUCSON

State:AZ

ZIP:85714

Country:US

Info Phone Num:800-288-2100

Emergency Phone Num:800-228-5635

CAGE:BLUCS

=== Con

tractor Identification ===

Company Name:BLUE CORAL SYSTEMS

Address:4775 S BUTTERFIELD DR STE 175

Box:City:TUCSON

State:AZ

ZIP:85714

Country:US

Phone:800-288-2100

CAGE:BLUCS

===== Composition/Information on Ingredients =====

Ingred Name:SILICIC ACID (H\*2SIO\*3), DISODIUM SALT; (SODIUM  
METASILICATE)

CAS:6834-92-0

RTECS #:VV9275000

Fraction by Wt: 35%

OSHA PEL:2 MG/M3 8HR

ACGIH TLV:2 MG/M3, C

===== Hazards Identification =====

LD50 LC50 Mix

ture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SIGNS & SYMPTOMS OF

OVEREXPOSURE:EYE/SKIN:BURNS. INTERNAL:IF SWALLOWED, BURNS OF MOUTH,  
THROAT, AND STOMACH.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:UNKNOWN.

#### ===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BRTHG (GIVE O\*2/ARTF RESP)  
. EYES:IMMED FLUSH W/PLENTY OF COOL RUNNING WATER FOR AT LEAST 15  
MINS, WHILE HOLDING EYELIDS APRART. REMOVE CONTACT LENSES, IF APPL  
IC. SKIN:IMMED FLUSH W/PLENTY OF COOL RUNNING WATER FOR AT LEAST 15  
MINS. REMOVE CONTAMD CLTHG & WASH BEFORE REUSE. INGEST:CALL 911 OR  
1-800-228-5635 FOR EMERG MED ASSIS. DO NOT INDUCE VOMIT. (SUPDAT)

#### ===== Fire Fighting Measures =====

Ext

inguishing Media:NOT APPLICABLE.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE  
EQUIPMENT .

#### ===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL; PICK UP. FLUSH AREA WITH WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

#### ===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE WITH OR NEAR ACIDS. KEEP  
CONTAINER CLOSED WHEN NOT IN USE. AVOID C

ONTACT WITH STRONG

SOLUTIONS OF THIS PRODUCT.

Other Precautions:READ PRODUCT LABEL PRECAUTIONS BEFORE USE.

#### ===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR  
EXPOSURE OF CONCERN .

Protective Gloves:RUBBER GLOVES.

Eye Protection:SAFETY GOGGLES AND FACE SHIELD.

Other Protective Equipment:NONE. EMERGENCY EYEBATH AND DELUGE SHOWER .

Work Hygienic Practices:WASH AFTER PRODUCT HANDLING.

Supplemental Safety

and Health

PH:(1%):11.8-12.2. FIRST AID PROC:RINSE MOUTH WITH WATER, THEN DRINK 1  
TO 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN  
UNCONSCIOUS PERSON.

===== Physical/Chemical Properties =====

pH:SUPDAT  
Solubility in Water:COMPLETE  
Appearance and Odor:BLUE POWDER WITH SLIGHT ALCOHOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS  
Stability Condition to Avoid:NONE SPECIFIED B  
Y MANUFACTURER.  
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT STATE, LOCAL AND FEDERAL REGULATIONS  
GOVERNING THE DISPOSAL OF ALKALINE PRODUCTS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied  
, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.