View NSN Online: https://aerobasegroup.com/nsn/8040-01-017-7380

Product ID:PARABOND P-8 MSDS Date:08/30/1993 FSC:5975 NIIN:01-017-7380 MSDS Number: BVPZR === Responsible Party === **Company Name: PARA-CHEM SOUTHERN INC** Box:127 City:SIMPSONVILLE State:SC ZIP:29681 Country:US Info Phone Num:803-967-7691 Emergency Phone Num:803-967-7691 CAGE:15865 === Contractor Identifica tion === **Company Name: PARA CHEM** Box:127 City:SIMPSONVILLE State:SC ZIP:29681 Country:US Phone:864-967-7691 CAGE:15934 Company Name: PARA-CHEM SOUTHERN INC Box:127 City:SIMPSONVILLE State:SC ZIP:29681 Country:US Phone: (803) 967-7691 CAGE:15865

Ingred Name:TETRAHYDROFURAN (SARA III) CAS:109-99-9 RTECS #:LU5950000 Fraction by Wt: 23% % Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM/250STEL;9394 EPA Rpt Qty: 1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 46% % Other REC Limits:NONE RECOMMENDED OSHA PEL:200 PPM ACGIH TLV:200 PPM/300STEL;9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:CYCLOHEXANONE (SARA III) CAS:108-94-1 RTECS #:GW1050000 Fraction by Wt: 17% % Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 25 PPM ACGIH TLV:S, 25 PPM; 9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: CAN CAUSE SEVERE EYE IRRITATION. VAPORS CAN CAUSE SLIGHT TO MODERATE EYE IRRITATION. CAN CAUSE MODERATE SKIN IRRITATION, DEFATTING AND DERMATITIS. INGESTION CAN CAUSE GASTROINTESTINAL IRRITATION, NAUS EA, VOMITING, DIARRHEA. INHALATION C AN CAUSE NASAL AND RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, HEADACHE Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: EYE IRRITATION, SKIN IRRITATION, DERMATITIS, RESPIRATORY TRACT IRRITATION, NAUSEA, VOMITING, DIARRHEA, DIZZINESS, WEAKNESS, FATIGUE, HEADACHE, UNCONSCIOUSNESS, ASPHYXIATION. Medical Cond Aggravated by Exposure: PRE-EXIST

ING SKIN AND/OR RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: GIVE TWO GLASSES OF WATER . DO NOT

INDUCE VOMITING. GET MEDICAL ATTENTION.

Flash Point Method:TOC Flash Point: