

DELTA PLASTICS CO (FORMALLY DELTA DPC, INC) -- BODY FILLER COMPOUND A & B --
8010-01-060-7176

===== Product Identification =====

Product ID:BODY FILLER COMPOUND A & B
MSDS Date:12/14/1992
FSC:8010
NIIN:01-060-7176
Kit Part:Y
MSDS Number: BVXBX
=== Responsible Party ===
Company Name:DELTA PLASTICS CO (FORMALLY DELTA DPC, INC)
Address:10513 ROAD 236
City:TERRA BELLA (FORMALLY IN TULARE)
State:CA
ZIP
:93270
Country:US
Info Phone Num:209-535-1332 / 209-535-3723 (FAX)
Emergency Phone Num:209-535-1332 / 209-535-3723 (FAX)
Preparer's Name:ERIC SKIFF
CAGE:DO191
=== Contractor Identification ===
Company Name:DELTA DPC, INC
Address:983 E. LEVIN AVE.
Box:City:TULARE
State:CA
ZIP:93274
Country:US
Phone:209-686-1644
CAGE:0ND20
Company Name:DELTA PLASTICS CO.
Address:280 MAIN ST. PO BOX 489
Box:489
City:PIXLEY
State:CA
ZIP:93256
Phone:209-757-2010
CAGE:DO191

===== Composition/Information on I

Ingredients =====

Ingredient Name: POLYESTER RESIN

Fraction by Wt: 35-39%

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: ACUTE: MAY CAUSE RESPIRATORY

IRRITATION OR NAUSEA. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR G

REATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure: REDNESS, IRRITATION.

Medical Condition Aggravated by Exposure: ALLERGY, SKIN CONDITIONS.

===== First Aid Measures =====

First Aid: EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER. INHALATION-REMOVE TO FRESH AIR. RESTORE BREATHING IF NEEDED. GET MEDICAL ATTENTION. INGESTION-INDUCE VOMITING ONLY UNDER

SUPERVISION OF MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method: TOC

Flash Point: 210F, 99C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT AND SOURCES OF IGNITION.

===== Accidental Release Measures =====

Spill Release Proce

dures:ELIMINATE ALL SOURCES OF IGNITION. PREVENT
FLOW INTO SEWERS OR WATERWAYS. CLEAN UP WITH AN INERT ABSORBANT
USING NON-SPARKING TOOLS.
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP PRODUCT COOL, DRY AND AWAY FROM
SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. USE WITH ADEQUATE
VENTILATION.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE PROVIDED RESPIRATOR. DLA-HMIS-IF ENGINEERING
CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS;USE NIOSH/MSHA
APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA,AS
REQUIRED.USE IAW 29 CFR 1 910.134 & MFR'S RECOMMENDATIONS.
Ventilation:LOCAL EXHAUST PREFERABLE.
Protective Gloves:USE PROVIDED GLOVES.
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE WASH STATION.
Work Hygienic Practices:FOLLOW PRUDENT HY
GENIC PROCEDURES.
Supplemental Safety and Health
KEY1=N1. PART A OF 4 PART KIT. FOR PART B,C & D SEE PNI B,C & D THIS
NSN/CAGE. MSDS ENTERED BY DLA-HMIS UNDER PROJECT FOR GSA.

===== Physical/Chemical Properties =====

HCC:V5
Vapor Density:>1
Spec Gravity:1.02
Viscosity:PASTE
Evaporation Rate & Reference: