View NSN Online: https://aerobasegroup.jp/nsn/6640-01-240-9960

BAXTER DIAGNOSTICS INC FMRLY TRAVENOL LAB -- MICROSCAN MINERAL OIL 6640-01-240-9960 Product ID: MICROSCAN MINERAL OIL MSDS Date:01/23/1992 FSC:6640 NIIN:01-240-9960 MSDS Number: BVZKM === Responsible Party === Company Name: BAXTER DIAGNOSTICS INC FMRLY TRAVENOL LAB Address:1584 ENTERPRISE BLVD **City:WEST SACRAMENTO** State:CA ZIP:95691 Country:US Info Phone Num:916 -374-3044/800-677-7226 Emergency Phone Num:916-374-3044 CAGE:0WG31 === Contractor Identification === Company Name: BAXTER DIAGNOSTICS INC, MICROSCAN DIV/TRAVENOL LAB Address:1584 ENTERPRISE BLVD Box:City:WEST SACRAMENTO State:CA ZIP:95691 Country:US Phone:916-374-3044 CAGE:0WG31 Ingred Name:MINERAL OIL CAS:8012-95-1 RTECS #:PY8030000 Fraction by Wt: 100% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3 (M IST); 9394

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPOSURE TO DENSE OIL MIST RESULTS IN RESPIRATORY TRACT IRRITATION. PROLONGED EXPOSURE MAY CAUSE LIPID PNEUMONIA, ASTHMA, FIBROSIS.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRAT

IONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure: RESPIRATORY TRACT IRRITATION, PNEUMONIA, ASTHMA, FIBROSIS.

Medical Cond Aggravated by Exposure:PERSONS WITH CHRONIC RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS.

Flash Point Method:CC Flash Point:295F,146C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL Fire Fighting Procedures: AVOID BREATHING HAZARDOUS VAPORS. KEEP UPWIND. Unusual Fire/Explosion Hazard:TOXIC GASES ARE RELEASED DURING COMBUSTION.

Spill Release Procedures: TAKE UP WITH ABSORBENT MATERIAL AND PLACE INTO CLEAN DRY CONTAINER FOR LATER DISPOSAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE AWAY FROM STRONG OXIDIERS. Ot

her Precautions: AVOID SKIN CONTACT. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Respiratory Protection:NONE SHOULD BE REQUIRED. Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS. Protective Gloves:PVC Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health AVOID PROLONGED SKIN CONTACT.

HCC:N1

Boiling Pt:B.P. Text:680F,360C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:0.83-0.9 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:INSOLUBLE Appearance and Odor:CLEA R, COLORLESS OIL LIQUID

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LI

NER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility fo r the suitability of this information to their particular situation.