

KOLOR KUT PRODUCTS CO -- WATER FINDING PASTE -- 6810-01-373-0029

=====
Product Identification
=====

Product ID:WATER FINDING PASTE

MSDS Date:07/13/1992

FSC:6810

NIIN:01-373-0029

MSDS Number: BWGPC

=== Responsible Party ===

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 EAST ELM

City:HOUSTON

State:TX

ZIP:77012

Country:US

Info Phone Num:713-926-4780

Emergency Phone Num:713-926-4780;713-485-3181

Pr

eparer's Name:D M FRAUENBERGER

CAGE:11730

=== Contractor Identification ===

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77262

Country:US

Phone:713-926-4780

CAGE:11730

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:N

O Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION AND BAD ODOR.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NOT KNOWN.

=====
===== First Aid Measures =====

First Aid:CONTROL CONTACT & MAINTAIN AT A MINIMUM. INGEST:INDUCE VOMIT IMMEDIATELY BY GIVING 2 GLASSES OF WATER & STICKING FINGER DOWN THROAT. CALL MD

IMMEDIATELY . INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O²/ARTF RESP) . EYES:IMMEDIATELY FLUSH W/POTABLE WATER FOR MINIMUM OF 15 MINUTES, SEEK ASSISTANCE FROM MD . SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD .

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:365F,185C

Extinguishing Media:WATER FOG, FOAM, CO² DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual

Fire/Explosion Hazard:NONE KNOWN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:UNLIKELY, CONTAIN SPILL AND WIPE UP. NOT A HAZARDOUS WASTE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT EXPOSE TO HIGH TEMPERATURES OR WATER CONTAMINATION. DO NOT FREEZE (FOR PRESERVATION OF PRODUCT ONLY).

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED SAFETY GLASSES .

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:BE CLEAN AFTER APPLYING, CLEAN HANDS THOROUGHLY WITH SOAP AND WATER.

Supplemental Safety and Health
NON

E SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:650F,343C

Vapor Pres:0.1

Spec Gravity:1.1 (H*20=1)

Solubility in Water:COMPLETELY MISCIBLE

Appearance and Odor:BROWN SEMISOLID, SLIGHT AMMONIA ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDATING AGENTS AND ACIDS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Produ

cts:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:AS FOR NON HAZARDOUS WASTE. DISPOSAL MUST BE
I/A/W FEDERAL, STATE & LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.