View NSN Online: https://aerobasegroup.jp/nsn/6850-00-466-6879

VIRGINIA K M P CORP -- GAS LEAK LOCATOR GL 6,GL 128 -- 6850-00-466-6879

Product ID: GAS LEAK LOCATOR GL 6, GL 128 MSDS Date:10/29/1992 FSC:6850 NIIN:00-466-6879 MSDS Number: BWNKL === Responsible Party === Company Name: VIRGINIA K M P CORP Address:4100 PLATINUM WAY City:DALLAS State:TX ZIP:75237 Country:US Info Phone Num:214-330-7731/202-483-7616 INTERNAT. Emergency Phone Num:214-330-7731/800-424-9300(CHEMTREC) CAGE:8J132 === Contractor Identification === Company Name: VIRGINIA CHEMICALS INC CAGE CODE OBSOLETE Address:OBSOLETE Box:City:UNK Country:US Phone:0000000000 CAGE:58727 Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY Box:City:DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 CAGE:8J132

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- NO ADVERSE HEALTH EFFECTS EXPECTED TO OCCUR. MAY CAUSE EYE IRRITATION. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYE IRRITATION Medical Cond Aggra vated by Exposure:ALLERGIES, ECZEMA OR OTHER SKIN DISORDERS

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT IN DUCE VOMITING. IF CONSCIOUS, RINSE MOUTH OUT WITH WATER. GET MEDICAL ATTENTION IMMEDIATELY.

================== Fire Fighting Measures

Flash Point: 320F,160C

Extinguishing Media:CARBON DIOXIDE, SAND, DRY CHEMICAL, WATER SPRAY/FOG. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Spill Release Procedures: PREVENT EYE CONTACT. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER. CLEAN UP LEAKS OR SPILLS IMMEDIATELY TO PREVENT

SOIL OR WATER CONTAMINATION. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINER CLOSED.

Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. AVOID EYE CONTACT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protect

ion:NOT REQUIRED UNDER NORMAL CONDITIONS OF USE.
Ventilation:LOCAL EXHAUST IS RECOMMENDED FOR CONFINED AREAS. GENERAL MECHANICAL VENTILATION IS RECOMMENDED FOR NORMAL USE.
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:NONE NORMALLY REQUIRED.
Other Protective Equipment:EYE WASH STATION
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN.

=====

HCC:N1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Vapor Density:1 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE Appearance and Odor:COLORED LIQUID, WITH BLAND ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products:MAY FORM SMOKE, CARBON MONOXIDE, CARBON DIOXIDE.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s hould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.