View NSN Online: https://aerobasegroup.jp/nsn/8040-00-777-0631

DEXTER CORP; AUTOMOTIVE MATERIALS DIVISION -- EPK 1C HARDENER AB0001

8040-00-777-0631

Product ID:EPK 1C HARDENER AB0001

MSDS Date:11/10/1993

FSC:8040

NIIN:00-777-0631

Kit Part:Y

MSDS Number: BWRWY === Responsible Party ===

Company Name: DEXTER CORP; AUTOMOTIVE MATERIALS DIVISION

Address: ONE DEXTER DRIVE

City:SEABROOK

State:NH ZIP:03874 Country:US Info Phone Num :603-474-5541

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name: KEN DECOSTA

CAGE:1JB33

=== Contractor Identification ===

Company Name: DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR Box:City:SEABROOK

State:NH ZIP:03874 Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

Company Name: RESIN FORMULATORS CO

Address:8500 STELLER DR Box:City:CALVER CITY

State:CA ZIP:90232 Country:US

Phone:213-870-9561

CAGE:03355

======= Composition/Information on Ingredients ========

Ingr

ed Name:QUARTZ (CRYSTALLINE SILICA)

CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 15.602%

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:0.3 MG/M3

Ingred Name: DIETHYLENETRIAMINE

CAS:111-40-0

RTECS #:IE1225000 Fraction by Wt: 10-30%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 PPM ACGIH TLV:1 PPM

Ingred Name: EPOXY RESIN

CAS:25068-38-6 RTECS #:KC2100000 Fraction by Wt: 10-30%

Other REC Limits: NONE RECOMMENDED

Routes of Entry:

Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES

Health Hazards Acute and Chronic:INHAL: LUNG SCARRING (COUGH,SHORT OF BREATH). SILICOSIS (FORM OF PULMONARY FIBROSIS). EYE:SEVERE IRRITATION W/CORNEAL INJURY, MAY BE PERMANENT VISION IMPAIRMENT, BLINDNESS. VAPORS MAY IRRITATE. SKIN: ALLERGIC SKIN REACTIONS IN HUMANS. ABSORPTION: MAY BE ABSORBED IN HARMFUL AMTS. INGEST:GI IRRITATION/ULCERATION. BURNS *

Explanation of Carcinogenicity: CRYSTA


LLINE SILICA: NTP: (RESPIRABLE)

MAY REASONABLY ANTICIPATED TO BE CARCINOGEN. IARC: LIMITED EVIDENCE IN HUMANS.

Effects of Overexposure:IRRITATIONS AS NOTED. SKIN SENSITIZATION (ALLERGY) MAY BE EVIDENCED BY RASHES, ESPECIALLY HIVES.

* OF MOUTH & THR OAT. INHALATION: RESPIRATORY SENSITIZATION OR ASTHMA IN SUSCEPTIBLE INDIVIDUALS. UPPER RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & EYE DISORDERS. PRE-EXISTIN



ER OR PLASTIC

Eye Protection:GOGGLES WHERE THERE IS DANGER OF SPLASH Other Protective Equipment:USE OF PROTECTIVE SKIN CREAM IS RECOMMENDED. Supplemental Safety and Health

** MED FACILITY. INHAL: REMOVE TO FRESH AIR IF EFFECTS OCCUR. CONSULT DR. NOTE TO PHYSICIAN: CORROSIVE. MAY CAUSE STRICTURE. IF LAVAGE PERFORMED, SUGGEST ENDOTRACHEAL &/OR ESOPHAGOSCOPIC CONTROL. IF B URN PRESENT, TREAT AS ANY THERMAL BURN, AFTER DECONTAMINATION. NO SPECIFIC IN RESPONSE TO REACTIONS OF PATIENT.

======== Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:404F,207C Vapor Pres: