View NSN Online: https://aerobasegroup.com/nsn/9150-01-313-4779

TEXACO LUBRICANTS CO -- 00940 REGAL AFB 2 -- 9150-01-313-4779

======== Product Identification ===========

Product ID:00940 REGAL AFB 2

MSDS Date:12/14/1994

FSC:9150

NIIN:01-313-4779

MSDS Number: BWSJS === Responsible Party ===

Company Name: TEXACO LUBRICANTS CO

Address: DIVISION OF TEXACO REFINING&MARKETING IN

Box:4427

City:HOUSTON

State:TX

ZIP:44210-4427

Country:US

Info Phone Num:800-782-7852

Emergency Pho

ne Num:914/831-3400/800-424-9300(CHEMTREC)

CAGE:OTTJ3

=== Contractor Identification ===

Company Name: TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY ZIP:10604 Country:US

Phone:914-253-4000

CAGE:59595

Company Name: TEXACO LUBRICANTS

Address:4164 E INNSLAKE DR

Box:4427

City: GLEN ALLEN

State:VA ZIP:23060 Country:US

Phone:804-527-4311

CAGE:OTTJ3

Company Name: TEXACO PIPELINE INC (SUB OF TEXACO INC)

Address:9700 RICHMOND AVE

Box:42286 City:HOUSTON

State:TX

ZIP:77242-2286

Country:US

Phone:713-953-4260

CAGE:3B431

======= Composition/Information on Ingredients ========

Ingred Name: DISTILLATES, SOLVENT-DEWAXED LIGHT PARAFFINIC PETROLEUM

CAS:64742-56-9 RTECS #:PY8039500 Fraction by Wt: 50-64.9%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name: SEVERELY HYDROTREATED HEAVY NAPHTHENIC DISTILLATE

CAS:64741-95-3

Fraction by Wt: 10-19.9%

Other REC Limits: NONE RECOMMENDED

Ingred Name:LUBRICATING OILS (PETROLEUM) C>25, HYDROTR

EATED BRIGHT STOCK-BASED CAS:72623-83-7

Fraction by Wt: 10-19.9%

Other REC Limits: NONE RECOMMENDED

Ingred Name:LITHIUM 12 HYDROXYSTEARATE

CAS:7620-77-1

Fraction by Wt: 3-9.99%

Other REC Limits: NONE RECOMMENDED

Ingred Name:N-(9-OCTADECENYL)-1,3-PROPYLENEDIAMINE (OLEYL DIAMINE

(1,3-PROPANEDIAMINE,N-9-OCTADECENYL)

CAS:7173-62-8

Fraction by Wt: 1-2.99%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ALKYLATED DIPHENYL AMINES CAS# 68608-77-5.

Fraction by Wt: 1-2.99%

Other REC Limits: NONE REC

======== Hazards Identification ==============

LD50 LC50 Mixture:LD50, ORAL, RAT BELIEVED TO BE >5.00G/KG.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: MAY CAUSE ALLERGIC SKIN

REACTION, LIVER/KIDNEY/HEART DAMAGE BASED ON ANIMAL

DATA.ACUTE:EYE:MIN IRRIT AS TEMP DISCOMFORT.SKIN:SLIGHT

IRRIT.PROLONG CONTACT MORE SEVER IRRIT, DISCOMFORT. INHAL: IRRIT OF NOSE /THR

OAT.INGEST:IF MORE THAN SEVERAL MOUTHFULS IS INGEST ABDOMINAL DISCOMFORT, NAU, DIARR.POT SKIN SENS.DERM.

Explanation of Carcinogenicity:PER MSDS:PRODUCT &/OR COMPONENT(S)

CARCINOGENIC ACCORDING TO:NONE.

Effects of Overexposure:SKIN:LOCAL

REDNESS,SWELLING,DERM.INHAL:HEADACHE,NAUSEA,DROWSINESS.INGEST:ABDOM INAL DISCOMFORT,NAUSEA,DIARRHEA.SEKIN SENSITIZER,ALLERGIC SKIN REACTION. PERSISTENT SKIN IRRIT OR DERMATITIS. MATL FRM HIG H PRESSURE EQPMT/PINHOLE LEAKS/HIGH PRESSURE LINE

FAILURE CN

PENETRATE SKIN, CAUSE SEVERE INJURY, DISFIGUREMENT, LOSS FUNCT Medical Cond Aggravated by Exposure: SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN CONDITION).

First Aid:EYE:FLUSH W/PLENTY OF WATER FOR SEVERAL MINS.IRRIT PERSIST GET MED ATTN. SKIN:WASH W/PLENTY OF SOAP/WATER FOR SEVERAL MINS.IRRIT DEVELOPS/PERSIST GET MED ATTN. INGEST:GIVE 2 GLASSES OF WATER(16OZ).GET MED ATTN. INHAL:REMOV

E TO FRESH AIR.GET MED ATTN

IF BREATH BECOMES DIFFICULT/RESP IRRIT PERSISTS.HI PRESSURE INJECTIN CAUSES SEVERE INJURY.FAILURE TO DEBRIDE RESULT IN DISFIGUREMENT,FUNCTION LOSS,AMP

============ Fire Fighting Measures =========================

Extinguishing Media:USE WATERSPRAY,DRY CHEM,FOAM,CARBON DIOXIDE. Fire Fighting Procedures:USE WATERSPRAY TO COOL FIRE-EXPO CNTNRS.WATER/FOAM MAY CAUSE FROTHING.WEAR FULL PROT CLOTH & POSITIVE PRESSURE BREAHTING APPARATUS. Unusual

Fire/Explosion Hazard:NONE.
======================================
Spill Release Procedures:CONTAIN SPILL IF POSSIBLE, CONTIAN W/ABSORBENT MATLS SUCH AS CLAY OR SOIL, & SHOVEL UP. AVOID SKIN/EYE CONTACT.
======================================
Handling and Storage Precautions:MIN FEASIBLE HANDLING TEMP SHOULD BE MAINTAINED.PERIODS OF EXPO TO HIGH TEMP SHOULD BE MIN.WATER CONTAMIN SHOULD BE AVIDED. Other Precautions:NONE SPE CIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:AIRBORNE CONC SHOULD BE KEPT TO LOWEST LEVELS POSSIBLE.VAP/MIST/DUST GENERATED & OCCUP EXPO LIMIT EXCEEDED USE APPROPRIATE NIOSH/MSHA APPROVED AIR PURIFYING/AIR SUPPLIED RESP AFT DETERING AIRBORNE CON C.ALSO WEAR THEM IF CONC/OXY CONTENT UNK Ventilation:ADEQUATE TO MEET COMPONENT OCCUPATINAL EXPO LIMITS. Protective Gloves:PROTECT SKIN Eye Protection:SAF GLASSES,CHEM TY P GOGG,FACESHIELD.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:DRYCLEAN/LAUNDER CONTAMIN CLOTH BEF REUSE.INFORM DRYCLEANERS OF CONTAMIN.WASH EXPO SKIN SEVERAL TIMES DAILY W/SOAP/WATE. Supplemental Safety and Health
========== Physical/Chemical Properties ============
HCC:V6 Decomp Temp:Decomp Text:FF,-18C Vapor Pres: