View NSN Online: https://aerobasegroup.jp/nsn/6850-01-395-4115

Product ID:ELECTROSTATIC 867 CLEANING FLUID, MASTER IMAGER MSDS Date:05/01/1992 FSC:6850 NIIN:01-395-4115 **MSDS Number: BWZTS** === Responsible Party === **Company Name: MULTIGRAPHICS** Address:1800 W CENTRAL ROAD City:MT.PROSPECT State:IL ZIP:60056-2293 Country:US Info Phone Num:312-870 -5121/708-870-5087 Emergency Phone Num:312-870-5121 (DAY) 398-1900 (NIGHT) CAGE:09177 === Contractor Identification === Company Name: AM MULTIGRAPHICS DIV OF AM INTL INC Address:431 LAKEVIEW CT Box:City:MOUNT PROSPECT State:IL ZIP:60056-6048 Country:US Phone:847-375-1700 CAGE:09177

Ingred Name:MINERAL SPIRITS CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

====== Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE-IRRITANT TO EYE. SKIN-PROLONGED CONTACT WILL CAUSE DEFATTING, DRYING AND/OR CRACKING. POSSIBLE DERMATITIS.. Explanation of Carcinogenicity:NOT FOUND TO BE CARCINOGENIC.

Explanation of Carcinogenicity: NOT FOUND TO BE CARCINOGENIC.

Effects of Overexposure: INHALATION-INHALATION OF LARGE QUANTITIES OF VAPORS MAY CAUSE DIZZINESS, HEADACHE, CNS DEPRESSION. INGESTION -MAY

CAUSE HEADACHE, NAUSEA, VOMITING, CNS DEPRESSION. Medical Cond Aggravated by Exposure:NONE.

First Aid:EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, CALL A PHYSICIAN. SKIN-IMMEDIATELY FLUSH WITH WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN. INHALATION-IMMEDIATELY REMOVE VICTIM TO FRESH AIR. CALL A PHYSICIAN. INGESTION-DO NOT INDUCE VOMITING. IMMEDIATELY DRINK WATER TO DILUTE. CALL A PHYSICIAN.

Flash Point Method:TCC Flash Point:140F,60C Lower Limits:0.6 Upper Limits:7.0 Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. Fire Fighting Procedures:WATER SPRAY SHOULD BE USED TO COOL FIRE EXPOSED CONTAINERS AND/OR DISPERSE UNIGNITED VAPORS. USE NIOSH/MSHA APPROVED POSITIVE PRESSURE SELF-CONTAINED BREATHINGS Unusual Fire/Explosion Hazard:NONE

================== Accidental Release Measures =

Spill Release Procedures: REMOVE ANY IGNITION SOURCES. PICK UP WITH INERT ABSORBENT.

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA, AWAY FROM IGNITION SOURCES.

Other Precautions: READ AND FOLLOW LABEL PRECAUTIONS. DO NOT REUSE CONTAINER. FOR COMMERCIAL/INDUSTRIAL USE ONLY. KEEP FROM REACH OF CHILDREN.

======= Exposure Controls/Personal Protection ==========

R

espiratory Protection:IN HIGH VAPOR CONCENTRATIONS WEAR NIOSH/MSHA APPROVED ORGANIC AVPOR RESPIRATOR. Ventilation:NONE BEYOUND GOOD ROOM VENTILATION REQUIRED. Protective Gloves:NITRILE FOR CLEANUP. Eye Protection:OPTIONAL. Other Protective Equipment:AN EYE WASH STATION IF SPLASHING IS A POSSIBILITY. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NONE

HCC:F4 Boiling Pt:B.P. Text: 365-403F Vapor Pres:10 Vapor Density:>5 Spec Gravity:0.77 pH:7 Evaporation Rate & amp; Reference:LESS THAN 0.1 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS LIQUID, FAINT HYDROCARBON ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS, LIQUID CHLORINE, CONCENTRATED OXYGEN, HYPOCHLORITES. Stability Condition to Avoid:HIGH HEAT, IGNITION SOURCES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE IN A MANNER APPROVED FOR THIS MATERIAL. DO NOT POUR DOWN A COMMON DRAIN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.