Product ID:TONER, TEC. TYPE III, HP 92291A MSDS Date:07/20/1993 FSC:6850 NIIN:01-343-6998 **MSDS Number: BXCCR** === Responsible Party === Company Name: TONER ETC Address:124 HERITAGE AVE City:PORTSMOUTH State:NH ZIP:03801 Country:US Info Phone Num:603-431-0705 703-971-7628 VA # Emergency Phone Num:303-623-5716/603-880-5555 CAGE:0YL79 === Contractor Identification === **Company Name: TONER ETC** Address:124 HERITAGE AVE Box:City:PORTSMOUTH State:NH ZIP:03801 Country:US Phone:800-370-8663 603-431-3624 CAGE:0YL79

Ingred Name:STYRENE/ACRYLATE POLYMER, CAS#25213-46-2 Fraction by Wt: 45-55% Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE, MAGNETITE CAS:1317-61-9 Fraction by Wt: 45-55% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3

Ingred Name:BLACK PIGMENT CAS:31714

Ingred Name:POLYOLEFIN, CAS#9003-07-0. Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED
Ingred Name:AMORPHOUS SILICA, CAS#68905-20-6. Fraction by Wt: .3-1.5% Other REC Limits:NONE RECOMMENDED
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:MAY CAUSE IRRIT.SK IN:REPEATED CONTACT MAY CAUSE IRRIT;MAY CAUSE ALLERGIC SKIN REACTION.INHAL:INHAL OF DUST COULD CAUSES RESP IRRIT ABOVE TLV BUT CONSIDERED A LOW HAZ.INGEST:MAY CAUSE IRRIT OF MUCO US MEMBRANES OR DIGESTIVE TRACT.CHRONIC:COMPUTERIZED LITERATURE SEARCH OF NAT DATABASES DID NOT YIELD CHRONIC EFFECTS. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY LISTING:NTP/IARC/OSHA:NO. Effects of Overexposure:EYE IRRIT. SKIN IRRIT. ALLERGIC SKIN REACTION. MUCOUS MEMBRANES OR D IGESTIVE TRACT IRRIT. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/PLENTY OF RUNNING WATER FOR 15MINS. OBTAIN MED ATTN. SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FOR 15MOINS. REMOVE CONTAMIN CLOTHING. IN CASE OF CONTD IRRIT CONSULT PHYSICIAN. INHAL :FOR OVER-EXPO REMOVE TO FRESH AIR. INGEST:OBTAIN IMMED MED ATTN.

=================== Fire Fighting Measures

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM. Fire Fighting Procedures:COTNAINERS SHOULD BE KEPT COOL WITH WATER SPRAY. TO AVOID INHAL OF TOXIC FUMES WEAR MHSA/NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:COMBUSTIBLE DUST.TONER LIKE MOST ORG MATL

Unusual Fire/Explosion Hazard:COMBUSTIBLE DUST.TONER LIKE MOST ORG MATE IN POWDER FORM WHEN DISPERSED IN AIR CAN FORM EXPLOSIVE MIXTURES THAT CAN PRODUCE TOXIC FUMES SUCH AS CO & CO2.

======= Accidental Release

Measures ================

Spill Release Procedures:SWEEPUP/VACUUM.CAREFULLY TRANSFER INTO SEALABLE WASTE CNTNR.SWEEP SLOWLY TO MIN GENERATION/DUST DURING CLEANUP.VACUUM USED MOTOR MUST BE RATED AS DUST TIGHT.CONDUCTIVE HOSE BONDED TO MACHINE SHOULD BE USED TO REDUCE STATAIC BUILDUP.REMOVE (SUPPLEMEN) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN WELL VENTI AR EA.KEEP CNTNR

TIGHTLY CLSD.DO NOT STORE W/INCOMPAT MATLS.DO NOT STORE/CONSUME FOOND/DRINK/TOBACCO IN AREA WHERE CONTAMIN W/MATL. Other Precautions:CHEM FORMULATION HAS NOT BEEN TESTED FOR ENVIRO EFFECTS.ALTHOUGH IN SPILL SITUATION FORMULATION MAY BE AUSTHETICALLY UNPLEASANT IT'S WATER INSOLUBLE ISN'T EXPECTED TO SHOW ANY ADVERSE ENVRION EFFECTS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NEEDED W/WORKING MIXTURES & NORMAL ROOM

VENTILATION IF USED AS INTENEDED. AVOID BREATHING DUST IF SPILLED. Ventilation:ROOM VENTILATION IS SUFFICIENT UNDER NORMAL OFFICE CONDITIONS. AVOID USE OF PRODUCT IN UNVENTILATED AREAS. Protective Gloves:CHEMICAL GLOVES NOT NECESSARY Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH HANDS AFTER HANDLING. Supplemental Safety and Health SPILL:RESIDUE W/SOAP & COLD WATER.GARMENTS MAY BE WASHED/DRY CLEANED AFT REMO

VAL OF LOOSE TONER.

HCC:N1 Melt/Freeze Pt:M.P/F.P Text:SOFTEN@160F Spec Gravity:2.94 Solubility in Water:NEGLIGIBLE Appearance and Odor:FINE BLACK POWDER, SLIGHT ODOR.

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZERS. Stability Condition to Avoid:EXCESSIVE HEAT OR FLAME. Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

===

Waste Disposal Methods: ACCORDING TO FED REG 40CFR261 MATL NOT HAZ WASTE WHEN DISCARDED. HOWEVER STATE/LOCAL REQMTS MAY BE MORE RESTRICTIVE. THEREFORE CONSULTATION W/PROPER STATE/LOCAL AUTHORITIES IS ADVISED.INCINERATE ONLY IN CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of A

merica in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.