View NSN Online: https://aerobasegroup.jp/nsn/6750-01-387-4450

## EASTMAN KODAK COMPANY -- 146 2845 GLACIAL ACETIC ACID -- 6750-01-387-4450

Product ID:146 2845 GLACIAL ACETIC ACID

MSDS Date:08/05/1995

FSC:6750

NIIN:01-387-4450

MSDS Number: BXCDL === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-722-5151 (TRANS: 800-242-2424)

Emer

gency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: ACETIC ACID (CERCLA)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

**OSHA PEL:10 PPM** 

ACGIH TLV:10 PPM/15 STEL; 9495

**EPA Rpt Qty** 

:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ================

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 3310 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPOR EXTREMELY IRRITATING; MAY CAUSE DELAYED LUNG INJURY. CONTACT MAY CAUSE SEVERE SKIN AND EYE BURNS, SEVERE EYE IRRITATION. INGESTION MAY BE FATAL;

MAY CAUSE BURNS TO GIT

RACT. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED-COUGHING, WHEEZING, CHEST PAIN, SHORTNESS OF BREATH. EYES-PAIN, TEARING, REDNESS, BURNS, BLURRED VISION. SKIN-REDNESS, PAIN, BURNS. INGESTED-ABDOMINAL PAIN, NAUSEA, VOMITING, DIARRHEA, BURNS TO MOUTH/THROAT/ESOPHAGUS.

Medical Cond Aggravated by Exposure: NONE SPECIF IED BY MANUFACTURER.

First Aid:INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN IF CYANOTIC OR BREATHING DIFFICULT. GET MEDICAL ATTENTION. EYES: FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES. CALL DOCTOR OR POISON CONTROL CENTER. SKIN-R EMOVE CLOTHES WHILE FLUSHING WITH WATER. GET MEDICAL ATTENTION. INGESTED-DO NOT INDUCE VOMITING! CALL A DOCTOR OR POISON CONTROL CENTER IMMEDIATELY! NOTHING BY MOUTH IF UNCONSCIOUS.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:103F,39C

Autoignition Temp: Autoignition Temp Text: 960F

Lower Limits:6.6 % Upper Limits:19.3 %

Extinguishing Media: USE WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:COMBUSTIBLE.

====== Acciden

tal Release Measures ========

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. MAY REQUIRE NEUTRALIZATION IF PH