

E-Z-1 CORP -- SYNTHETIC PENETRATING LUBRICANT,E-Z-1

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-409-1525
MSDS Date: 06/16/1997
MSDS Num: BXCRH
Product ID: SYNTHETIC PENETRATING LUBRICANT,E-Z-1
MFN: 01
Responsible Party
Cage: 0M653
Name: E-Z-1 CORP
Address: 3500 N HARRISON
City: SHAWNEE OK 74801
Info Phone Number: 405-275-8110/214-490-0566
Emergency Phone Number: 972.490.0566
Resp. Party Other MSDS No.: NONE

=====
Item Description Information
=====

Item Manager: S9G
Item Name: PENETRATING FLUID
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: BT
Quantitative Expression: 00000000007OZ
UI Container Qty: 0
Type of Container: SPRAY BOTTLE

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS 5,000 MG/KG.
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS:NONE SPECIFIED BY MANUFACT

URER. ACUTE-

EYES:CAN CAUSE IRRITATION. SKIN:REPEATED EXPOSURE CAN CAUSE IRRITATION. INHALATION: NO VOLATILES. UNLIKELY IN NORMAL USE. INGESTION: LOW TOXICITY. NO DEATHS. CHRONIC- OVEREXPOSURE MAY CAUSE CNS DEPRESSION. MAY CAUSE EYES, SKIN, LUNG IRRITATION. ACUTE OVEREXPOSURE: POTENTIAL SKIN & EYE IRRITANT. CHRONIC: PRODUCT MAY CAUSE IRRITATION TO EYES, LUNGS OR SKIN AFTER PROLONGED OR REPEATED EXPOSURE. OVER EXPOSURE MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

Explanation

Of Carcinogenicity: NOT LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN BY NTP, IARC OR OSHA.

Signs And Symptoms Of Overexposure: EYES-IRRITATION. SKIN-IRRITATION. INHALED-CENTRAL NERVOUS SYSTEM DEPRESSION.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN IF BTREATHING DIFFICULT. EYES:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP IF SYMPTOMS PERSIST.

SKIN:USE PROTECTIVE CLOTHING. WASH WITH SOAP & WATER. INGESTION:DO NOT INDUCE VOMITING. IF LARGE AMOUNTS ARE INGESTED, CONSULT PHYSICIAN AS GASTRIC LAVAGE MAY BE INDICATED.

=====
Handling and Disposal

=====
Spill Release Procedures: CONTAIN SPILL IMMEDIATELY IN SMALLEST AREA POSSIBLE. SOAK UP & DISPOSE IN PROFESSIONAL DISPOSAL FASHION. KEEP OUT OF SEWERS OR BODIES OF WATER.

Neutralizing Agent: NONE INDICATED.

Waste Disposal Methods: USE ABS

ORBATIVE MATERIAL & DISPOSE AT PROFESSIONAL DISPOSAL COMPLYING WITH STATE, FEDERAL & LOCAL REGULATIONS.

Handling And Storage Precautions: PRODUCT IS CLASS IIIB COMBUSTIBLE.LIQUID PER NFPA CODE NO. 30-1984. STORE/HANDLE ACCORDINGLY.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information

=====
Flash Point Method: COC

Flash Point: =193.3C, 380.F

Au

toignition Temp: =290.6C, 555.F

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. WATER/FOAM MAY CAUSE FROTHING. USE WATER TO KEEP CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS.

Unusual Fire/Explosion Hazard: PRODUCTS OR COMBUSTION MAY CONTAIN CARBON MONOXIDE/DIOXIDE OR OTHER MATERIALS . DO N

DO NOT ENTER ENCLOSED OR CONFINED AREA
WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING RESPIRATORY EQUIPMENT.

=====
Control Measures
=====

Respiratory Protection: NONE REQUIRED AT NORMAL HANDLING TEMPERATURES.
Ventilation: NORMAL SHOP VENTILATION.
Protective Gloves: RECOMMENDED IMPERVIOUS TYPE GLOVES.
Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES IF SPLASHING/DRIP EXISTS.
Other Protective Equipmen
t: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE
CLOTHING.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

HCC: N1
B.P. Text: 650F - 790F
Melt/Freeze Pt: =-78.7C, -110.F
Vapor Pres: NIL
Spec Gravity: 0.895
PH: NEUTRAL
Solubility in Water: NIL
Appearance and Odor: LIGHT ORANGE BROWN LI
QUID
Percent Volatiles by Volume: NIL

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: GENERALLY STABLE, KEEP AWAY FROM HEAT SOURCES AND
OPEN FLAME.
Materials To Avoid: STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: GNERALLY NONE, EXCEPT AS CARBON MONOXIDE
DURING INCOMPLETE COMBUSTION..
Hazardous Polymerization Indicator: NO
Conditions To Avoid Pol
ymerization: NONE.

=====
Toxicological Information
=====

Toxicological Information: NONE SPECIFIED BY MANUFACTURER.
=====

=====
Ecological Information
=====

Ecological: NONE SPECIFIED BY MANUFACTURER.
=====

=====
MSDS Transport Information
=====

=====
Transport Information: US DOT: NOT REGULATED.
=====

Regulatory Information
=====

Sara Title III Information: NONE SPECIFIED BY MANUFACTURER.
Federal Regulatory Information: NONE SPECIFIED BY MANUFACTURER.
State Regulatory Information: NONE SPECIFIED BY MANUFACTURER.
=====

Other Information
=====

Other Information: NONE SPECIFIED BY MANUFACTURER.
=====

Transportation Information
=====

Responsible Party Cage: 0M653
Trans ID NO: 134578
Product ID: SYNTHETIC PENETRATING LUBRICANT,E-Z-1
MSDS Prepared Date: 06/16/1997
Review Date: 11/10/1999
MFN: 1
Net Unit Weight: 0.4 LB
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: BT
Container QTY: 0
Type Of Container: SPRAY BOTTLE
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

=====

Product ID: SYNTHETIC PENETRATING LUBRICANT,E-Z-1

Cage: 0M653

Company Name: E-Z-1 CORP

Street: 3500 N HARRISON

City: SHAWNEE OK

Zipcode: 74801

Health Emergency Phone: 402-489-6492

Label Required IND: Y

Date Of Label Review: 11/10/1999

Status Code: C

Label Date: 07/03/1995

Year Procured: 1999

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: WARNING

Respiratory Protection IND: NO

Health Hazard: Moderate

Contact Hazard:

Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:NONE SPECIFIED BY MANUFACTURER. ACUTE-

EYES:CAN CAUSE IRRITATION. SKIN:REPEATED EXPOSURE CAN CAUSE IRRITATION.

INHALATION: NO VOLATILES. UNLIKELY IN NORMAL USE. INGESTION: LOW TOXICITY.

NO DEATHS. CHRONIC- OVEREXPOSURE MAY CAUSE CNS DEPRESSION. MAY CAUSE EYES,

SKIN, LUNG IRRITATION. ACUTE OVEREXPOSURE: POTENTIAL SKIN & EYE IRRITANT.

CHRONIC: PRODUCT MAY CAUSE IRRITATION TO EYES, LUNGS OR SKIN

KIN AFTER

PROLONGED OR REPEATED EXPOSURE. OVER EXPOSURE MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any persons or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.