View NSN Online: https://aerobasegroup.jp/nsn/9150-00-753-4667 METAL LUBRICANTS CO -- WINSOR LUBE L-245-X -- 9150-00-753-4667 ============= Product Identification =============== Product ID:WINSOR LUBE L-245-X MSDS Date:08/15/1994 FSC:9150 NIIN:00-753-4667 MSDS Number: BXFQW === Responsible Party === Company Name: METAL LUBRICANTS CO Address:17050 LATHROP AVE Box:8327 City:HARVEY State:IL ZIP:60426 Country:US Info Phone Num:800-323-7755 Emergency Phone Num:800-255-3924 Preparer 's Name:LAWRENCE COHEN CAGE:10873 === Contractor Identification === Company Name: FUCHS LUBRICANTS CO Address:17050 LATHROP AVE Box:8327 City:HARVEY State:IL ZIP:60426 Country:US Phone:708-333-8900 CAGE:10873

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM SULFONATE

CAS:25619-56-1

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MODERATE IRRITANT TO SKIN AND EYES. CHRONIC: NO DATA AVAILABLE. Explanation of Carcinogenicity:NOT CARCINOGENIC. Effects of Overexposure:INGESTION MAY CAUSE DIARRHEA. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES-IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES AND CALL A PHYSIC IAN. SKIN CONTACT-FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. INHALATION-REMOVE TO FRESH AIR. CONSU LT A PHYSICIAN IF DISCOMFORT PERSISTS. IF SWALLOWED-CONTACT A PHYSICIAN IMMEDIATELY.
======================================
Flash Point Method:COC Flash Point:>399F,>204C Extinguishing Media:DRY CHEMICAL OR CARBON DIOXIDE OR FOAM. WATER MAY CAUSE FROTHING. CLOSED CONTAINER EXPOSED TO FIRE MAY BE COOLED W/WATER Fire Fighting Procedures:USE S UPPLIED BREATHING AIR AND PROTECTIVE CLOTHING. A SOLID STREAM OF WATER INTO HOT BURNING LIQUID CAN CAUSE FROTHING. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:ABSORB WITH AN INERT MATERIAL SUCH AS SAND, SOIL OR VERMICULITE; SWEEP UP AND DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
============ Handling and Storage ==============
Handling and Storage Pr ecautions:AVOID SKIN AND EYE CONTACT. DO NOT SWALLOW. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE IF VENTILATION IS GOOD. Ventilation:LOCAL IF NECESSARY TO MAINTAIN ALLOWABLE TWA OR TLV. Protective Gloves:RUBBER. Eye Protection:CHEMICAL SAFETY GOGGLES. Other Protective Equipment:NONE. Work Hygienic Practices:WASH AFTER HANDLING. Supplemental Safety and Health D.O.T.: NOT REGULATED. ===================================

ical Properties ========

HCC:V6 Vapor Pres:100 SUS Solubility in Water: