

CANTOL,INC. -- ACI-TECH -- 6850-01-393-7434

===== Product Identification =====

Product ID:ACI-TECH

MSDS Date:06/11/1993

FSC:6850

NIIN:01-393-7434

MSDS Number: BXFXC

=== Responsible Party ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

City:PHILADELPHIA

State:PA

ZIP:19133

Country:US

Info Phone Num:215-425-1966

Emergency Phone Num:215-425-1911

Preparer's Name:RICHARD J. PETSCH

CAGE:

58380

=== Contractor Identification ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19133-3306

Country:US

Phone:215-425-1966

CAGE:58380

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS:7647-01-0

RTECS #:MW4025000

Fraction by Wt: 9%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:C 5 PPM

ACGIH TLV:C 5 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Nam

e:PHOSPHORIC ACID (SARA III)
CAS:7664-38-2
RTECS #:TB6300000
Fraction by Wt: 9.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3/3 STEL
ACGIH TLV:1 MG/M3/3 STEL; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:NONYLPHENOXYPOLYETHOXYETHANOL
CAS:68412-54-4
Fraction by Wt: >1%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO O
SHA:NO
Health Hazards Acute and Chronic:ACUTE: CORROSIVE TO EYES AND SKIN.
HARMFUL IF INHALED. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED
THROUGH SKIN. CHRONIC: ABSORPTION OVER LONG TERM EXPOSURE MAY CAUSE
INJURY TO LIVER AND KIDNEYS.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:EYES: BURNING, PAIN. SKIN: REDNESS, BURNING.
INHALATION: IRRITANT TO NOSE AND THROAT. INGESTION: PAIN,
IRRITATION.
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.
SEEK PROMPT MEDICAL ATTENTION. SKIN-FLUSH WITH WATER. SEEK PROMPT
MEDICAL ATTENTION. INHALATION-REMOVE TO FRESH AIR. INGESTION-DO NOT
INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER. CALL A PHYSICIAN
IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE BY TCC
Fire Fighting Procedures:WATER SOLUTIONS AR

E HIGHLY ACIDIC. WEAR FULL
PROTECTIVE EQUIPMENT. KEEP CONTAINERS COOL TO PREVENT FUMING.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. SOAK UP SPILL WITH OIL
ABSORBENT. FLUSH ANY RESIDUE WITH PLENTY OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED & REPEATED BREATHING
OF VAPOR. DO NOT GET INTO EYES, ON SKIN
, ON CLOTHING. STORE IN A
COOL AREA. KEEP FROM FREEZING.

Other Precautions:FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. READ AND
FOLLOW ALL LABEL DIRECTIONS AND PRECAUTIONS. DO NOT MIX WITH ANY
OTHER CHEMICALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE-USE WITH ADEQUATE VENTILATION.

Ventilation:LOCAL EXHAUST-NORMAL.

Protective Gloves:RUBBER, NEOPRENE,PLASTIC.

Eye Protection:EYE GOGGLES.

Other Protective Equipment:NONE.

Work Hygien

ic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEEP OUT OF REACH OF CHILDREN.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:190-210F

Vapor Density:>1

Spec Gravity:1.09

Evaporation Rate & Reference:>1 (N-BUTYL ACETATE=1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR YELLOW LIQUID WITH A MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoi

d:YES
STRONG ALKALI.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:BURNING MAY YIELD CARBON DIOXIDE AND
MONOXIDE, SULFUR DIOXIDE, HYDROGEN SULFIDE, PHOSPHORUS OXIDE FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF USED ABSORBANT IN PROPER RECEPTICLE
FOR LANDFILL. DISPOSE OF UNDILUTED LIQUID AS HAZARDOUS WASTE IN
ACCORDANCE WITH EPA-RCRA. (PH LESS THAN 2).

Disclaimer (provided with this information by
the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.