

Product ID: DEXAMETHASONE PHOS MSDS Date:01/01/1994 FSC:6505 NIIN:01-344-3990 **MSDS Number: BXHDB** === Responsible Party === Company Name: FUJISAWA USA INC Address:3 PARKWAY NORTH City:DEERFIELD State:IL ZIP:60015-2548 Country:US Info Phone Num:708-317-8800 Emergency Phone Num:708-317-8202 Preparer's Name:CHR **ISTINA J. BARRINGTON** CAGE:24832 === Contractor Identification === Company Name: FUJISAWA USA INC (LYPHOMED INC) Address:3 PARKWAY NORTH City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:800-727-7003/708-317-8800 CAGE:24832 Company Name: FUJISAWA USA, INC. Address:3 PARKWAY NORTH Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:708-317-0800 OR 800-888-7704 CAGE:0K706

Ingred Name:BENZYL ALCOHOL CAS:100-51-6 RTECS

#:DN3150000 **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name: PREGNA-1, 4-DIENE-3, 20-DIONE, 9-FLUORO-11-BETA, 17, 21-TRIHYDROXY-16-ALPHA-METHYL-, 21-(DIHYDROGEN PHOSPHATE) (ING 3) CAS:2392-39-4 RTECS #:TU4056000 OSHA PEL:N/K ACGIH TLV:N/K Ingred Name: ING 2: DISODIUM SALT; (DEXAMETHASONE, SODIUM PHOSPHATE) RTECS #:9999992Z **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name:SODIUM CITRATE CAS:6132-04-3 **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name: SODIUM SULFITE (2:1); (SODIUM SULFITE) CAS:7757-83-7 RTECS #:WE 2150000 **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

RTECS #:ZC011000 OSHA PEL:N/K ACGIH TLV:N/K

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY WHEN PRESCRIBED BY MD. POTENTIAL ADVERSE REACTIONS FROM PRESC

RIBED DOSES & OVERDOSES ARE DESCRIBED IN PACKAGE INSERT. OCCUPATIONAL EXPOSURE HAS NOT BE EN FULLY INVESTIGATED. ACUTE:EYE, SKIN & RESPIRATORY EFFECTS MAY OCCUR. CHRONIC:CONTINUED EXPOSURE TO (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:HLTH HAZ:HIGH DOSES MAY RESULT IN MOONFACE, WEIGHT GAIN, STRIAE, HIRSUTISM, ACNE, ECCHYMOSES, HYPERTENSION, OSTEOPOROSIS, MYOPATHY, DIABETES, HYPERLIPIDEMIA, PEPTIC ULCER & ELECTROLYTE & FLUID IMBAL AN CE.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & RESPIRATORY CONDITIONS.
======================================
First Aid:INHAL:MOVE PERSON TO FRESH AIR IMMEDIATELY. GIVE ARTF RESP & CPR IF REQUIRED. SEEK MED ATTN. INGEST:FLUSH OUT MOUTH W/WATER IMMEDIATELY. SEEK MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING IMMED IATELY. FLUSH AREA W/WATER FOR AT LEAST15 MINUTES. SEE MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH W/WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION. FOR ADVERSE DRUG INFO CALL (708)317-5937.
======================================
Flash Point Method:CC Flash Point:>200F,>93C
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM AS APPROPRIATE.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.
======================================
Spill R elease Procedures:WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. USE ABSORBENT TOWELS OR BROOMS TO CLEAN-UP SPILL. WIPE SURFACES CLEAN & WASH W/SOAP & WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:WHEN HANDLING PHARMACEUTICAL PRODUCTS, AVOID ALL CONTACT & INHALATION OF DUST, FUMES, MIST &/OR VAPORS ASSOCIATED W/THE PRODUCT. Other Precautions:NONE SPECIFIED BY MANUFA

CTURER.

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . WITH SATISFACTORY VENTILATION, RESPIRATORY PROTECTION IS NOT USUALLY REQUIRED. Ventilation: GENERAL ROOM VENTILATION IS USUALLY SATISFACTORY, USE LOCAL EXHAUST VENTILATION WHEN NECESSARY. Protective Gloves: DISPOSABLE LATEX GLOVES. Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS . Other Protective Equipment: DISPOSABLE GARMENTS IF DIRECT SKIN CONTACT IS ANTICIPATED. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. pH:7-8.5 Solubility in Water:SOLUBLE Appearance and Odor: CLEAR, COLORLESS TO PALE YELLOW SOLUTION; ODORLESS. Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stab ility Condition to Avoid: EXPOSURE TO EXCESSIVE LIGHT & HEAT MAY CAUSE DECOMPOSITION. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: DISPOSE OF I/A/W FEDERAL, STATE & LOCAL **REGULATIONS.**

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann

er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.