

TEXACO INC -- 00940 REGAL AFB 2 -- 9150-01-313-4779

===== Product Identification =====

Product ID:00940 REGAL AFB 2

MSDS Date:06/01/1995

FSC:9150

NIIN:01-313-4779

MSDS Number: BXQHK

=== Responsible Party ===

Company Name:TEXACO INC

Address:1111 RUSK

Box:52332

City:HOUSTON

State:TX

ZIP:77052

Country:US

Info Phone Num:713-650-4000

Emergency Phone Num:713-650-4000

CAGE:3B431

=== Contractor Identifica  
tion ===

Company Name:TEXACO PIPELINE INC (SUB OF TEXACO INC)

Address:9700 RICHMOND AVE

Box:42286

City:HOUSTON

State:TX

ZIP:77242-2286

Country:US

Phone:713-953-4260

CAGE:3B431

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),  
HEAVY PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 65-80%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL

CAS:72623-83-7

Fraction by Wt: 11-20%

Other RE

C Limits:NONE RECOMMENDED

Ingred Name:LITHIUM 12 HYDROXYSTEARATE

CAS:7620-77-1

Fraction by Wt: 4-11%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5 G/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE-BELIEVED TO BE MINIMALLY IRRITATING. SKIN-BELIEVED TO BE MINIMALLY IRRITATING. RESPIRATORY

SYSTEM-BELIEVED TO BE MINIMALLY IRRITATING. CHRONIC: N.D.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES-AS WITH MOST FOREIGN MATERIALS, SHOULD EYE CONTACT OCCUR, FLUSH EYES WITH PLENTY OF WATER. SKIN-NONE CONSIDERED NECESSARY. INGESTION-NONE CONSIDERED NECESSARY. INHALATION-NO NE CONSIDERED NECESSAR Y.

=====  
===== Fire Fighting Measures =====

Flash Point:N.D. GREASE

Autoignition Temp:Autoignition Temp Text:N.D.

Lower Limits:N.D.

Upper Limits:N.D.

Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:USE WATER TO COOL FIRE EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE VAPOR & PROVIDE PROTECTION FOR FIRFI GHTERS.

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURE SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.

Other Precautions

:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.

Ventilation:ADEQUATE TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.

Protective Gloves:CLEAN EXPOSED SKIN REGULARLY.

Eye Protection:CHEMICAL TYPE GOGGLES/FACE SHIELD.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:EXPOSED EMPLOYEES SHOULD EXERCISE REASONABLE PERSONAL CLEANLINESS; LAUNDERING/DRY CLEANING SOILED WORK CLOTHING WEEKLY.

Supplemental Safety and Health  
NONE

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:N.D.

Vapor Pres:NEGLIGIBLE

Vapor Density:N.D.

Spec Gravity:N.D.

pH:N.A.

Evaporation Rate & Reference:N.D.

Solubility in Water:NEGLIGIBLE

Appearance and Odor:MOBILE LIQUID.

Percent Volatiles by Volume:N.D.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE

SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES & KETONES, COMBUSTION PRODUCTS OF LITHIUM, NITROGEN AND SULFUR.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF PRODUCT TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER PRODUCT MEET RCRA CRITERIA FOR HAZARDOUS WASTE. THIS IS

BECAUSE PRODUCT

USES, MIXTURES, PROCESSES MAY RESULT IN A HAZARDOUS MATERIAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.