

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- PURGE FLOOR FINISH
RELIQUIFIER #1055 -- 7930-01-381-3498

===== Product Identification =====

Product ID: PURGE FLOOR FINISH RELIQUIFIER #1055

MSDS Date: 03/10/1995

FSC: 7930

NIIN: 01-381-3498

MSDS Number: BYCVL

=== Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address: 401 N 10TH ST

City: PHILADELPHIA

State: PA

ZIP: 19123-3803

Country: US

Info Phone Num: 215-922-1200

Emergency P

hone Num: 215-922-1200

Preparer's Name: F.C.

CAGE: 93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address: 401 N 10TH ST

Box: City: PHILADELPHIA

State: PA

ZIP: 19123-3803

Country: US

Phone: 215-922-1200

CAGE: 93607

===== Composition/Information on Ingredients =====

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

Ingred Name: 2-AMINO ETHANOL

CAS: 141-43-5

RTECS #: KJ5775000

Fr

action by Wt: PROP.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3 PPM
ACGIH TLV:3 PPM

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: PROP.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:25 PPM
ACGIH TLV:25 PPM

Ingred Name:XYLENESULFONIC ACID, SODIUM SALT
CAS:1300-72-7
Fraction by Wt: PROP
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: PROP.
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M
3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:CAUSES SKIN/EYE IRRITATION. HARMFUL IF
SWALLOWED. MAY CAUSE SEVERE MUCOSAL DAMAGE & GASTRIC DISTRESS. MAY
CAUSE SYSTEMIC INTOXICATION.
Medical Cond Aggravated by Exposure:CAUSES SKIN IRRITATION AGGRAVATING
DERMATITIS & INHALATION MAY IRRITAT
E EXISTING BRONCHIAL CONDITIONS.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID.
SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL
AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, WHITE, GELATIN,
OR IF N OT AVAILABLE GIVE LARGE QUANTITIES WATER. GET MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:NONE TO

BOILING

Lower Limits:NA

Upper Limits:NA

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR
SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS
OF SLIPPERY FLOORS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 40-120F.

Other Precautions:THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE
REUSE. KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY
SERVICE PERSONNEL ONLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED

Ventilation:LOCAL

Protective Gloves:RUBBER OR LATEX

Eye Protection:GOGGLES/SAFETY GLASSES W/SHIELDS.

Other Protective Equipment:RUBBER BOOTS SHOULD BE WORN IF WORKING IN
STANDING SOLUTIONS.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

===

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:=WATER

Vapor Density:=WATER

Spec Gravity:1.035

pH:13.6

Evaporation Rate & Reference:=WATER

Solubility in Water:DISPERSES

Appearance and Odor:CLEAR, THIN, BLUE LIQUID, SASSAFRAS SCENT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS & OXIDIZERS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON OXIDES & AMINES

===== Disposal Consid

erations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional a
dvice to verify and
assume responsibility for the suitability of this information to their
particular situation.