

MOBIL OIL CORP -- MOBILGREASE 28 -- 9150-01-378-0559

===== Product Identification =====

Product ID:MOBILGREASE 28

MSDS Date:07/31/1995

FSC:9150

NIIN:01-378-0559

MSDS Number: BYDMF

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLONS ROAD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4525/800-227-0707 X3265

Emergency Phone Num:609-737-4411/CHEMTREC 800  
-424-9300

Preparer's Name:ENVIRONMENTAL HEALTH

CAGE:3U728

=== Contractor Identification ===

Company Name:MOBIL CHEMICAL CO., CHEMICAL COATINGS DIV.

Address:RT 27 AND VINEYARD RD.

Box:250

City:EDISON

State:NJ

ZIP:08818-0250

Country:US

Phone:609-737-4411 OR 800-424-9300

CAGE:77988

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWES ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:SALATHE OIL CO INC

Addr

ess:2226 PETERS RD  
Box:City:HARVEY  
State:LA  
ZIP:70058  
Country:US  
Phone:504-366-4542  
CAGE:0T5C6

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PENTAERYTHRITOL  
CAS:115-77-5  
RTECS #:RZ2490000  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3; 9495

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 (RATS)> 2000 MG/KG  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Re  
ports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO SIGNIFIGANT EFFECTS EXPECTED.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH THOROUGH  
HLY WITH WATER. IF IRRITATION OCCURS, CALL  
A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. HIGH PRESSURE  
ACCIDENTAL INJECTION THROUGH THE SKIN REQUIRES IMMEDIATE MEDICAL  
ATTENTION. INH ALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION:  
NOT EXPECTED TO BE A PROBLEM. IF GREATER THAN PINT INGESTED,  
IMMEDIATELY GIVE 1-2 GLASSES OF WATER AND CALL PHYSICIAN. DO NOT  
INDUCE VOMITING.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash P

oint:450F,232C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED  
BREATHING APPARATUS. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH  
WATER.  
Unusual Fire/Explosion Hazard:PREVENT RUNOFF FROM FIRE CONTROL OR  
DILUTION FROM ENTERING STREAMS, SEWERS OR DRINKING WATER SUPPLY.

===== Accidental Release Measures =====

Spill Release Proce  
dures:SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE  
WASTE DISPSOAL FACILITY. REPORT SPILLS AS REQUIRED TO APPROPRIATE  
AUTHORITIES.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:HIGH PRESSURE INJECTION UNDER THE SKIN  
MAY OCCUR DUE TO THE RUPTURE OF PRESSURIZED LINES. ALWAYS SEEK  
MEDICAL ATTENTION.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Contro  
ls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY  
CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.  
Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS  
REQUIRED TO MAINTAIN EXPOSURE LEVELS.  
Protective Gloves:IMPERVIOUS GLOVES FOR REPEATED CONTACT  
Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS  
Other Protective Equipment:AN EYEWASH FOUNTAIN AND SAFETY SHOWER SHOULD  
BE LOCATED NEARBY WORK AREA AT ALL TIMES.  
Work Hygienic P  
ractices:WASH HANDS THOROUGHLY WITH SOAP AND WATER  
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:>600F,>316C  
Vapor Pres: