JOHNSON AND JOHNSON CLINICAL -- 148 0664;EKTACHEM HDL CHOLESTROL REAGENT - 6750-01-286-7586

Product ID:148 0664; EKTACHEM HDL CHOLESTROL REAGENT MSDS Date:09/20/1995 FSC:6750 NIIN:01-286-7586 MSDS Number: BZNLW === Responsible Party === Company Name: JOHNSON AND JOHNSON CLINICAL Address:100 INDIGO CREEK DRIVE City:ROCHESTER State:NY ZIP:14650-0873 Country:US Info Phone Num:800-645-6325 Emergency Phone Num:800-645-6325 CAGE:DO3 93 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871 Company Name: JOHNSON & JOHNSON CLINICAL DIAGNOSTICS Box:UNKNOW CAGE:03KD1 Company Name: JOHNSON AND JOHNSON DENTAL

PRODUCTS CO Address:20 LAKE DR Box:130 City:EAST WINDSOR State:NJ ZIP:08520 Phone:(201) 524-6723 CAGE:DO393

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 90-95% Other REC Limits:NONE SPECIFIED

Ingred Name:MAGNESIUM CHLORIDE, CAS:7786-30-3 RTECS #:OM2800000 Fraction by Wt: 5-10% Other REC Limits:NONE SPECIFIED

LD50 LC50 Mixture:ORAL LD5

0 (RAT) IS 2800MG/KG(INGRED#2)

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. EYE CONTACT MAY CAUSE TRANSIENT EYE IRRITATION. LOW SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,

IARC OR OSHA.

Effects of Overexposure: EYES: TRANSCIENT IRRITATION.

Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS UNDER NORMAL CONDITIONS OF USE.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR A RTIFICIAL RESPIRAT ION IF NEEDED.INGEST:DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE 1-2 GLASSES OF WATER.

Flash Point:NONE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.SMALL SPILLS CAN BE FLUSHED TO A SANITAR Y SEWER WITH PLENTY OF WATER.

Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE BELOW 8C(46F).KEEP CO NTAINER

CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW LABEL DIRECTIONS.

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE. Ventilation:DILUTION VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR). Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PR

ODUCT.WASH HANDS AFTER USE AND BEFORE EATING. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:N1 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.0 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, NO ODOR Percent Volatiles by Volume:90-95

Stability Indi cator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:HYDROGEN CHLORIDE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This informati

on is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.