MOBIL OIL CORPORATION -- SHC 626 -- 9150-01-152-1094 Product ID:SHC 626 MSDS Date: 05/08/1995 FSC:9150 NIIN:01-152-1094 MSDS Number: BZNTK === Responsible Party === Company Name: MOBIL OIL CORPORATION Address:BEAUMOUNT REFINERY INTERSTATE 10 Box:3311 City:BEAUMONT State:TX ZIP:77704 Country:US Info Phone Num:800-662-4525 Emergency Phone Num:609-737-4411/800-424-9300(CHEMTREC) CAGE:19135 === Contractor Identification === Company Name: MOBIL OIL CORPORATION Address:BEAUMOUNT REFINERY INTERSTATE 10 Box:3311 City:BEAUMONT State:TX ZIP:77704 Country:US Phone:609-737-4411/800-424-9300(CHEMTREC) CAGE:19135 ======= Composition/Information on Ingredients ======== Ingred Name: NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification =================

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >2,000 MG/KG.

Routes of Entry: Inhalation:NO Skin:NO

Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE- EYE/SKIN:PRACTICALLY NON-IRRITATING. INHALE:NO HAZARD AT AMBIENT TEMPERATURES. ORAL:PRACTICALLY NON-TOXIC. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE Medical Cond Aggravated by Exposure:NONE
======================================
First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:NOT EX PECTED TO  BE A PROBLEM. EYES:FLUSH WITH PLENTY OF WATER, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:NOT EXPECTED TO BE A PROBLEM. HOWEV ER, IF GREATER THAN 1/2 LITER (PINT) INGESTED, IMMEDIATELY DRINK 1-2 GLASSES OF WATER & CALL A PHYSICIAN.
======================================
Flash Point Method:COC Flash Point:>455F,>235C Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL. DIRECTLY SPRAYING WATER/FOAM ONTO B URNING OIL MAY CAUSE FROTHING. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE.
======== Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. RECOVER FREE PRODUCT. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAWDUST, DIATOMACEOUS EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER SEWERS/WATER WAYS. REPORT SPILLS AS REQUIRED TO AUTHORITIES. Neutralizing Agent:NOT RELEVANT
======================================
Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF

REACH OF CHILDREN.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. EMPTY CONTAINER RET

AINS PRODUCT RESIDUE. OBSERVE ALL PRECAUTIONS GIVEN IN THE MATERIAL SAFETY DATA SHEET.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS.
Ventilation:ADEQUATE
Protective Gloves:LATEX, RUBBER RECOMMENDED  Eye Protection:SAFETY GOGGLES RECOMMENDED
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A OR B, SAME NSN
========= Physical/Chemical Properties ==========
HCC:V6 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>600F,>316C Vapor Pres:2.0 Spec Gravity:0.85 Viscosity:>6 1CST # 104F Solubility in Water:NEGLIGIBLE Appearance and Odor:STRAW LIQUID - MILD ODOR
========== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXTREME HEAT Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, ELEMENTAL OXIDES, METAL OXIDES
======== Disposal Considerations ==========
Waste Disposal Methods:INCINERATE OR RECYCLE. DISPOSAL MUST BE

IN

ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. THE UNUSED PRODUCT IS NOT SPECIFICALLY LISTED BY THE EPA AS A HAZARDOUS WASTE. THE COAST GUARD PHONE NU MBER: 800-424-8802.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability fo

r its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.