View NSN Online: https://aerobasegroup.jp/nsn/6850-01-353-4460

## CANON U S A INC -- CLC-200/300/350 TONER BLACK,F 41-6801-100 -- 6850-01-353-4460

Product ID:CLC-200/300/350 TONER BLACK,F 41-6801-100

MSDS Date:09/01/1995

FSC:6850

NIIN:01-353-4460

MSDS Number: CBQYW === Responsible Party ===

Company Name: CANON US A INC

Address: ONE CANON PLAZA

City:LAKE SUCCESS

State:NY ZIP:11042 Country:US

Info Phone Num:516-488-6700/516-328-56

00

Emergency Phone Num:516-488-6700/800-424-9300(CHEMTREC)

Preparer's Name: JOSEPH PALMER

CAGE:1BA63

=== Contractor Identification ===
Company Name: CANON USA INC

Address:ONE CANON PLZ Box:City:NEW HYDE PARK

State:NY ZIP:11042 Country:US

Phone:516-328-5000; 5600

CAGE:08YZ7

Company Name: CANON USA INC Address: ONE CANON PLAZA Box: City: LAKE SUCCESS

State:NY ZIP:11042 Country:US

Phone:516-328-5600

CAGE:1BA63

Company Name:TONER ETC Address:124 HERITAGE AVE Box:City:PORTSMOUTH

State:NH ZIP:03801 Country: US

Phone:800-370-8663 603-431-3624

CAGE:0YL79

======= Composition/Information on Ingredients ========

Ingred Name: BISPHENOL A PROPYLENE OXIDE FUMARATE/POLYESTER RESIN

CAS:39382-25-7

Fraction by Wt: 85 - 95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 1 - 5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9596

========= Hazards Identification =================

LD50 LC50 Mix

ture:LD50 (ORAL, RAT) IS >5000 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- EYES:NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INHALATION:EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. ORA L:EXPECTED TO BE A LOW INGESTION HAZARD. CHRONIC- UNKNOWN.

**Explanation of Carcinogenicity: NONE** 

Effects o

f Overexposure:IRRITATION

Medical Cond Aggravated by Exposure: NONE KNOWN

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:FLUSH WITH WATER & WASH WITH SOAP & WATER. ORAL:DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.

========= Fire Fighting Measures ===============

Flash Point:NONE Extinguishing

Media:USE WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE **DUST-AIR MIXTURES.** ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP UP SPILL ONTO PAPER AND PLACE IN A FIBER CARTON FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE. Neutralizing Agent: NOT RELEVANT ========== Handling and Storage ================ Handling and Storage Precautions: STORE IN DRY PLACE AWAY FROM STRONG OXIDIZING AGENTS. Other Precautions: KEEP CONTAINER CLOSED. HANDLE OPENED BOTTLES CAREFULLY TO PREVENT TONER FROM DISPERSING IN AIR. AVOID INHALATION OF TONER POWDER. AVOID CONTACT WITH EYES. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP OUT OF REACH OF CHILDREN. ======== == Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKPLACE EXPOSURE LIMIT IS EXCEEDED OR FOR BULK HANDLING. A NIOSH APPROVED AIR SUPPLIED RESPIRATOR OR DUST RESPIRATOR IS ADVISED. Ventilation: NORMAL OFFICE CONDITIONS Protective Gloves:LATEX FOR PROLONGED/REPEATED CONTACT Eye Protection: SAFETY GLASSES RECOMMENDED Other Protective Equipment: EYE WASH STATION Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND ECOMMENDED PROCEDURES. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI B, SAME NSN. ======== Physical/Chemical Properties ============ HCC:N1 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:212F - 248F Spec Gravity: 1.0 - 1.2

Viscosity:NOT RELEVANT

Evaporation Rate & Evaporation Relevant

Solubility in Water: NEGLIGIBLE

Appearance and Odor:BLACK POWDER - FAINT PLASTIC ODOR

====== Stability and Reactivity Data =====

=========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES OF NITROGEN

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN AN APPROVED INCINERATOR OR LANDFILL. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. EMPTY RECEPTACLE MAY BE RECYCLED.

Disclaimer (provided with t

his information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.