View NSN Online: https://aerobasegroup.jp/nsn/6810-00-237-2910

CITY CHEMICAL CO -- 60180 POTASSIUM CYANIDE, REAGENT, ACS -- 6810-00-237-2910

======== Product Identification ============

Product ID:60180 POTASSIUM CYANIDE, REAGENT, ACS

MSDS Date:01/01/1993

FSC:6810

NIIN:00-237-2910

MSDS Number: CBRXG === Responsible Party ===

Company Name: CITY CHEMICAL CO

Address: 100 HOBOKEN AVE

City: JERSEY CITY

State:NJ ZIP:07310 Country:US

Info Phone Num:201-653-6900

Emergency Phone N

um:201-653-6900/800-424-9300(CHEMTREC)

CAGE:8G980

=== Contractor Identification ===

Company Name: CITY CHEMICAL CO

Address:100 HOBOKEN AVE

Box:City:JERSEY CITY

State:NJ ZIP:07310 Country:US

Phone:201-653-6900/800-424-9300(CHEMTREC)

CAGE:8G980

Company Name: CITY CHEMICAL CORPORATION

Address: 100 HOBOKEN AVE

City: JERSEY CITY

State:NJ ZIP:07310 Country:US

Phone:201-653-6900/800-248-2436

CAGE:83628

====== Composition/Information on Ingredients ========

Ingred Name: POTASSIUM CYANIDE (SAR

| Fraction by Wt: 100% |
|---|
| Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG(CN)/M3 |
| ACGIH TLV:S, 5 MG(CN)/M3; 9495 |
| EPA Rpt Qty:10 LBS |
| DOT Rpt Qty:10 LBS |
| ====================================== |
| LD50 LC50 Mixture:ORAL HUMAN, LDLO = 2.857 MG/KG |
| Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES |
| Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO |
| Health Hazards Acute and Chronic:*TARGET-ORGANS:CNS, BLOOD, HEART.* H |
| IGHLY TOXIC!! MAY BE FATAL IF INHALED, SWALLOWED, ABSORBED THRU |
| SKIN. CAUSES SEVERE EYE IRRITATION, SKIN IRRITATION. EXPOSURE CAN |
| CAUSE NAUSEA, DIZZINESS, HEADACH E, LUNG IRRITATION, CYANOSIS, CNS DEPRESSION. |
| Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT |
| CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE |
| CARCINOGENIC. |
| Effects of Overexposure:HIGHLY TOXIC. MAY BE FATAL. EYE & SKIN |
| IRRITATION. CNS DEPRESSION, CYANOSIS, NAUSEA, DIZZINE SS, HEADACHE. |
| Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS. |
| |
| ====================================== |
| First Aid:IN ALL CASES, GET IMMEDIATE MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE & DISCARD CONTAMINATED CLOTHING & SHOES. INHALED:REMOVE FROM EXPOSURE. AID OR RESTORE BREA THING AS NEEDED. INGESTED:GET IMMEDIATEMEDICAL ATTENTION. WASH OUT MOUTH W/WATER IF CONSCIOUS. NOTHING BY MOUTH IF |
| UNCONSCIOUS. |
| ====================================== |
| Extinguishing Media:APPROPRIATE FOAM. DO NOT USE CARBON DIOXIDE EXTINGUISHER ON THIS MATL. |
| Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. |
| Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS. |
| ========= Accidental Release Measures ========== |
| Spill Release Procedures:EVACU |

A 302/313) (CERCLA) CAS:151-50-8

RTECS #:TS8750000

BAG & HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA & WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. Neutralizing Agent:SODIUM HYPOCHLORITE ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP TIGHTLY CLOSED. STORE IN A DRY AREA. WATER SPRAY USED IN FIRE FIGHTING WILL RELEASE HIGHLY TOXIC HYDROGEN CY ANIDE GAS IF CONTACTING THE MATERIAL. Other Precautions: KEEP FIRE FIGHTING RUNOFF & SPILLS OUT OF SEWERS & WATERCOURSES. USE ONLY IN A FUME HOOD. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: WEAR APPROPRIATE NIOSH/MSHA APPROVED RESPIRATOR. Ventilation: USE ONLY IN CHEMICAL FUME HOOD. Protective Gloves: CHEMICAL RESISTANT GLOVES. Eye Protection: SAFETY GOGGLES. Other Protective Equipment: OTHER PROTECTIVE CLOTHING AS NEEDED TO PREVENT SKIN CONTA CT. EYEWASH FOUNTAIN & SAFETY SHOWER NEARBY & READY FOR USE. Work Hygienic Practices: DISCARD CONTAMINATED CLOTHING & SHOES. WASH THOROUGHLY AFTER HANDELING. Supplemental Safety and Health NONE ======== Physical/Chemical Properties ============ HCC:T2 NRC/State Lic Num:NONE Melt/Freeze Pt:M.P/F.P Text:1174F,635C Spec Gravity:1.520 Appearance and Odor:WHITE GRANULAR POWDER. ======== Stability and Reactivity Data ========== Stability Indicator/Materia

APPARATUS, RUBBER BOOTS, HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN

ATE AREA. WEAR SELF-CONTAINED BREATHING

Is to Avoid:YES
STRONG OXIDIZING AGENTS, AVOID CONTACT W/ACID,
Stability Condition to Avoid:AIR & MOISTURE SENSITIVE. MAY DECOMPOSE ON
EXPOSURE TO MOIST AIR OR WATER. ABSORBS CO2 FROM AIR.
Hazardous Decomposition Products:TOXIC FUMES OF HYDROGEN CYANIDE,
CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES.
Conditions to Avoid Polymerization:MFR GAVE NO INFORMATION OF MSDS.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STA TE & LOCAL

REGULATIONS. TREAT DILUTE BASIC SOLUTION (PH 10-11) W/50% EXCESS COMMERCIAL LAUNDRY BLEACH. CONTROL TEMPERATURE BY ADDITION RATE OF BLEACH. LET STAND OVERNIGHT. CA UTIOUSLY AJDUST TO PH 7. FILTER SOLIDS FOR BURIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informatio n to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.