

OATEY CO -- 95/5 SOLID WIRE SOLDER, 22004 -- 3439-01-324-0891

=====
Product Identification
=====

Product ID:95/5 SOLID WIRE SOLDER, 22004

MSDS Date:01/01/1996

FSC:3439

NIIN:01-324-0891

MSDS Number: CCPJH

=== Responsible Party ===

Company Name:OATEY CO

Address:4700 WEST 160TH ST

Box:35096

City:CLEVELAND

State:OH

ZIP:44135

Country:US

Info Phone Num:216-267-7100

Emergency Phone Num:303-623-5716

CAGE:

53472

=== Contractor Identification ===

Company Name:OATEY CO

Address:4700 WEST 160TH STREET

Box:35906

City:CLEVELAND

State:OH

ZIP:44135

Country:US

Phone:216-267-7100/303-623-5716

CAGE:53472

=====
Composition/Information on Ingredients
=====

Ingred Name:TIN

CAS:7440-31-5

RTECS #:XP7320000

Fraction by Wt: 95%

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3

Ingred Name:ANTIMONY (SARA 313) (CERCLA)

CAS:7440-36-0

RTECS #:CC4025000

Fraction by Wt: 5%

OSHA PEL:0.5 MG/M3

ACGIH TLV:0.5 MG/M3 (SB)

)
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IF HEATED, FUMES MAY
PRODUCE RESPIRATORY IRRITATION, FEVER, CHILLS, MUSCULAR PAIN,
VOMITING AND SWEATING. SKIN: FUMES MAY CAUSE IRRITATION. EYES:
FUMES MAY CAUSE IRRITA
TION. INGESTION: MAY CAUSE ABDOMINAL PAIN,
GASTROINTESTINITIS, INTERNAL CUTS OR OBSTRUCTIONS. TARGET ORGANS:
LUNG, SKIN, (EFTS OF OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ: EYE, IRRITANT BY HEATED FUMES.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN: IF IRRIT ARISES, WASH THOROUGHLY W/SOAP & WATER. SEEK
MED ATTN IF IRRIT PERSISTS. EYE
S: IF FUMES CAUSE IRRIT, MOVE TO
FRESH AIR & IRRIGATE EYES W/WATER FOR AT LEAST 15 MIN. IF IRRIT
PERSISTS, SE EK MED ATTN. IF EYE IS STRUCK W/WIRE, SEEK MED ATTN.
INHAL: MOVE TO FRESH AIR. IF BRTHG IS DFCLT, GIVE OXYGEN. IF NOT
BRTHG, GIVE ARTF RESP. KEEP VICTIM QUIET & WARM. CALL POIS CTL CTR
OR MD (SUPDAT)

===== Fire Fighting Measures =====

Extinguishing Media:SM FIRES: USE DRY CHEM, CARBON DIOIXDE, WATER OR
FOAM EXTING. LG FIRES: EVA
CUATE AREA & CALL FIRE DEPARTMENT IMMED.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:PLACE MATERIAL IN A CLOSED CONTAINER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PRACTICE GOOD PERSONAL HY

GIENE AND
HOUSEKEEPING.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR FOR TOXIC DUST/FUMES.

Ventilation:GENERAL MECHANICAL: NECESSARY IF SOLDERING IN
NON-VENTILATED AREA. LOCAL EXHAUST: OPEN DOORS & WINDOWS TO REMOVE
FUMES.

Protective Gloves:RUBBER GLOVES.

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE
SHOWER .

Work Hygienic Practices:PRACTICE GOOD PERSONAL HYGIENE AND
HOUSEKEEPING.

Supplemental Safety and Health

FIRST AID PROC: IMMED. INGEST: DRINK WATER & CALL POIS CTL CTR OR MD
IMMED. AVOID ALCOHOLIC BEVERAGES. NEVER GIVE ANYTHING BY MOUTH TO
AN UNCON PERSON.

=====
===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:>450F,>232C

Spec Gravity:9-11

Solubility in Water:INSOLUBLE

Appearance and Odor:SILVER-GRAY WIRE METAL; NO ODOR.

=====

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NOT APPLICABLE.

Hazardous Decomposition Products:LEAD FUMES ABOVE MELTING POINT.

=====
===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO LOCAL, STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by eleme

nts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.