View NSN Online: https://aerobasegroup.com/nsn/8040-00-664-7073

H B FULLER COMPANY - FOSTER PRODUCTS CORP -- SC-1806 SOLVENT BASED ADHESIVE -- 8040-00-664-7073

============= Product Identification =================

Product ID:SC-1806 SOLVENT BASED ADHESIVE

MSDS Date:07/04/1993

FSC:8040

NIIN:00-664-7073

MSDS Number: CCXPN === Responsible Party ===

Company Name: H B FULLER COMPANY - FOSTER PRODUCTS CORP

Address:1200 WOLTERS BLVD

City: VADNAIS HEIGHTS

State:MN

ZIP:55110-5000

Country:

US

Info Phone Num:612-481-3300

Emergency Phone Num:612-481-3300

CAGE:ODH19

=== Contractor Identification ===

Company Name: H B FULLER COMPANY Address: 1200 WOLTERS BOULEVARD

City: VADNAIS HEIGHTS

State:MN ZIP:55110

Phone: (800) 228-5635

CAGE:ODH19

Company Name:H.B. FULLER COMPANY Address:3500 LEXINGTON AVENUE N.

Box:City:ST. PAUL

State:MN

ZIP:55126-8076

Country:US

Phone:612-236-5300/ -5309 FAX

CAGE:0DH19

Company Name:RALRUBE INC. Address:36977 FOX GLEN Box:City:FARMINGTON HILLS

State:MI ZIP:48331

Co

untry:US

Phone:248-661-0260, FAX 248-661-3941

CAGE:6X798

======= Composition/Information on Ingredients ========

Ingred Name:DENATURED ETHYL ALCOHOL (VAPOR PRESSURE 44 MM HG @ 20 C)(LD50 7060 MG/KG ORAL RAT)(LC50 31623 PPM/4 HR RAT)

CAS:64-17-5

Fraction by Wt: 10-30% Other REC Limits:NONE OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name: ISOPROPYL ALCOHOL (SARA III) (LD50 5045 MG/KG ORAL RAT)

CAS:67-63-0

RTECS #:NT8050000 Fraction by Wt: 5-10% Other REC Limits:NONE

OSHA PEL:40 0 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)(LD50 2737 MG/KG ORAL RAT)(LC50 4700 MG/M3/4 HR RAT)(VP = 78 @ 20C)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 10-30%

OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III)(LD50 5000 MG/KG ORAL RAT)(LC50 7524

PPM/4 HR RAT)(VP = 24 @ 20C)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: > 10% Other REC Limits:NONE

OS

HA PEL:100 PPM/STEL 150 ACGIH TLV:50 PPM/STEL 150

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:VM&P NAPHTHA (LC50 3400 PPM/4 HR RAT)(VP = 15 @ 20C)

CAS:8030-30-6

RTECS #:DE3030000 Fraction by Wt: 5-10% Other REC Limits:NONE

OSHA PEL:300 PPM/STEL 400 ACGIH TLV:300 PPM/STEL 400

Ingred Name: VOC = 656 G/L (662 G/L LESS WATER & EXEMPT SOLVENTS)

RTECS #:9999999VO Fraction by Wt: NA

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

========	========	Ha	ıza	rds	3		
Identification	=========	===	==	==	=:	==	=

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC: LONG TERM OVEREXPOSURE TO SOLVENTS MAY CAUSE LIVER AND KIDNEY DAMAGE.

Effects of Overexposure:EYE: IRRIT. SKIN: DRY & DEFAT SKIN. PROLONGED MAY CAUSE IRRI & SENSITIZATION. INHALATION: IRRIT OF THE NOSE, THROAT & RESPIRATORY TRACT, DIZZINESS, HEADACHES, NAUSEA OR UNCONSCIOUSNESS. INGESTION: H

AR MFUL.

Medical Cond Aggravated by Exposure: NO KNOWN EFFECTS ON OTHER ILLNESSES

First Aid:EYE: FLUSH IMMD W/LARGE AMT OF WTR FOR AT LEAST 15 MIN. CALL PHYSICIAN. SKIN: WASH AREA W/SOAP & WATER. LAUNDER CLOTHING BEFORE REUSE. INHALED: REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSAY. KEEP WARM & QUIET. CALL PHYSICIAN. INGESTION: IF CAPABLE OF SWALLOWING, GIVE 1 GLASS WATER/MILK. DON'T INDUCE VOMITING. GET M

ED

AID. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. Flash Point Method:TCC Flash Point:16 F -8.89 C Lower Limits:NOT EST. Upper Limits:NOT EST. Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE Fire Fighting Procedures: WEAR SELF CONTAINED BREAHTING APPARATUS AND **FULL PROTECTIVE EQUIPMENT** Unusual Fire/Explosion Hazard: POSSIBILITY OF PRESSURE BUILDUP IN CLOSED CONTAINERS WHEN HEATED. WATE R SPRAY MAY BE USED TO COOL THE CONTAINERS Spill Release Procedures: CONTAIN/REMOVE W/INERT ABSORBENT. USE NON-SPARKINGTOOLS. KEEP SPILL OUT OF SEWER. REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. AVOID BREATHING VAPORS. DIKE AND CONTAIN SPILL W/INERT ABSORBENT AND TRANSFER TO CONTAINER FOR DISPOSAL ============ Handling and Storage =========================== Handling and Storage Precautions: DO NOT STORE NEAR HEAT, SPARKS OR FLAME, KEEP CONTAINER CLOSED, EMPTY CONTAINER RETAINS VAPOR/RESIDUE, DON'T CUT/WELD ON/NEAR CONTAINER. Other Precautions: DRUMS OF THIS MATERIAL SHOULD BE GROUNDED WHEN POURING. CONSULT TECHNICAL DATA SHEET FOR SPECIFIC STORAGE INFORMATION. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH APPROVED EQUIPMENT - ORGANIC VAPOR RESPIRATORS WHEN AIRBORNE EXPOSURE LIMITS ARE EXCEEDED. Ventilation:LOCAL E XHAUST VENTILATION PREFERRED. PROVIDE VENTILATION TO CONTROL CONTAMINANT LEVELS BELOW AIRBORNE EXPOSURE LIMITS. Protective Gloves: RUBBER Eye Protection: SAFETY GLASSSES, CHEM GOGGLES. Other Protective Equipment: APPROPRIATE PROTECTIVE CLOTHING, EYEWASH **STATION** Work Hygienic Practices: GOOD GENERAL WORK HYGIENE Supplemental Safety and Health NK ======== Physical/Chemical Properties ============= Boiling Pt:B.P. Text:>173F,>78C

Boiling Pt:B.P. Text:>173F,>78C Vapor Pres:NOT EST. Vapor Density:NOT EST. Spe

c Gravity:K092 pH:NA Evaporation Rate & Evaporation Rate & Color, PUNGENT SOLVENT ODOR Appearance and Odor:LIQUID, CHARACTERISTIC COLOR, PUNGENT SOLVENT ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:NITROGEN COMPOUNDS
====== Disposal Considerations ==========
Waste Disposal Methods:HAZARDOUS WASTE. IT IS IGNITABLE WASTE. DISPOSAL VIA INCINERATION IS RECOMMENDED. CONSULT YOUR STATE OR LOCAL AUTHORITIES FOR PROPER DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professio nal advice to verify and assume responsibility for the suitability of this information to their particular situation.