View NSN Online: https://aerobasegroup.com/nsn/8010-01-255-5415

CAAP CO INC -- CAAPCOAT POLYURETHANE ACCELERATOR -- 8010-01-255-5415

Product ID:CAAPCOAT POLYURETHANE ACCELERATOR

MSDS Date:05/01/1991

FSC:8010

NIIN:01-255-5415

Kit Part:Y

MSDS Number: CDFTN
=== Responsible Party ===
Company Name:CAAP CO INC
Address:152 PEPES FARM ROAD

City:MILFORD

State:CT ZIP:06460 Country:US

Info Phone Num:203-877-0375 Emergency Phone Num:203

-877-0375 CAGE:60922

=== Contractor Identification === Company Name:CAAP CO INC Address:152 PEPE'S FARM RD

Box:City:MILFORD

State:CT ZIP:06460 Country:US

Phone:203-877-0375

CAGE:60922

======= Composition/Information on Ingredients ========

Ingred Name: HEXONE, METHYL ISOBUTYL KETONE (MIBK), 4-METHYL-2-PENTANONE

96-4 CAS:108-10-1

RTECS #:SA9275000 Fraction by Wt: 38%

Other REC Limits:50 PPM

OSHA PEL:100 PPM ACGIH TLV:50 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred

Name:METHYL ETHYL KETONE, 2-BUTANONE *96-4* CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 59% Other REC Limits:590 MG/CUM OSHA PEL:200 PPM ACGIH TLV:200 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: ADDITIVES Fraction by Wt: 3% ========== Hazards Identification ================ Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: BURNING & DAMAGE. SKIN: **IRRITATION** & BURNING. INHALATION: RESPIRATORY, NOSE & THROAT IRRITATION. MAY CAUSE KIDNEY & LIVER DAMAGE. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: IRRITATION, BURNING, HEADACHES, NAUSEA, VOMITING, COMA, DIZZINESS, LOSS OF APPETITE. Medical Cond Aggravated by Exposure: PREEXISTING ALLERGIES, EYE/SKIN & RESPIRATORY DISORDERS. ------ First Aid Measures ------First Aid:EYES: FLUSH W/LOTS OF RUNNING WATER FOR 15 MINS. SKIN: WASH WELL W/LOT S OF SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. INGESTION: DON'T INDUCE VOMITING. IF VOMITING OCCURS SPONT ANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT BREATHING VOMITUS INTO LUNGS. A SMALL QUANTITY OF PRODUCT IN LUNGS CAN RESULT IN SERIOUS LUNG DAMAGE. OBTAIN MEDICAL ATTENTION IN ALL CASES. ============ Fire Fighting Measures ========================= Flash Point Method:TCC Flash Point:23F Lower Limits:1

Upper Limits:11.5

Extinguishing Media:WATER F

OG, DRY CHEMICAL, FOAM, CO2.

Fire Fighting Procedures:DON'T USE A DIRECT WATER STREAM. WEAR SCBA & FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS & STRUCTURES EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:PRODUCT IS A FLAMMABLE LIQUID. PRODUCT MAY FLOAT ON WATER SURFACE & REIGNITE. VAPORS >AIR, MAY TRAVEL TO DISTANT IGNITION SOURCE & FLASHBACK.

======== Accidental Release Measures ============

Spill Release Procedures: REMOVE IGNITION SOUR CES & DON'T SMOKE IN AREA.

WEAR RUBBER BOOTS/GLOVES/APRON & SCBA IN PRESSURE DEMAND MODE/SUPPLIED AIR RESPIRATOR. ALWAYS WEAR EYE PROTECTION. CONTAIN W/ABSORBENT MATERIAL. CLEAN UP ABSORBENT & CONTAIN SECURELY. (SEE SUPP)

============= Handling and Storage ================

Other Precautions:DON'T WEAR CONTACT LENSES WHEN USING THIS PRODUCT BECAUSE CONTACT LENSES CONTRIBUTE TO SEVERITY OF AN EYE INJURY. DON'T SMOKE IN IMMEDIATE AREA WHERE PRODUCT IS BEIN G USED.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:WEAR A NIOSH APPROVED FULL FACEPIECE/PURIFYING CARTRIDGE RESPIRATOR EQUIPPED FOR ORGANIC VAPORS & MISTS, SCBA IN PRESSURE DEMAND MODE/POSITIVE PRESSURE AIR SUPPLIED RESPIRATOR IF USE CONDITIONS GENERA TE VAPORS/MISTS.

Ventilation:SPRAY BOOTH REQUIRED FOR SPRAY APPLICATIONS. EXHAUST: SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS 100F & OTHER IGNITION SOURCES.

Hazardous Decompositi

on Products:CO, CO2, BLACK SMOKE CONTAINING UNIDENTIFIED ORGANIC COMPOUNDS.

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATION IN AN APPROPRIATELY DESIGNED & LICENSED INCINERATOR IS PREFERRED. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. FLAMMABLE LIQUID UN1263.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Uni

ted States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.