

GENERAL SEALANTS INC -- GS# A-800-3G -- 8030-01-425-2826

===== Product Identification =====

Product ID:GS# A-800-3G

MSDS Date:08/27/1990

FSC:8030

NIIN:01-425-2826

MSDS Number: CDJXK

=== Responsible Party ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Info Phone Num:818-961-0211 / FAX 818-968-5140

Emergency Phone Num:818-9

61-0211

Preparer's Name:SIGNATURE UNREADABLE

CAGE:53992

=== Contractor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:THIS PRODUCT IS CONSIDERED NON-HAZARDOUS.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:PROD

UCT'S LD50 (ORAL RAT) WAS NOT STATED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO KNOWN ADVERSE CHRONIC HEALTH EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECT TO SKIN.

Medical Cond Aggravated by Exposure:N.A.

=====
===== First Aid Measures =====

First Aid:IF IT CONTACTS THE EYE - FLUSH W/WATER. IF IT CONTACTS SKIN, WIPE OFF & FLUSH W/WATER. NO PROBLEMS OCCURE W/INHALATION.

=====
===== Fire Fighting Measures =====

Flash Point:800F,427C

Lower Limits:N.A.

Upper Limits:N.A.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

Unusual Fire/Explosion Hazard:NOT KNOWN

=====
===== Accidental Release Measures =====

Spill Release

Procedures:REMOVE PRODUCT IN NORMAL WAY. THIS MATERIAL WILL NOT SPILL SINCE IT IS IN SOLID FORM.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 90F. USE REASONABLE CARE & CAUTION.

Other Precautions:NONE KNOWN

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE
Work Hygienic Practices:NONE
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NONE
Boiling Pt:B.P. Text:N.A.
Melt/Freeze Pt:M.P/F.P Text:N.A.
Vapor Pres:SOLID
Vapor Density:SOLID
Spec Gravity:1.11
Evaporation Rate & Reference:N.A.
Solubility in Water:INSOL.
Appearance and Odor:LIGHT GREEN - NO ODOR

===== Stability and Reactivity Data =====

Stability I
Indicator/Materials to Avoid:YES
OXIDIZING MATERIAL CAN CAUSE A REACTION
Stability Condition to Avoid:N.A.
Hazardous Decomposition Products:SILICONE DIOXIDE & CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:GENERAL SEALANTS SUGGESTS THAT ALL FEDERAL,
STATE & LOCAL REGULATIONS SHOULD BE MET IN DISPOSING THIS SOLID
MATERIAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for
use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.