## View NSN Online: https://aerobasegroup.com/nsn/6850-01-434-4425

\_\_\_\_\_

## -- HAND WIPE PRECISION NO RINSE CLEANER, X 381

## MSDS Safety Information

**KYZEN CORP** 

FSC: 6850 NIIN: 01-434-4425 MSDS Date: 08/02/1994 MSDS Num: CDKSZ Product ID: HAND WIPE PRECISION NO RINSE CLEANER,X 381 MFN: 01 Responsible Party Cage: KYZEN Name: KYZEN CORP Address: 430 HARDING INDUSTRIAL DR City: N ASHVILLE TN 37211 Info Phone Number: 615-831-0888 Emergency Phone Number: 615-831-0888/800-424-9300(CHEMTREC) Preparer's Name: UNKNOWN Proprietary Ind: Y Review Ind: Y Published: Y
Contractor Summary
Cage: 0ZX23 Name: KYZEN CORP Address: 430 HARDING INDUSTRIAL DRIVE Box: UNKNOW City: NASHVILLE TN 37211 Phone: 615-831-0888 Cage: KYZEN Name: KYZEN CORP Address: 413 HARDING INDUSTRIAL DR
City: NASHVILLE TN 37211 Phone: 615-831-0888 Cage: 00LF5 Name: KYZEN CORP (803-886-8232) Address: UNKNOWN Box: UNKNOW City: UNKNOWN NK 00000 Phone: UNKNOWN
Item Description Information
Item Manager: S9G Item Name: CLEANING COMPOUND,SOLVENT Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: CO Quantitative Expression: 0000000005GL UI Container Qty: 0 Type of Container:

PAIL

Ingredients

\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\*

\_\_\_\_\_

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

LD50 LC50 Mixture: LD50 (ORAL, RAT) IS UNKNOWN. Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: T

ARGET ORGANS: EYES, SKIN, CNS, RESPIRATORY & amp; GI

TRACTS. ACUTE- EYE CONTACT MAY CAUSE IRRITATION. SKIN CONTACT MAY CAUSE IRRITATION & amp; DEFATTING. INHALATION OF VAPORS MAY CAUSE RESPIRATORY TRACT IRRITAT ION, CENTRAL NERVOUS SYSTEM EFFECTS. MAY BE HARMFUL IF SWALLOWED. ASPIRATION HAZARD. CHRONIC- DERMATITIS.

**Explanation Of Carcinogenicity: NONE** 

Signs And Symptions Of Overexposure: IRRITATION, HEADACHE, DIZZINESS, NAUSEA, VOMITING, DROWSINESS, REDNESS, TEARNING, BLURRED VISION, SKIN CRACKING,

DERMATITIS

Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & amp; WATER. ORAL:GET MEDIC AL ATTENTION AT ONCE.

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. REMOVE IGNITION SOURCES. VENTILATE AREA. ABSORB ON SAND/VERMICULITE. SWEEP UP AND PLACE IN AN APPROPRIATE CONTAINER. HOLD FOR DISPOSAL. WASH CONTAMINATED SPILL AREA WITH SOA PY WATER, THEN WATER TO REMOVE RESIDUES.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. RECYLING

OR INCINERATION IS RECOMMENDED. KEEP OUT OF SEWERS, STORM DRAINS AND SURFACE WATERS. Handling And Storage Precautions: STORE IN TIGHTLY CLOSED CONTAINER. KEEP AWAY FROM IGNITION SOURCES & amp; STRONG OXIDIZING AGENTS. Other Precautions: WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY, AVOID EYE AND SKIN CONTACT. Fire and Explosion Hazard I nformation \_\_\_\_\_ Flash Point Method: PMCC Flash Point Text: 104F,40C Lower Limits: 1.2% Upper Limits: 9.68% Extinguishing Media: WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. COOL FIRE-EXPOSED CONTAINERS WITH WATER. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. EVACUATE PERSONNEL TO A SAFE AREA. Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDER ABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP. \_\_\_\_\_\_ **Control Measures** \_\_\_\_\_ Respiratory Protection: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO K EEP EXPOSURE AS LOW AS POSSIBLE. Protective Gloves: BUTYL RUBBER Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE **CLOTHING** Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. \_\_\_\_\_ **Physical/Chemical Properties** HCC: F4 NRC/State LIC No: NOT RELEVANT

B.P. Text: 309F - 3

50F M.P/F.P Text: -76F,-60C Decomp Text: UNKNOWN Vapor Pres: 2.3 Vapor Density: 5.14 Spec Gravity: 0.75 Viscosity: UNKNOWN Evaporation Rate & amp; Reference: 0.4 (N-BUTYL ACETATE=1) Appearance and Odor: CLEAR LIQUID - ODORLESS Corrosion Rate: UNKNOWN
Reactivity Data
Stability Indicator: YES Stability Condition To Avoid: EXCESSIVE HEAT, IGNITION SOURCES Materials To Avoid: STRONG OXIDIZ ING AGENTS Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT
Toxicological Information
Ecological Information
======================================
e=====================================
Other Information
======================================

\_\_\_\_\_

Responsible P

\_\_\_\_\_

arty Cage: KYZEN Trans ID NO: 136542 Product ID: HAND WIPE PRECISION NO RINSE CLEANER, X 381 MSDS Prepared Date: 08/02/1994 Review Date: 04/01/1997 MFN: 1 Tech Entry NOS Shipping Nm: CONTAINS ALIPHATIC HYDROCARBONS. Radioactivity: NOT RELEVANT Net Unit Weight: 31.3 LBS Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: CO Container QTY: 0 Type Of Container: PAIL \_\_\_\_\_ Detail DOT Information \_\_\_\_\_ DOT PSN Code: GJL Symbols: G DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. Hazard Class: 3 **UN ID Num: UN1993** DOT Packaging Group: III Label: FLAMMABLE LIQUID Special Provision: B1, B52, T7, T30 Packaging Exception: 150 Non Bulk Pack: 203 Bulk Pack: 242 Max Qty Pass: 60 L Max Qty Cargo: 220 L Vessel Stow Req: A \_\_\_\_\_ Detail IMO Information \_\_\_\_\_ IMO PSN Code: HIA IMO Proper Shipping Name: FLAM MABLE LIQUID, N.O.S. o IMDG Page Number: 3345 UN Number: 1993 UN Hazard Class: 3.3 IMO Packaging Group: III Subsidiary Risk Label: -EMS Number: 3-07 MED First Aid Guide NUM: T \_\_\_\_\_ Detail IATA Information \_\_\_\_\_ IATA PSN CA IATA UN ID Num: 1993 IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. \* IATA UN Class: 3 IATA Label: FLAMMABLE LIQUID UN Packing Group: III Packing Note Passenger: 309 Max

Quant Pass: 60L Max Quant Cargo: 220L Packaging Note Cargo: 310

Detail AFI Information

\_\_\_\_\_ AFI PSN CA AFI Symbols: \* AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. AFI Hazard Class: 3 AFI UN ID NUM: UN1993 AFI Packing Group: III **Special Provisions: P5** Back Pack Reference: A7.3 \_\_\_\_\_ HAZCOM Label \_\_\_\_\_ \_\_\_\_\_ Product ID: HAND WIPE PRECISION NO RINSE CLEANER, X 381 Cage: KYZEN Company Name: KYZEN CORP Street: 413 HARDING INDUSTRIAL DR City: NASHVILLE TN Zipcode: 37211 Health Emergency Phone: 615-831-0888/800-424-9300(CHEMTREC) Label Required IND: Y Date Of Label Review: 04/01/1997 Status Code: C MFG Label NO: UNKNOWN Label Date: 04/01/1997 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING Health Hazard: Moderate Contact Hazard: Slight Fire Haza rd: Moderate Reactivity Hazard: None Hazard And Precautions: TARGET ORGANS: EYES, SKIN, RESPIRATORY & amp; GI TRACTS.

ACUTE- MAY CAUSE EYE/SKIN IRRITATION. INHALATION OF VAPORS MAY CAUSE CNS EFFECTS. MAY BE HARMFUL IF SWALLOWED. CHRONIC- UNKNOWN. STORE AWAY FROM IGNI TION SOURCES & amp; STRONG OXIDIZERS. ABSORBSPILL ON SAND. SWEEP UP & amp; PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL. WASH SPILL AREA TO REMOVE RESIDUES. FIRST AID- GET MEDICAL HELP IF SYMPTOMS PERSIST. IN HALED:REMOVE TO

## FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATERFOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & amp; WATER. ORAL:CALL PHYSICIAN IMMEDIATELY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said informat

ion to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.