

SYNKOLOID OF FLORIDA INC -- SPACKLE, INT & EXT #N100 -- 5610-00-926-4562

===== Product Identification =====

Product ID:SPACKLE, INT & EXT #N100

MSDS Date:10/02/1991

FSC:5610

NIIN:00-926-4562

MSDS Number: CDPHS

=== Responsible Party ===

Company Name:SYNKOLOID OF FLORIDA INC

Address:40 ENTERPRISE BLVD SW

City:ATLANTA

State:GA

ZIP:30331

Country:US

CAGE:52615

=== Contractor Identification ===

Company

Name:SYNKOLOID OF FLORIDA INC

Address:40 ENTERPRISE BLVD SW

Box:City:ATLANTA

State:GA

ZIP:30331

Country:US

CAGE:52615

===== Composition/Information on Ingredients =====

Ingred Name:SOY BEAN PROTEIN

CAS:68513-95-1

Other REC Limits:NONE RECOMMENDED

Ingred Name:CASIEN

CAS:9000-71-9

Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYD RESIN

CAS:68554-99-4

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE RECOMMENDED

Ingre

d Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:VOC = 1.3 LB/GL
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and C
hronic:INHALATION: HEADACHE, NAUSEA,
IRRITATION OF NOSE/THROAT/LUNGS. EYE: IRRITATION. SKIN: IRRITATION.

===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYE: FLUSH W/LARGE AMTS WATER.
CALL DR. SKIN: WASH W/SOAP & WATER. CALL DR. INGESTION: GIVE 2
GLASSES WATER. CALL DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS
PERSON.

===== Fire Fighting Measures =====

Flash Point:NA
Autoignitio
n Temp:Autoignition Temp Text:NA
Extinguishing Media:NA
Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT SOURCES. ABSORB W/ABSORBENT.
SWEEP/SCOOP UP. VENTILATE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAME. USE
ADEQUATE VENTILATION.
Other Precautions:AVOID CHRONIC VAPOR BREATHING

OR SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:AIR-SUPPLIED RESCUE EQUIPMENT IN ENCLOSED AREAS.
Protective Gloves:YES
Eye Protection:GLASSES
Other Protective Equipment:FULL LENGTH CLOTHING.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C
Vapor Pres:NA
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:NA

===== Stabi
lity and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Hazardous Decomposition Products:ACRYLIC MONOMERS, CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner wh
atsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.