View NSN Online: https://aerobasegroup.jp/nsn/8030-01-363-6505

MORTON SALT -- THIOKOL MC 236 ACCELERATOR -- 8030-01-363-6505

Product ID:THIOKOL MC 236 ACCELERATOR MSDS Date:07/09/1992 FSC:8030 NIIN:01-363-6505 Kit Part:Y MSDS Number: CDPKF === Responsible Party === **Company Name: MORTON SALT** Address:7341 ANACONDA AVE. **City:GARDEN GROVE** State:CA ZIP:92641 Info Phone Num:714-373-2837 Emergency Phone Num:800-424-9300 (CHEMTREC) С AGE:KO151 === Contractor Identification === Company Name: MORTON INTERNATIONAL AEROSPACE POLYMER SYSTEMS Address:7341 ANACONDA AVENUE Box:City:GARDEN GROVE State:CA ZIP:92641 Country:US Phone:714-373-2837 CAGE:0U317 Company Name: MORTON SALT Address:100 N RIVERSIDE PLASA Box:City:CHICAGO State:IL ZIP:60606-1597 Country:US Phone:312-807-2000 CAGE:KO151

Ingred Name:MANGANESE DIOXIDE (SARA 313) LD50 >10000MG/KG ORAL RAT;LD50 >

2000MG/KG DERMAL RABBIT;LD50 13200MG/KG ORAL RAT ACUTE TOX. CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 66.4% Other REC Limits:NONE RECOMMENDED OSHA PEL:3 MG/M3 FUME ACGIH TLV:1 MG/M3 STEL 3MG/M3

Ingred Name:HYDROGENATED TERPHENYLS CAS:61788-32-7 RTECS #:WZ6535000 Fraction by Wt: 22.7% Other REC Limits:NONE RECOMMENDED OSHA PEL:C=0.5 PPM ACGIH TLV:0.5 PPM

Ingred Name:TERPHENYL CAS:26140-60-3 RTECS #:WZ6450000 Fraction by Wt: 4.8% Other REC Limits:NONE RECOMMENDED OSHA PEL:C=0.5 PPM ACGIH T LV:0.5 PPM

Ingred Name:POLYOXYETHYLENE NONYL PHENYL PHOSPHATE LD50 3630 MG/KG ORAL RAT CAS:51811-79-1 Fraction by Wt: 2.9% Other REC Limits:NONE RECOMMENDED

Ingred Name:1,3 DIPHENYL GUANIDINE LD50 507 MG/KG ORAL RAT;LD50 290 MG/KG ORAL MOUSE CAS:102-06-7 Fraction by Wt: 0.7% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE (CERCLA) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 1.4% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 CEILING ACGIH TLV:2 MG/M3 CEILING EPA Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRIT, RED, PAIN, BURNING, CORNEAL CLOUDING, BLINDNESS. SKIN: IRRIT, ALLERGIC REACTION, RED, PAIN, BLISTER, BURN, ABSORPTION, SENSITIZATION, CORROSION. INHAL: DIZZY, HEADACHE, INCOORDINATION, COU GH, FEVER, NAUSEA, PULMONARY E

DEMA, MUCOUS MEMBRANE IRRIT, DIFFICULT BREATHING, MUCOUS MEMBRANE CORROSION. \*

Effects of Overexposure:NK \*INGEST: GI IRRIT/UPSET, NAUSEA, VOMIT, SEVERE ABDOMINAL PAIN, FEVER, LIVER/KIDNEY DAMAGE, DIARRHEA, LIVER/KIDNEY/BLOOD EFFECTS (ANEMIA), BURN, OTHER. MAY AFFECT LIVER/KIDNEY/EYES/SKIN/IMMUNE SY STEM, (ALLERGIC REACTION). Medical Cond Aggravated by Exposure:MAY EFFECT LIVER, KIDNEY, SKIN, IMMUNE SYSTEM.

===

First Aid:EYES: FLUSH W/WATER >15 MIN. CALL DR. SKIN: REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE REUSE. WASH W/SOAP/WATER.CALL DR. INHAL: GET FRESH AIR. CALL DR. IF NO BREATH GIVE ARTIF RESP PREFERABLY MOUTH-TO-M OUTH. INGEST: CALL DR. UNLESS ADVISED OTHERWISE INDUCE VOMIT BY GIVING IPECAC + 2 GLASSES WATER OR STICK FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS, DROWSY, NO GAG REFLEX PERSON.

\_\_\_\_\_

Flash Point Method:SCC Flash Point:>200F,>93C Autoignition Temp:Autoignition Temp Text:NE Lower Limits:NA Upper Limits:NA Extinguishing Media:SMALL FIRES: DRY CHEMICAL, CARBON DIOXIDE, HALLON, WATER SPRAY, FOAM. LARGE: WATER SPRAY, FOG, ALCOHOL FOAM. Fire Fighting Procedures:FIREFIGHTERS/OTHERS EXPOSED TO COMBUSTION PRODUCTS SHOULD BE EQUIPPED W/NIOSH APPROVED POSITIVE PRESSURE SCBA & FULL PROTECTIVE CLOTHING.

Spill Release Procedures: SHOVEL/VACUUM SPILL & PLACE IN CLOSED CONTAINERS FOR FURTHER HANDLING/DISPOSAL. DO NOT FLUSH TO SEWER, STREAM, OTHER BODIES WATER. IF >TLV/PEL EVAC/VENT AREA. USE SCBA/SUPLIED AIR RESP FOR ENCLOSED SP ACES AND WHERE VENT INSUFICIENT. Handling and Storage Precautions: STORE IN COOL DRY WELL VENTED AREA. CONTR CAN RETAIN RESIDUE DO NOT REUSE FOR FOOD/CLOTHES/ETC. \_\_\_\_\_ Exposure Controls/Personal Protection ========= Respiratory Protection: WHEN LIMITS SURPASSED USE NIOSH/MSHA APPROVED EQPT. USE SCBA/SUPPLIED AIR RESPIRATOR FOR HIGH AIR CONCENTRATIONS. Ventilation: ADEQUATE VENTILATION. GEN DILUTION ACCEPTIBLE. LOCAL EXHAUST RECOMMENDED WHEN VAPORS/MIST/DUSTS MAY BE RELEASED. Protective Gloves: IMPERVIOUS. CONSULT GLOVE MANUFACTURER. Eye Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYESASH FACILITY. PROTECTIVE CLOTHING. Work Hygieni c Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING/DRINKING/SMOKING/USING TOILET. CLEAN CONTAM CLOTHES/SHOES **BEFORE REUSE.** Supplemental Safety and Health MORE INFORMATION ON FILE. Boiling Pt:B.P. Text:NA

Vapor Pres:0.1 Vapor Density:NOT EST. Spec Gravity:2.1 pH:NA Viscosity:100-500 POISE Evaporation Rate & amp; Reference: