

DU PONT E I DE NEMOURS AND CO INC -- CHLORODIFLUOROMETHANE,FREON/HCFC-22,CC 0335
-- 6830-00-935-9896

===== Product Identification =====

Product ID:CHLORODIFLUOROMETHANE,FREON/HCFC-22,CC 0335

MSDS Date:10/05/1996

FSC:6830

NIIN:00-935-9896

MSDS Number: CDYGH

=== Responsible Party ===

Company Name:DU PONT E I DE NEMOURS AND CO INC

Address:DU PONT CHEMICALS FLUORCHEMICALS

City:WILMINGTON

State:DE

ZIP:

19898

Country:US

Info Phone Num:800-441-7515/ 302-774-6822

Emergency Phone Num:800-441-3637/800-424-9300 (CHEMTREC

CAGE:2S827

=== Contractor Identification ===

Company Name:CONTRACTED OPERATIONS LOUISVILLE PACKAGING

Address:7753 NATIONAL TURNPIKE

Box:UNKNOW

City:LOUISVILLE

State:KY

ZIP:40214

Country:US

Phone:502-363-8000/2663

CAGE:089V0

Company Name:DU PONT FLUOROPRODUCTS

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE

ZIP:19898

Country:US

Phone:1-800-441-7515

CAGE:2S827

=====

Composition/Information on Ingredients =====

Ingred Name:CHLORODIFLUOROMETHANE (SARA 313)
(CERCLA)/METHANE,CHLORODIFLUORO- (HCFC 22)
CAS:75-45-6
RTECS #:PA6390000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9596
Ozone Depleting Chemical:2

===== Hazards Identification =====

LD50 LC50 Mixture:TLV 1,000 PPM.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IA
RC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:CNS, EYE, SKIN, LUNG.
ACUTE- HARMFUL IF INHALED. MAY CAUSE HEART IRREGULARITIES,
UNCONSCIOUSNESS OR DEATH. INTENTIONAL MISUSE IS FATAL. VAPOR
REDUCES OXYGEN & IS HEAVIER THAN AIR. EYE/SK IN CONTACT WITH LIQUID
CAN CAUSE FROSTBITE. VAPORS CAN CAUSE EYE IRRITATION. INGESTION IS
UNLIKELY. CHRONIC- UNKNOWN.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:TEMPORARY NERVOUS SYSTEM DEPRESSION WITH
ANAESTHET
IC EFFECTS SUCH AS DIZZINESS, HEADACHE, CONFUSION,
INCOORDINATION, LOSS OF CONSCIOUSNESS, IRREGULAR PULSE,
PALPITATIONS, INADEQUATE CIRCULATION, FROST BILTE, IRRITATION,
BLURRED VISION, TEARING
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PREEEXISTING
DISEASES OF THE CENTRAL NERVOUS OR CARDIOVASCULAR SYSTEM MAY HAVE
INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE.

===== First Aid Measures =====

First Aid:GET MEDICAL
ATTENTION IF NEEDED. EYE/SKIN:IMMEDIATELY FLUSH
WITH PLENTY OF WATER. INHALED:REMOVE TO FRESH AIR & PROVIDE
OXYGEN/CPR IF NEEDED. ORAL:INGESTION IS NOT CONSIDERED A POTENTIAL
ROUTE OF EXPOSURE. NOTE TO PHYSICIAN:CATECHOLAMINE DRUGS SHOULD BE
USED WITH SPECIAL CAUTION ONLY IN SITUATIONS OF EMERGENCY LIFE
SUPPORT.

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NOT RELEVANT
Upper Limits:NOT RELEVANT
Extinguishing Media:WAT

ER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CYLINDERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. MOVE CYLINDERS FROM FIRE AREA IF POSSIBLE WITHOUT INCREASED PERSONAL RISK.

Unusual Fire/Explosion Hazard:THIS PRODUCT MAY IGNITE WHEN MIXED WITH AIR AT CONCENTRATIONS OF 65 VOLUME % AIR. CYLINDERS MAY RUPTURE. DECOMPOSITION PRODUCTS ARE TOXIC AND CORROSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA, ESPECIALLY LOW PLACES WHERE VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. USE SELF-CONTAINED BREATHING APPARATUS FOR LARGE SPILLS OR RELEASES.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA, AWAY FROM FLAMES & INCOMPATIBLE MATERIALS. DO NOT HEAT ABOVE 125F.

Other Precautions:AVOID BREATHING VAPORS. AVOID EYE OR SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING OR DRINKING. USE WITH ADEQUATE VENTILATION. NEVER USE IN CONFINED OR CLOSED SPACES WITHOUT PROPER PROTECTIVE EQUIPMENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR RESPIRATOR WITH FULL FACEPIECE AND OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE IF A LARGE RELEASE OCCURS.

Ventilation:NORMAL VENTILATION IS SUFFICIENT. LOCAL EXHAUST WHEN LARGE AMOUNTS ARE RELEASED, MECHANICAL VENTILATION IN LOW PLACES

Protective Gloves:LINED BUTYL GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES/FACE SHIELD

Other Protective Equipment:EYEBATH, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING

NATED CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:-41F,-41C

Vapor Pres:8567 @ 77F

Vapor Density:3.03 @ 77F

Spec Gravity:1.194 (LIQUID)

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:0.30 BY WT @ 25C/77F

Appearance and Odor:CLEAR, COLORLESS LIQUEFIED GAS - SLIGHT ETHEREAL
ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM,
ETC.

Stability Condition to Avoid:FLAME, GLOWING METAL SURFACES, HIGH
TEMPERATURES

Hazardous Decomposition Products:MAY FORM HYDROGEN FLUORIDE, HYDROGEN
CHLORIDE AND TRACES OF CARBONYL HALIDES.

===== Disposal Considerations =====

Waste Disposal Methods:RECLAIM BY DISTILLATION. CONSULT LOCAL, STATE
AND FEDERAL AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their

p

articular situation.