

STA-CLEAN PRODUCTS INC -- STA-CLEAN RCP -- 6850-00-139-5319

===== Product Identification =====

Product ID:STA-CLEAN RCP

MSDS Date:02/01/1999

FSC:6850

NIIN:00-139-5319

MSDS Number: CFKQF

=== Responsible Party ===

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVE

City:BAKERSFIELD (FORMALLY IN DOWNEY, CA)

State:CA

ZIP:93307

Country:US

Info Phone Num:805-835-8652

Emergency Phone Num:661-836-8652

Resp. Party Other MSDS Num.:#STA330R VERSION 002

Preparer's N

ame:NOT PROVIDED

Chemtrec Ind/Phone:(800)424-9300

CAGE:21172

=== Contractor Identification ===

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVENUE

Box:City:BAKERSFIELD

State:CA

ZIP:93307

Phone:(805) 836-8652

Contract Num:SP0450-00-M-SG54

CAGE:21172

Company Name:STA-CLEAN PRODUCTS INC

Address:2229 COY AVENUE

Box:City:BAKERSFIELD

State:CA

ZIP:93307

Phone:(805) 836-8652

Contract Num:SP0450-99-M-NH60

CAGE:21172

===== Composition/Information on Ingredients =====

Ingred Nam

e:ALIPHATIC PETROLEUM DISTILLATE  
CAS:64742-52-5  
= Wt:80.  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: OF MIST CAN CAUSE  
IRRITATION OF NASAL AND RESPIRATORY PASSAGES. EYE CONTACT: MAY  
CAUSE M  
INOR EYE IRRITATION. SKIN: MAY CAUSE MINOR IRRITATION.  
INGESTION: CAN CAUSE GASTROINTESTINAL IRRITAT ION, NAUSEA,  
VOMITING, AND DIARRHEA. ASPIRATION OF MATERIAL INTO THE LUNGS CAN  
CAUSE CHEMICAL PNEUMONITIS WHICH MAY BE FATAL.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:INHALATION: OF MIST CAN CAUSE IRRITATION OF  
NASAL AND RESPIRATORY PASSAGES. EYE CONTACT: MAY CAUSE MINOR EYE  
IRRITATION. SKIN: MAY CAUSE MINOR IRRITATION. INGESTION: CAN CAUSE  
GASTROINTESTI  
NAL IRRITAT ION, NAUSEA, VOMITING, AND DIARRHEA.  
Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. CONSULT A PHYSICIAN. EYE  
CONTACT: IMMEDIATELY RINSE WITH CLEAN WATER FOR 15 MINUTES. SEEK  
MEDICAL ATTENTION IF PAIN, BLINKING, TEARS OR REDNESS PERSISTS.  
SKIN CONTACT: WASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE  
VOMITING. KEEP PERSON WARM AND QUIET, AND GET MEDICA  
L ATTENTION.  
ASPIRATION OF MATERIAL INTO THE LUNGS DUE TO VOMITING CAN CAUSE  
CHEMICAL PNEUMONITI S WHICH CAN BE FATAL.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:=168.3C, 335.F  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NOT AVAILABL  
Upper Limits:NOT AVAILABL  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE  
VIOLENT ESPECIALLY IF SPR

AYED INTO CONTAINERS OF HOT, BURNING  
LIQUID. WATER MAY BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL  
UNTIL FIRE IS OUT. WEAR SELF- CONTAINED BREATHING APPARATUS WITH A  
FULL FACE PIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN  
FIGHTING FIRES.

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR  
NEAR DRUM (EVEN EMPTY). PRODUCT, EVEN RESIDUE CAN IGNITE  
EXPLOSIVELY.

===== Accidental Release Measures =====

Spill Release P

rocedures:SMALL SPILL: ABSORB ON VERMICULITE, FLOOR  
ABSORBENT OR OTHER ABSORBENT MATERIAL. LARGE SPILL: STOP SPILL AT  
SOURCE, DIKE, AND PUMP INTO SUITABLE CONTAINERS. REMAINING LIQUID  
MAY BE TAKEN UP ON SAND, CLAY, EARTH, FLOOR ABSORBENT/OTHER  
ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS. PREVENT RUN-OFF TO  
SEWERS, STREAMS/ OTHER BODIES OF WATER. IF RUN-OFF OCCURS, NOTIFY  
PROPER AUTHORITIES AS REQUIRED.

Neutralizing Agent:NOT RELEVANT

===== Handling  
and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN AND  
CLOTHING. WASH THOROUGHLY AFTER HANDLING. NEVER USE WELDING OR  
CUTTING TORCH ON OR NEAR DRUM

Other Precautions:NOT PROVIDED

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE UNDER NORMAL USE.

Ventilation:GENERAL ROOM VENTILATION.

Protective Gloves:WEAR RESISTANT GLOVES, SUCH AS NITRILE RUBBER,  
POLYETHYLENE.

Eye Protection:GOGGLES AND  
/OR FACE SHIELD MUST BE WORN IF SPLASHING OR  
SPRAYING LIQUID.

Other Protective Equipment:WEAR LONG SLEEVED SHIRT,TROUSERS, SAFETY  
SHOES.

Work Hygienic Practices:PRACTICE GOOD PERSONAL HYGIENE. WASH HANDS AND  
OTHER EXPOSED AREAS WITH MILD SOAP AND WATER.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:V5

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:>100.C, 212.F

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Density:>10.0

Spec Gr

avity:0.924  
pH:NOT RELEVANT  
Viscosity:NOT PROVIDED  
Evaporation Rate & Reference: