

EASTMAN KODAK COMPANY -- 162 0509 RP X-OMAT DEVELOPER REPLENISHER, WORKING SOLUTION -- 6525-01-423-2146

===== Product Identification =====

Product ID:162 0509 RP X-OMAT DEVELOPER REPLENISHER, WORKING SOLUTION

MSDS Date:04/23/1997

FSC:6525

NIIN:01-423-2146

Kit Part:Y

MSDS Number: CFLGY

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:

14650

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

=====

==== Composition/Information on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 85-90%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SULFITE
CAS:10117-38-1
RTECS #:WT3530000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA)
CAS:123-31-9
RTECS #:MX3500000
Fraction by Wt: 3%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ACETIC ACID,POTASSIUM SALT/POTASSIUM ACETATE
CAS:127-08-2
RTECS #:AJ3325000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:GLUTARALDEHYDE-BIS-POTASSIUM BISULFITE
CAS:68310-08-7
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

==== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health

Hazards Acute and Chronic:INHAL:EXPECTED TO BE LOW HAZ FOR
RECOMMENDED HNDLG.EYES:CAUSES IRRIT.SKIN:CAUSES IRRIT.MAY CAUSE
ALLERGIC SKIN RX.INGEST:HARMFUL IF SWALLOWED.MAY CAUSE IRRIT OF
GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY
CLASSIFICATION:IARC/ACGIH/NTP/OSHA:NONE.

Effects of Overexposure:EYE IRRIT, SKIN IRRIT, ALLERGIC SKIN REACTION,
HARMFUL IF INGESTED, IRRIT OF GASTROINTESTINAL TRACT.

Medical Cond Aggravated by Exposure:NONE SPECI
FIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR.TREAT SYMPTOMATICALLY.SYMPTOMS OCCUR
GET MED ATTN.EYES:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST
15MINS.GET MED ATTN.SKIN:IMMED FLUSH W/PLENTY OF WATER.WASH
W/NON-ALKALINE(ACID) TYP SKIN CLNR.IRRIT/ALLERGIC SKIN RX DVLPS GET
MED ATTN.REMOVE CONTAM CLOTH/SHOES.INGEST:DRINK 1-2 GLASSES OF
WATER.SEEK MED ATTN.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.

=====
===== Fire Fighting Measures =====

Flash Point:NONE,NON-COMBUST
Autoignition Temp:Autoignition Temp Text:NP
Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS &
PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS
DECOMPOSITION PRODUCTS.
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUS
H TO SEWER W/LG AMTS OF WATER.OTHERWISE
ABSORB W/VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN
CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE
RESIDUAL CONTAMINATION.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EYE/SKIN/CLOTH CONTACT.USE
W/ADEQU VENTI.ROUTINE USE OF NONALKALINE(ACID)TYP HNDCLNR/REG
WORKSURF/GLOVE/ETC CLEANING MIN SKIN RX.KE

EP CNTNR CLSD

Other Precautions:KEEP AWAY FRM INCOMPAT SUBST.MODERATELY ACIDIC AQU
SOLN.PROPERTIES:LOW BIOCHEM OXY DEMAND,LITTLE POT TO CAUSE OXY
DEPLETION IN AQU SYS,HI POT TO AFFECT SOME AQUATIC ORGANISMS,HIGH
POT TO AFFECT 2ND WA STE TREAT MICROBIAL METABOLISM,(SUPPLEM)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:USE GOOD GEN VENTI(TYP 10 AIR CHANGES/HR).MATCH VENTI RATES
W/CONDITIONS.USE PROCE

SS ENCLSR,LOC EXHA VENTI,OTHER (SUPPL)

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS, GOGGLES.

Other Protective Equipment:EYEBATH, WASHING FACILITIES, SAFETY
SHOWER.PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF EXPOSURE.

Work Hygienic Practices:WASH CONTAM CLOTH BEF REUSE;DESTROY/CLEAN WELL
CONTAM SHOES.WASH THOROUGHLY AFT HNDLG.

Supplemental Safety and Health

OTHER PRECAUT:LOW POT TO AFFECT GERM &/OR EARLY GROWTH OF SOME
PLANTS,LOW POT TO PERSIST IN
ENVIRO,LOW POT TO BIOCONCEN.

VENTI:ENGINEER CNTRL TO MAINTAIN AIRBORNE LEVEL BEL RECOMMENDED
EXPO LIMITS. 2- PART KIT,PNIND:A,B;KEY1=C4.TO MAKE 200 GALLONS.

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:>100.C, 212.F

B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:18

Vapor Density:0.6

Spec Gravity:1.082

pH:10.3

Viscosity:NP

Evaporation Rate & Reference:NP

Solubility in Water:COMPLETE

Appearance and

Odor:LIQUID, YELLOW COLOR, SLIGHT ODORLESS

Percent Volatiles by Volume:85-90

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,
SULFUR DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPO MAY BE SUBJ
TO

NAT/STATE/LOC LAWS.FLUSH TO SEWER W/LG AMTS OF WATER.CHEM SUBJ TO
REPORTING REQMTS OF SEC 313 TITLE III SARA/40CFR372:HYDROQUINONE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document sh

ould seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.