View NSN Online: https://aerobasegroup.jp/nsn/3040-00-159-5056

Product ID: EPI-CURE U CURING AGENT, 43638 MSDS Date:12/15/1994 FSC:8010 NIIN:00-159-5056 MSDS Number: CFQVZ === Responsible Party === Company Name: SHELL OIL CO Box:4320 **City:HOUSTON** State:TX ZIP:77210 Country:US Info Phone Num:713-241-2252 Emergency Phone Num:713-473-9461;800-424-9300(CHEMTREC) CA **GE:SHELO** === Contractor Identification === Company Name: SHELL CHEMICAL COMPANY A DIV. OF SHELL OIL CO. Address:1 SHELL PLAZA Box:2463 City:HOUSTON State:TX ZIP:77001 Country:US Phone:713-473-9461 CAGE:86961 Company Name: SHELL OIL CO Box:4320 City:HOUSTON State:TX ZIP:77210-5000 Country:US Phone:713-473-9461/713-241-2252 CAGE:SHELO

======= Composition/Information on Ingredients ==========

Ingred Name:BISPHENOL A, EPICHLOROHYDRIN, DIETHYLENETRIAMINE ADDUCT; (EPOXY RESIN/POLYETHYLE NEAMINE ADDUCT) CAS:68610-56-0 Fraction by Wt: 73% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:DIETHYLENETRIAMINE (DETA). LD50:(ORAL,RAT) 2.33 G/KG. CAS:111-40-0 RTECS #:IE1225000 Fraction by Wt: 25% OSHA PEL:1 PPM ACGIH TLV:1 PPM, S

Ingred Name:PHENOL (SARA 302/313) (CERCLA). LD50:(ORAL,RAT) 530 MG/KG. CAS:108-95-2 RTECS #:SJ3327000 Fraction by Wt: 2% OSHA PEL:5 PPM, S ACGIH TLV:5 PPM, S EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:MATLS TO AVOID:PRIMARY & SECONDARY ALIPHATIC AMINES.

REACTIONS W/SOME CURING AGENTS MAY PRODUCE CONSIDERABLE HEAT. RTECS #:9999999ZZ

Ingred Name:EFTS OF OVEREXP:CHRONIC COUGH. SKIN SENSIT (ALLERGY):RASHES, ESP HIVES. RESP TRACT SENSIT (E.G. ALLERGY, ASTHMA):(ING 6) RTECS #:9999999ZZ

Ingred Name:ING 5:WHEEZING W/SHORTNESS OF BREATH & COUGH. KIDNEY DMG:CHANGES IN URINE OUTPUT, URINE APPEAR/EDEMA (SWELL FROM (ING 7) RTECS #:9999999ZZ

Ingred Name:ING 6:FLUID RETENTION). LIVER DMG:LOSS OF APPETITE, JAUN (YELLOWISH SKIN COLOR) & SO METIMES PAIN IN UPPER ABDOM (ING 8) RTECS #:9999999ZZ

Ingred Name:ING 7:ON RIGHT SIDE. EARLY TO MOD CNS DEPRESS:GIDD, HDCH, DIZZ & NAUS; IN EXTREME CASES, UNCON, RESP DEPRESS & (ING 9) RTECS #:9999999ZZ

Ingred Name:ING 8:DEATH MAY OCCUR. PHENOL IS TOX & MAY BE FATAL BY ALL RTES OF EXPOS. MAY PRDCE LIVER, KIDNEY & HEART DMG, (ING 10) RTECS #:9999999ZZ

Ingred Name:ING 9:CNS DEPRESS, RESP ARREST; BLADDER DMG; SKIN DEPIGMENTATION; CARDIAC ARREST. RECENT REPRO DATA PROVIDE EVID(ING Ingred Name:ING 10:FOR EMBRYO & FETOTOX EFTS IN RATS AT LEVEL OF EXPOS NOT ELICITING SIGNIFICANT SYSTEMIC TOX. SIMILAR STUDY(ING 12) RTECS #:9999999ZZ

Ingred Name:ING 11:IN MICE SHOWED EFTS W/CONCURRENT MATERNAL TOX & SUGGEST TERATOGENIC EFTS AT HIGH EXPOS. DETA HAS BEEN (ING 13) RTECS #:9999999ZZ

Ingred Name:ING 12:FOUND TO INCR FREQUENCY OF SISTER CHROMATID EXCHANGE. IT WAS ALSO FOUND TO BE POS IN UNSCHEDULED DNA (ING 14) RTECS #:9999999ZZ

Ingred Name:ING

13:MUTAGENICITY ASSAY. HISTOPATHOLOGICAL EFTS OF KIDNEY, LIVER, SPLEEN & ADRENALS WERE OBSERVED IN TWO RAT (ING 15) RTECS #:9999999ZZ

Ingred Name:ING 14:LIFETIME FEEDING STUDIES. PHENOL IS REPORTED TO BE TUMOR PROMOTER & AS AN INVITRO MUTAGEN IS EQUIVOCAL. RTECS #:9999999ZZ

Ingred Name:OTHER PREC:THESE THERMAL & CHEM DECOMPS VARY WIDELY IN COMPOSITION & TOX. DO NOT GET IN EYES, ON SKIN/CLTHG. DO (ING 17) RTECS #:9999999ZZ

Ingred Name:ING 16:NOT BREATHE VAPS/MISTS. CNTNRS EVEN THO SE THAT HAVE BEEN EMPTIED, CAN CONTAIN HAZ PRODUCT RESIDUES. RTECS #:9999999ZZ

Ingred Name:HYGIENE PRACT:CLTHG BEFORE REUSE. CONTAM LEATHER ARTICLES INCL SHOES CANNOT BE DECONTAM & SHOULD BE DESTROYED. RTECS #:9999999ZZ

Ingred Name:SPILL PROC:SALVAGE VESSELS. SOAK UP RESIDUE W/ABSORB SUCH AS CLAY, SAND/OTHER SUITABLE MATL; PLACE IN NON- (ING 20) RTECS #:9999999ZZ

Ingred Name: ING 19: LEAKING CNTNRS FOR PROPER DISP. FLUSH AREA W/WATER TO REMOVE LAST TRACES OF RESIDUE; DISP OF FLU Ingred Name:ING 20:BY ABSORP. SM SPILLS:TAKE UP W/ABSORB MATL & PLACE IN NON-LEAKING CNTNRS; SEAL TIGHTLY FOR PROPER DISP. (ING 22) RTECS #:9999999ZZ

Ingred Name:ING 21:KEEP OUT OF SURF WATER, SEWERS & WATERWAYS ENTERING/LEADING TO SURF WATERS. NOTIFY AUTHS IF ANY EXPOS TO (ING 23)

RTECS #:9999999ZZ

Ingred Name:ING 22:GEN PUBLIC/ENVIRON OCCURS/IS LIKELY TO OCCUR. PROD CONSIDERED AN OIL. SPILLS INTO/LEADING TO SURF WATER (ING 24) RTECS #:9999 999ZZ

Ingred Name:ING 23:THAT CAUSE A SHEEN MUST BE REPORTED TO THE NRC, 800-424-8802. REPORTABLE QTY(RQ):PROD:50,000 LBS; ING 3:1000 LBS. RTECS #:9999999ZZ

Ingred Name:SUPDAT:MD. INGEST:DO NOT INDUCE VOMIT. GIVE 1 GLASS OF WATER UNLESS VICTIM IS DROWSY, CONVULSING/UNCON. SEEK MD IMMED. RTECS #:9999992Z

LD50 LC50 Mixture:SEE INGREDIENTS.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogen

icity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONT:CORR & MAY CAUSE SEV DMG INCL BLINDNESS. VAPS MAY BE IRRIT. SKIN CONT:CORR. MAY CAUSE SENSIT. PHENOL MAY BE TOX & MAY BE FATAL IF EVEN MOD AMTS ARE ABSORBED. INHAL:VAPS/MISTS MAY BE CORR TO U PPER RESP TRACT. RPTD/PRLNG EXPOS CAN RSLT IN LUNG DMG. MAY CAUSE RESP TRACT SENSIT. PHENOL MAY BE (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:HIGHLY TOX & MAY BE

FATAL IF INHALED.

INGEST:NOT EXPECTED TO BE RELEVANT RTE OF EXPOS, HOWEVER, CORR & MAY CAUSE SEV & PERM DMG TO MOUTH, THROAT & STOM. PROD MAY BE MOD TOX. SIGNS & SYMPS:IRR IT AS NOTED. LUNG DMG(SCARRING, BRONCH,EMPHYSEMA):SHORTNESS OF BREATH, ESP ON EXERTION & MAY BE ACCOMPANIED BY (ING 5)

Medical Cond Aggravated by Exposure:PREEXISTING EYE, SKIN & RESP DISORDERS & IMPAIRED KIDNEY, LIVER & HEART FUNCS FROM PREEXISTING DISORDERS MAY BE AGGRAVATED BY EXPOS TO THIS PROD.

PREEXISTING SKIN/RESP TRACT ALLERGIES MAY INCR(SUPDAT)

First Aid:EYES:IMMED FLUSH W/PLENTY OF WATER FOR @ LST 15 MINS WHILE HOLDING LIDS OPEN. RINSE CONTINUOUSLY W/WATER WHILE ON WAY TO GET MD. SKIN:IMMED REMOVE CONTAM CLTHG/SHOES. WIPE EXCESS FROM SKIN & FLUSH W/P LENTY OF WATER FOR AT LST 15 MINS. USE SOAP IF READILY AVAIL/FOLLOW BY THORO WASHING W/SOAP & WATER. DO NOT REUSE CLTHG UNTIL THORO DECONT

AM. GET MD. INHAL:REMOVE VICTIM TO FRESH AIR & PROVIDE(SUPDAT)

Flash Point Method:SCC

Flash Point:>200F,>93C

Extinguishing Media:USE WATER FOG, "ALCOHOL" FOAM, DRY CHEMICAL OR CO*2.

Fire Fighting Procedures:USE NIOSH APPRVD SCBA & FULL PROT EQUIP . MATL WILL NOT BURN UNLESS PREHEATED. COOL FIRE EXPOS CNTNRS W/WATER. WATER/FOG MAY CAUSE FROTHING WHICH (SUPDAT) Unusual Fire/Explosion Hazard:VAPS MAY BE RELS UNDE

R FIRE CNDTNS.

DELAYED LUNG DMG (PULM EDEMA) CAN BE EXPER AFTER EXPOS TO COMBUST PRODS, SOMETIMES HRS AFTER EXPOS. NITROGEN OXIDES (SUPDAT)

Spill Release Procedures: DANGER. TOX BY ALL RTES. CORR. PVNT ALL BODILY CONT W/SPILLED MATL. WEAR APPROP NIOSH APPRVD RESP & FULL-BODY PROT CLTHG. LG SPILLS: SHUT OFF LEAK ONLY IF SAFE TO DO SO. ELIM POTNTL FIRE HAZS. DIKE & C NTN. REMOVE W/VACUUM TRUCK/PUMP TO STOR/ (IN G

19)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/ADEQ VENT.
KEEP AWAY FROM OPEN FLAMES & HIGH TEMPS. DO NOT PRESSURIZE DRUM CNTNRS TO EMPTY THEM. DO NOT BREATHE FUMES.
Other Precautions:HEATING THIS CURING AGENT IN PRESENCE OF AIR MAY CAUSE THERMAL OXIDATIVE DECOMP. WITH SOME EPOXY RESINS, IT MAY PRDCE EXOTHERMIC RXNS WHICH IN LG MASSES CAN

CAUSE RUNAWAY POLYMERIZATION & CHARRING OF REACTANTS. FUMES & VAPS FROM (ING 16)

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD W/29 CFR 1910.134 USE EITHER A NIOSH APPRVD FULL-FACE, ATM-SUPPLYING RESP OR AIR-PURIFYING RESP FOR ORGANIC VAPS.

Ventilation:USE VENTILATION AS REQUIRED TO CONTROL VAPOR C

ONCENTRATIONS.

Protective Gloves: CHEMICAL-RESISTANT GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGS & (SUPDAT)

Other Protective Equipment: ANSI APPRVD EYE WASH FOUNTAIN & DELUGE

SHOWER . WEAR CHEM-RESIST PROT CLTHG SUCH AS OUTER CLTHG/APRON; OVERSHOES.

Work Hygienic Practices: WASH W/SOAP & WATER BEFORE EATING, DRINKING, SMOKING, APPLYING COSMETICS/USING TOILET FACILITIES. LAUNDER CONTAM(ING 18)

Supplemental Safety and Health

FIRE FIGHT PROC:CAN BE VIOLENT, ESP IF SPRAYED INTO

CNTNRS OF

HOT/BURNING LIQ. EXPLO HAZ:& NITROGEN CNTNG ORG CMPDS MAY BE RELS UPON COMBUST. MED CNDTNS:CHANCE OF DEVEL INCR ALLERGY SYMPS FROM EXPOS T O PROD. EYE PROT:FULL LGTH FSHLD . FIRST AID PROC:OXYG IF BRTHG IS DFCLT. GIVE ARTF RESP IF NOT BRTHG. GET(ING 25)

Vapor Pres:1 Spec Gravity:1.1 (H*2O=1) Solubility in Water:MISCIBLE Appearance and Odor:LIGHT YELLOW LIQUID; AMMONIA ODOR.

Stability Indicator/Materials to Avoid:YES

CAN REACT VIGOROUSLY W/STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS & STRONG MINERAL & ORG BASES, ESP (ING 4) Stability Condition to Avoid:AVOID HEAT, SPARKS & FLAME. Hazardous Decomposition Products:NITROGEN OXIDES, CARBON MONOXIDE & UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

Waste Disposal Methods:DISPO

SAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS . PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE W/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.