

COURTAULDS AEROSPACE, INC -- EPOXY RESIN COMPOUND (PR1829 B-1/2) ACCELERATOR --
8030-01-369-0051

===== Product Identification =====

Product ID:EPOXY RESIN COMPOUND (PR1829 B-1/2) ACCELERATOR

MSDS Date:06/07/1994

FSC:8030

NIIN:01-369-0051

Kit Part:Y

MSDS Number: CFXJQ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:

91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:SL6475000

Fraction by Wt: 40%

Ot

her REC Limits:NONE RECOMMENDED

Ingred Name:EPOXY NOVOLAC RESIN (LD50, ORAL RAT = >4000 MG/KG)

CAS:28064-14-4

Fraction by Wt: 30%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE LIMESTONE (AIRBORNE CONTAMINANT, FULLY ENCAPSULATED)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:CARBON BLACK (AIRBORNE CONTAMINANT, FULLY ENCAPSULATED)

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 200F,>9

3C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING. AVOID INGESTION.

===== Exposure Controls/

Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:GENERAL

Protective Gloves:PLASTIC OR RUBBER

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:554F,290C

Vapor Density:NONVOLATIE

Spec Gravity:1.37

pH:NA

Solubility in Water:SLIGHT

Appearance and Odor:BLACK PASTE

Percent Volatiles by Volume:0%

Corrosion Rate:NA

===== Stability and R

activity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG AMINES

Hazardous Decomposition Products: OXIDES OF CARBON. ALSO OXIDES OF SILICON MAY BE EVOLVED.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/FEDERAL, STATE, LOCAL & EPA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.