

EASTMAN KODAK COMPANY -- 199 8715 HIGH DENSITY TONER FOR SERIES III 30/40/50/60/70/85 --
6850-01-207-3906

===== Product Identification =====

Product ID:199 8715 HIGH DENSITY TONER FOR SERIES III 30/40/50/60/70/85

MSDS Date:04/30/1997

FSC:6850

NIIN:01-207-3906

MSDS Number: CGFPV

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

C

Country:US

Info Phone Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:DANKA OFFICE IMAGING CO

Address:901 ELMGROVE RD

Box:City:ROCHESTER

State:NY

ZIP:14653

Country:US

CAGE:0ZW37

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

=====

Ingred Name:POLYMER ACRYLIC COPOLYMER; POLYMERIZED FATTY ACID AMIDE
CAS:68650-54-4
Fraction by Wt: 65-70%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYMER STYRENE COPOLYMER; MALEATED RESIN
CAS:25119-62-4
Fraction by Wt: 15-20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of

Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- EYES:NO SPECIFIC HAZARD KNOWN.

MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INHALATION:EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. ORAL:EXPECTED TO BE A LOW INGESTION HAZARD. CHRONIC-UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION

Medical Cond Aggravated by Exposure:NONE
SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. EYES-ANY MATERIAL THAT CONTACTS THE EYES SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.SKIN-WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTI

ON.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCED HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE DUST- AIR MIXTURES.

=====
===== Accidental Release Measures =====

Spill Release Pr

ocedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED.

Other Precautions:USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE DUST.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION IS SUFFICIENT FOR MOST CONDITIONS (TYPICALLY 4-6 ROOM VOLUMES PER HOUR).

Protective Gloves:IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:PRACTICE GOOD HYGIENIC PROCEDURE. WASH

THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

FORMULA CHANGE.

=====
===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:149F,65C

Vapor Pres:NEGLIGIBLE

Spec Gravity:0.9

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK, SOLID (POWDER), SLIGHT ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Av

oid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:DUST FORMATION

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, AND
OXIDES OF NITROGEN, OXIDES OF SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT
TO FEDERAL, STATE OR LOCAL REGULATIONS. CAN BE INCINERATED WHEN IN
COMPLIANCE WITH LOCAL REGULATIONS. CONTRACT WITH A LICENSED
CHEMICAL DISPOSAL AGENCY.

Disc

claimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.