View NSN Online: https://aerobasegroup.jp/nsn/6810-00-282-1218

LABCHEM INC -- SILVER NITRATE SOLUTION-SILVER STD 1000 PPM A

MSDS Safety Information

FSC: 6810

NIIN: 00-282-1218 MSDS Date: 08/05/1996 MSDS Num: CGMFY

Product ID: SILVER NITRATE SOLUTION-SILVER STD 1000 PPM AG,LC 22710-1

MFN: 01

Responsible Party Cage: EO318

Name: LABCHEM INC

Address: 200 WILLIAM PITT W

ΑY

City: PITTSBURGH PA 15238 Info Phone Number: 412-826-5230

Emergency Phone Number: 412-826-5230

Preparer's Name: AL BERANEK

Review Ind: Y Published: Y

Contractor Summary

Cage: 22527

Name: FISHER SCIENTIFIC CO

Address: 2000 PARK LN City: PITTSBURGH PA 15275

Phone: 412-490-8586

Cage: EO318

Name: LABCHEM INC

Address: 200 WILLIAM PITT WAY City: PITTSBURGH PA 15238

Phone: 412-826-5230

Ca

ge: 0MX47

Name: LABCHEM, INC.

Address: 200 WILLIAM PITT WAY City: PITTSBURGH PA 15238

Phone: 412-826-5230

Item Description Information

Item Manager: S9G

Item Name: SILVER NITRATE SOLUTION

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: BT

Quantitative Expression: 0000000500ML

UI Container Qty: L

Type of Container: BOTTLE

=======

Ingredients

Cas: 7761-88-8

RTECS #: VW4725000

Name: SILVER NITRATE (SARA 313) (CERCLA)

% Wt: 0.5- 17

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 0.01 MG(AG)/M3

ACGIH TLV: 0.01 MG(AG)/M3; 9596

EPA Rpt Qty: 1 LB DOT Rpt Qty: 1 LB

Cas: 7732-18-5

RTECS #: ZC0110000 Name: WATER, PURIFIED

% Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT RELEVANT ACGIH TLV: NOT RELEVANT

Health Hazards Data

LD50 LC50 Mixture: LD50 (ORAL, MOUSE) IS 50 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: TARGET ORGANS:EYE, SKIN, RESPIRATORY & DI TRACTS.

ACUTE- MAY CAUSE EYE IRRITATION, DAMAGE. SKIN CONTACT MAY CAUSE IRRITATION. INHALATION MAY CAUSE IRRITATION. HARMFUL/FATAL IF INGESTED. MAY CAUSE GI

RACT IRRITATION, METHEMOGLOBINEMIA, SHOCK, COLLAPSE, EVEN DEATH. CHRONIC- MAY CAUSE BRONCHITIS, METHEMOGLOBINEMIA.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION, SORE THROAT, BLURRED VISION, PAIN, BURNS, SALIVATION, NAUSEA, VOMITING, DIARRHEA, ANURIA, SHOCK, COLLAPSE, VERTIGO, COMA, CONVULSION AND DEATH

Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT, KIDNEYS, BLOOD MAY HAVE INCREAS

ED

SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First Aid: CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:IMMEDIATELY REMOVE CONTAMINATED CLOTHING & SALT WASH SKIN WITH SOAP & SAMP; WATER. INHALED:MOVE TO FRES HAIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:IF CONSCIOUS, DRINK 1% SALT WATER TO PRECIPIATE OUT SIVER CHLORIDE. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

======

Handling and Disposal

Spill Release Procedures: PREVENT SKIN AND EYE CONTACT. ABSORB SPILLS WITH INERT MATERIAL SUCH AS SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO CONTAINER FOR RECOVERY OR DISPOSAL. CLEAN SPILL AREA WITH WATER.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. REUSING OR RECYCLING IS ENCOURAGED.

Handling And Storage Precautions: STOR

E AWAY FROM LIGHT. KEEP CONTAINER CLOSED.

Other Precautions: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. LAUNDER BEFORE REUSE. KEEP OUT OF REACH OF CHILDREN.

Fire and Explosion Hazard Information

Flash Point Text: NONE

Lower Limits: NOT RELEVANT Upper Limits: NOT RELEVANT

Extinguis

hing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. STAY UPWIND. MOVE CONTAINER OUT IF

WITHOUT RISK.

Unusual Fire/Explosion Hazard: NEGLIGIBLE

Control Measures

Respiratory Protection: NONE SHOUL

D BE NEEDED. FOR CONDITIONS WHERE EXPOSURE TO DUST OR MISTS IS APPARENT, A NIOSH APPROVED RESPIRATOR FOR DUST MISTS AND FUMES APPROPRIATE TO THE CONCENTRATION MAY BE WORN. Ventilation: ADEQUATE Protective Gloves: RUBBER FOR REPEATED CONTACT Eye Protection: SAFETY GOGGLES Other Protective Equipment: APPROPRIATE PROTECTIVE CLOTHING AND EQUIPMENT, EYEWASH FOUNTAIN, EMERGENCY SHOWER Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CON TACT LENSES WHEN WORKING WITH THIS. ______ Physical/Chemical Properties _____ HCC: D1 NRC/State LIC No: NOT RELEVANT **B.P. Text: UNKNOWN** M.P/F.P Text: UNKNOWN Decomp Text: 824F,440C Vapor Pres: 14 @ 68F Vapor Density: 0.7 Spec Gravity: >1 Viscosity: UNKNOWN Solubility in Water: COMPLETE Appearance and Odor: COLORLESS LIQUID - ODORLESS Corrosion Rate: UNKNOWN

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: LIGHT

Materials To Avoid: AMMONIUM HYDROXIDE, AZIRIDINE, ACETYLENE, ETHANOL, ETHANOL/NITRIC ACID, ETHYLENE OXIDE, HYDROGEN PEROXIDE, OXALIC ACID

Hazardous Decomposition Products: OXIDES OF NITROGEN

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

Toxicolog ical Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information ______ ______ Transportation Information _____ Responsible Party Cage: EO318 Trans ID NO: 66092 Product ID: SILVER NITRATE SOLUTION-SILVER STD 1000 PPM AG,LC 22710-1 MSDS Prepared Date: 08/05/1996 Review Date: 04/23/1998 MFN: 1 Radioactivity: NOT RELEVANT Net Unit Weight: >1.1 LBS Multiple KIT Number: 0 Review IND: Y Unit Of Issue: BT Container QTY: L Type Of Container: BOTTLE Additional Data: LTD QTY. EXEMPT FROM LABELLING AND PLACARDING EXCEPT SHIPPED BY AIR (49 CFR 173.152). REPORTABLE QUA NTITY: 1 LB. _____ **Detail DOT Information** _____ DOT PSN Code: NBI DOT Proper Shipping Name: SILVER NITRATE Hazard Class: 5.1 UN ID Num: UN1493 DOT Packaging Group: II Label: OXIDIZER Packag ing Exception: 152 Max Qty Cargo: 25 KG Vessel Stow Req: A Detail IMO Information

Non Bulk Pack: 212 Bulk Pack: 242 Max Qty Pass: 5 KG

IMO PSN Code: NMD

IMO Proper Shipping Name: SILVER NITRATE

IMDG Page Number: 5177

UN Number: 1493 **UN Hazard Class: 5.1** IMO Packaging Group: II Subsidiary Risk Label: -EMS Number: 5.1-06

MED First Aid Guide NUM: 235

Detail IATA Information

IATA PSN Code: WHU IATA UN ID Num: 1493

IATA Proper Shipping Name: SILVER NITRATE

IATA UN Class: 5.1
IATA Label: OXIDIZER
UN Packing Group: II

Packing Note Passenger: 508

Max Quant Pass: 5KG Max Quant Cargo: 25KG Packaging Note Cargo: 511

Detail AFI Information

AFI PSN Code: WHU

AFI Pr

oper Shipping Name: SILVER NITRATE

AFI Hazard Class: 5.1 AFI UN ID NUM: UN1493 AFI Packing Group: II Special Provisions: P5 Back Pack Reference: A9.8

HAZCOM Label

Product ID: SILVER NITRATE SOLUTION-SILVER STD 1000 PPM AG,LC 22710-1

Cage: EO318 Assigned IND: Y

Company Name: LABCHEM INC Street: 200 WILLIAM PITT WAY

City: PITTSBURGH PA

Zipcode: 15238

Health Emergency Phone: 412-826-5230

Label Required IND: Y

Date Of Label Review: 04/23/1998

Status Code: C

MFG Label NO: UNKNOWN Label Date: 04/23/1998 Year Procured: 1998 Origination Code: F Eye Protection IND: YES Signal Word: WARNING Health Hazard: Moderate Contact Hazard: Moderate

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYE, SKIN, RESPIRATORY & DESCRIPTION ACUTE- MAY CAUSE EYE IRRITATION, DAMAGE. SKIN CONTACT MAY CAUSE IRRITATION. INHALATION MAY CAUSE IRRITATION. HARMFUL/FATAL IF

INGESTED. CHRONIC- MAY C

AUSE BRONCHITIS, METHEMOGLOBINEMIA. STORE AWAY FROM LIGHT. ABSORB SPILLS WITH INERT MATERIAL SUCH AS SAND. TRANSFER TO CONTAINER FOR RECOVERY/DISPOSAL. FIRST AID- CALL A DOCTOR IF SYMPTOMS PERSIST. EY E:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & amp; WATER. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:IF CONSCIOUS, DRINK 1% SALT WATER. CALL A P HYSICIAN/POISON CONTROL CENTER IMMEDIATELY.

=========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.