

NEW PIG CORP -- BLUE PIG SOCK ABSORBENT, MAT 204J -- 7930-01-436-8313

===== Product Identification =====

Product ID:BLUE PIG SOCK ABSORBENT, MAT 204J

MSDS Date:12/08/1995

FSC:7930

NIIN:01-436-8313

MSDS Number: CGZMS

=== Responsible Party ===

Company Name:NEW PIG CORP

Address:ONE PORK AVE

City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Info Phone Num:800-684-0101

Emergency Phone Num:800-468-4647

Pre

parer's Name:CAMERON W. SHERRY

CAGE:1JA49

=== Contractor Identification ===

Company Name:NEW PIG CORPORATION

Address:ONE PORK AVENUE

Box:City:TIPTON

State:PA

ZIP:16684-0304

Country:US

Phone:800-468-4647

CAGE:1JA49

===== Composition/Information on Ingredients =====

Ingred Name:OUTER MATERIAL CONSISTING OF INGREDIENTS 2-3

RTECS #:9999999ZZ

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:CELLULOSE

CAS:9004-34-6

RTECS #:FJ5691460

Fraction by Wt: 3%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10

MG/M3

Ingred Name:POLY(OXYETHYLENEOXYTEREPHTHALOYL); (POLYESTER)  
CAS:25038-59-9  
RTECS #:TR2725000  
Fraction by Wt: 2%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:INNER MATERIAL CONSISTING OF INGREDIENT 5  
RTECS #:9999999ZZ  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:MAGNESIUM ALUMINOSILICATE MINERAL; (MAGNESIUM  
ALUMINOSILICATE)  
CAS:1318-00-9  
Fraction by Wt: 95%  
OSHA PEL:N/K  
ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY M  
ANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE MINOR PHYSICAL  
OR MECHANICAL IRRITATION. INGESTION: NOT CONSIDERED HARMFUL.  
INHALATION: IF OUTER MATERIAL IS PUNCTURED, BREATHING OF EXCESSIVE  
AIRBORNE DUST MAY CAUSE SYMPTOMS T YPIICAL OF NUISANCE DUSTS, IE  
COUGHING, SNEEZING OR MINOR UPPER RESPIRATORY IRRITATION. SKIN  
CONTACT: (EFTS OF OVEREXP)  
Expl  
anation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:HLTH HAZ: NOT EXPECTED TO CAUSE ANY HARMFUL  
EFFECTS. CHRONIC: NOT APPLICABLE.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: FLUSH W/COPIOUS AMOUNTS  
OF WATER. CALL MD . EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST  
15 MINUTES. IF IRRITATION, BLINKING OR TEARING OCCUR AND PER SIST,

CONSULT MD. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST,  
CONSULT MD.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:UNUSED FORM: WATER, CHEMICAL FOAM, DRY CHEMICAL OR  
CARBON DIOXIDE. (NOTE:INNER MATERIAL IS NONFLAMMABLE.) (SUPDAT)  
Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE  
EQUIPMENT . UNUSED FORM: NOT APPLICABLE. USED FORM: REFER TO  
ABSORBED LIQUID(S) MSDS(S).  
Unusual Fire/Explosion Hazard:REFER TO ABSORBED LIQUID(S) MSDS(S). THE  
PIG ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR  
LESS HAZARDOUS.

===== Accidental Release Measures =====

Spill Release Procedures:IF MATERIAL IS UNUSED, SWEEP OR VACUUM PRODUCT  
AND DISPOSE OF AS A NONHAZARDOUS MATERIAL. IF SWEEPING, DAMPEN WITH  
WATER SPRAY TO AVOID CREATING DUST.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT SUBJECT PRODUCT TO EXCESSIVE  
HEAT. AVOID PUNCTURING OR TEARING OUTER MATERIAL. AVOID CREATING  
DUST.  
Other Precautions:REFER TO ABSORBED LIQUID(S) MSDS(S). THE PIG  
ABSORBENT SOCK DOES NOT RENDER LIQUIDS NONFLAMMABLE, NEUTRAL OR  
LESS HAZARDOUS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED DUST RESPIRATOR IF MATERIAL  
IS USED IN UNVENTILATED AREA OR IF DUST CONCENTRATIONS EXCEED  
SPECIFIED EXPOSURE LIMITS.  
Ventilation:PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO KEEP  
CONCENTRATIONS BELOW PEL/TLV.  
Protective Gloves:CLOTH, CANVAS OR LEATHER GLOVES.  
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES .  
Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER .  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
SPEC GRAV: 0.05-0.19 (H<sub>2</sub>O=1). MP: >1832F,>1000C. APPEAR/ODOR: SOCK;  
EARTHY O

DOR. EXTING MEDIA: USED FORM:THAT WHICH IS COMPAT TO LIQ(S)  
ABSORBED. WASTE DISP METH: A HAZARDOUS COMPONENT. IN SUCH INSTA  
NCES THE MATERIAL SHOULD BE DISPOSED OF VIA AN APPROVED WASTE  
DISPOSAL SERVICE AND THE APPROPRIATE MANIFESTING OBTAINED.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:SUPDAT

Spec Gravity:SUPDAT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FREE-FLOWING PARTICLES, BROWN TO GRAY IN COLOR,  
ENCLOSED  
IN A FABRIC (SUPDAT)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

PRODUCT MAY BE AFFECTED BY ACIDS, BASES AND OXIDIZERS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:IF UNUSED, NO SPECIAL PRECAUTIONS ARE  
NECESSARY. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL  
REGULATIONS. IN CERT  
AIN TYPES OF CLEANUP APPLICATIONS THE NATURE OF  
THE MATERIAL RECOVERED WILL CLASSIFY THE RESULTING SPENT MATERIAL  
AS (SUPDAT)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek  
competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.