

S C JOHNSON & SON INC -- FORWARD DC, 55 GAL -- 7930-01-062-8082

===== Product Identification =====

Product ID:FORWARD DC, 55 GAL

MSDS Date:01/15/1996

FSC:7930

NIIN:01-062-8082

MSDS Number: CHPJP

=== Responsible Party ===

Company Name:S C JOHNSON & SON INC

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2236

Country:US

Info Phone Num:800-228-5635

Emergency Phone Num:800-228-5635; 612-221-3999

C

AGE:0U826

=== Contractor Identification ===

Company Name:S C JOHNSON & SON INC/PROF WAX DIV

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403

Country:US

Phone:800-725-6737/414-886-1480 INTNL#

CAGE:0U826

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM HYDROXIDE (CERCLA). LD50: (ORAL, RAT) 140-340
MG/KG.

CAS:1310-7

3-2
RTECS #:WB4900000
Fraction by Wt: 0.1-1.5%
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3, C
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:N-ALKYL DIMETHYLBENZYL AMMONIUM CHLORIDES. LD50: (ORAL, RAT) 500 MG/KG.
CAS:68391-01-5
Fraction by Wt: 1.6%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:GLYCOLS, POLYETHYLENE, MONO(P-NONYLPHENYL) ETHER;
(ALKYLPHENOXY POLYETHOXYETHANOL). LD50:(ORAL, RAT) 1,600-2,000 MG/KG.
CAS:26027-38-3
RTECS #:MD0906000
Fraction by Wt: 1-5%
OSHA PEL:N/K
ACGIH TLV:
N/K

Ingred Name:SODIUM TRIPOLYPHOSPHATE. LD50: (ORAL, RAT) 6,500 MG/KG.
CAS:7758-29-4
RTECS #:YK4570000
Fraction by Wt: 1-5%
OSHA PEL:N/K
ACGIH TLV:N/K
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM SILICATE. LD50: (ORAL, RAT) 1,150 MG/KG.
CAS:1344-09-8
Fraction by Wt: 1-5%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 80-90%
OSHA PEL:N/K
ACGIH TLV:N/K

===== Hazards Identification =====

L

D50 LC50 Mixture:SEE INGREDIENTS

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MAY CAUSE MODERATE EYE IRRITATION. SKIN: MAY CAUSE MODERATE SKIN IRRITATION. INHALATION: NONE KNOWN. INGESTION: MAY BE HARMFUL IF SWALLOWED.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO IRRITATING EFFECTS.

===== First Aid Measures =====

First Aid:INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) . EYES: FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 TO 20 MINUTES. IF IRRITATION PERSISTS, GET MEDIC AL ATTENTION. SKIN: WASH CONTAMINATED AREA WITH WATER AND SOAP. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGEST: IMMEDIATELY DRINK 1-2 GLASSES OF WATER OR MILK. SEEK IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:FOAM. CARBON DIOXIDE. WATER FOG.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . COOL AND USE CAUTION WHEN APPROACHING OR HANDLING FIRE-EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:CORROSIVE MATERIAL (SEE SPECIAL PROTECTION INFORMATION). CONTAINER MAY BURST IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE. RINSE AFFECTED AREA THOROUGHLY WITH WATER. WEAR/USE APPROPRIATE PROTECTIVE EQUIPMENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:HAZARDS TO HUMANS AND ANIMALS. DANGER: AVOID EYE AND SKIN CONTACT. MAY BE HARMFUL IF SWALLOWED. KEEP OUT

OF REACH OF CHILDREN.
Other Precautions:LAUNDER CONTAM CLTHG/EQUIP BEFORE REUSE. KEEP OUT OF
REACH OF CHILDREN. STORE IN COOL, DRY PLACE W/ADEQ VENT. PROD
RESIDUE MAY REMAIN ON/IN EMPTY CNTNRS. ALL PRECAUTIONS FOR HANDLING
PROD MUST BE USED IN HANDLING EMPTY CNTNR & (SUPDAT)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIRMENTS UNDER NORMAL USE
CONDITIONS. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE
OF
CONCERN .
Ventilation:NO SPECIAL REQUIREMENTS.
Protective Gloves:ANY IMPERVIOUS MATERIAL.
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .
Other Protective Equipment:ANSI APPROVED EYE WASH & DELUGE SHOWER . IF
MAJOR EXPOSURE IS POSS TO EYES/SKIN, WEAR/USE APPROP PROT EQUIP.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
PH: 12.5-13.5. OTHER PRECS: RESIDUE. KEEP FROM FREEZING. WASH
THOROUGHLY AFTER HANDLING.

===== Physical/Chemical
Properties =====

Spec Gravity:1.08 (H*2O=1)
pH:SUPDAT
Solubility in Water:COMPLETE
Appearance and Odor:GREEN LIQUID; MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal M

ethods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
ass
ume responsibility for the suitability of this information to their
particular situation.