View NSN Online: https://aerobasegroup.jp/nsn/7930-01-388-9467

RECKITT & COLMAN INC -- 09-D0073-000; PROFESSIONAL SCENE 2 (SUPDAT) -- 7930-01-388-9467

Product ID:09-D0073-000; PROFESSIONAL SCENE 2 (SUPDAT)

MSDS Date:04/21/1997

FSC:7930

NIIN:01-388-9467 Status Code:A

MSDS Number: CHVPB === Responsible Party ===

Company Name: RECKITT & COLMAN INC

Address:225 SUMMIT AVE

City:MONTVALE

State:NJ ZIP:07645 Country:US Info Phone Num: 201-573-5700

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:RECKI

=== Contractor Identification ===

Company Name: RECKITT & COLMAN HOUSEHOLD PRODUCTS

Box:941 City:WAYNE State:NJ

ZIP:07474-0941 Country:US

Phone:201-633-6700

CAGE:RECKI

Company Name: RECKITT & COLMAN INC

Address:225 SUMMIT AVE

Box:City:MONTVALE

State:NJ ZIP:07645 Country:US

Phone:201-573-5700

CAGE:73820

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5 RTECS #:KQ6 300000

Fraction by Wt: 12.0% OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9495

Ingred Name:2-PROPANOL, 1-BUTOXY; (N-BUTOXYPROPANOL)

CAS:5131-66-8

RTECS #:UA7700000 Fraction by Wt: 3.0%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

CAS:64-02-8

RTECS #:AH5075000

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: ALCOHOL ETHOXYSULFATE AMMONIUM SALT

CAS:67762-19-0 OSHA PEL:N/K ACGIH TLV:N/K

======= Hazards Identification ============

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN AND EYES: MAY CAUSE

IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity: NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER

======================================
First Aid:INHAL: NONE NORMALLY REQUIRED. REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP). SKIN: FLUSH AREA WITH PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: IMMEDIATE LY FLUSH EYES THOROUGHLY WITH WATER, REMOVE ANY CONTACT LENSES, AND CONTINUE TO FLUSH EYES W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGEST: CONTACT M
======================================
Flash Point Method:TCC Flash Point:107F,42C Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE, AS SUITABLE FOR THE SURROUNDING FIRE. Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:COMBUSTIBLE. KEEP AWAY FROM HEAT, SPARK OR FLAME.
======== Accidental Release Measures =========
Spill Release Procedures:SPI LLS MAY BE FLUSHED TO SEWER WITH LARGE QUANTITIES OF WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:COMBUSTIBLE. KEEP AWAY FROM HEAT, SPARK OR FLAME. AVOID CONTACT WITH EYES AND SKIN. KEEP OUT OF REACH OF CHILDREN. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED. N