

HENKEL CORP -- VERSAMID 125 -- 8030-00-777-3973

===== Product Identification =====

Product ID:VERSAMID 125
MSDS Date:06/24/1996
FSC:8030
NIIN:00-777-3973
Status Code:A
MSDS Number: CJHKM
=== Responsible Party ===
Company Name:HENKEL CORP
Address:32100 STEPHENSON HIGHWAY
City:MADISON HEIGHTS
State:MI
ZIP:48071
Country:US
Emergency Phone Num:800-424-9300 (CHEMTREC)
Preparer's Name:DR SHAILESH SHA
Ch
emtrec Ind/Phone:(800)424-9300
CAGE:71410
=== Contractor Identification ===
Company Name:HENKEL CORP
Address:32100 STEPHENSON HIGHWAY
Box:City:MADISON HEIGHTS
State:MI
ZIP:48071
Country:US
Phone:215-628-1000
CAGE:71410
Company Name:HENKEL CORP POLYMERS DIV
Address:5325 S 9TH ST
Box:City:LA GRANGE
State:IL
ZIP:60525-3602
Country:US
Phone:708-579-6198
CAGE:1U766

===== Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE RESINS
CAS:63428-83-1
RTECS #:RF5250000

===

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:MAY CAUSE SKIN AND/OR EYE IRRITATION. MAY CAUSE IRRITATION OF RESPIRATORY TRACT. CAUSES GI IRRITATION & POSSIBLE BURNS IF SWALLOWED. READ MSDS COMPLETELY BEFORE USING PRODUCT. SKIN/EYES: MAY CAUSE SKI N/EYE IRRITATION ON PROLONGED/REPEATED EXPOS

URE. NOT CONSIDERED TOXIC BY SKIN ABSORPTION. AVOID CONTACT. WEAR PROTECTIVE CLOTHING AND EYE WEAR. WASH THOROUGHLY AFTER HANDLING. INHAL: MAY CAUSE IRRITATION TO UPPER RESP TRACT. AVOID PROLONGED/REPEATED INHALATION. ORAL: DANGER! DO NOT TAKE INTERNALLY. MAY CAUSE GI IRRITATION OR ULCERATION. MAY CAUSE BURNS OF MOUTH & THROAT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:

SKIN AND EYE: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND REMOVE CONTAMINATED CLOTHING. CALL A PHYSICIAN. INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS PERSISTS, CONSULT A PHYSICIAN. INGESTION : DO NOT INDUCE VOMITING. GIVE A LARGE QUANTITY OF MILK OR WATER. DO NOT GIVE FLUIDS TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>500F,>260C

Extinguishing Media:WATER SPRAY, CO*2, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:MAY PRODUCE HAZARDOUS FUMES OR HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:USING ADEQUATE PROTECTIVE EQUIPMENT, ADD DRY MATERIAL TO ABSORB SPILL (IF LARGE SPILL, FIRST DIKE TO CONTAIN). PICK UP AND CONTAINERIZE. FLUSH AREA WITH DILUTE (5%) ACETIC ACID. COLLEC

T RINSATE FOR SE WER OR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. STORE IN A DRY LOCATION.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE.

Ventilation:LOCAL EXHAUST.

Protective Gloves:RUBBER OR PLASTIC GLOVES.

Eye Protectio

n:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA .

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Spec Gravity:0.970

Solubility in Water:MODERATE - 1 TO 10 %

Appearance and Odor:VISCOUS AMBER LIQUID; AMMONIACAL ODOR.

Percent Volatiles by Volume:0 @ 70 F

=====

Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:MAY PRODUCE HAZ FUMES OR HAZ DECOMP PRODUCTS. CONDITIONS OF INSTABILITY: NONE KNOWN.

Hazardous Decomposition Products:NONE KNOWN TO HENKEL.

===== Toxicological Information =====

Toxicological Information:EYE IRRITATION TEST: RESULT: 75.6; TYPE:

0-110 RANGE; RABBIT; SEVERE HAZ RANK TRNO. ORAL LD50: >8.0

G/KG

EST LD50 RAT, SLIGHT HAZ RANK; TRNO. SKIN IRRITAITON: 3.0;
TYPE: 0-8 RANGE; RABBIT; MODE RATE HAZARD RANK TRNO.

===== Disposal Considerations =====

Waste Disposal Methods:THIS PRODUCT, IF DISPOSED AS SHIPPED, IS NOT A
HAZARDOUS WASTE AS SPECIFIED IN 40 CFR 261. CONSULT FEDERAL, STATE
OR LOCAL OFFICIALS FOR PROPER DISPOSAL METHOD.

===== Regulatory Information =====

Federal Regulatory Information:THIS P
RODUCT AND/OR ALL OF ITS
COMPONENTS ARE REGISTERED AS REQUIRED BY TSCA.

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
documen
t should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.