View NSN Online: https://aerobasegroup.jp/nsn/6550-00-299-8176

MALLINCKRODT/BAKER -- SODIUM SULFATE ANHYDROUS -- 6550-00-299-8176

Product ID:SODIUM SULFATE ANHYDROUS MSDS Date:03/05/1997 FSC:6550 NIIN:00-299-8176 Status Code:A MSDS Number: CJMMR === Responsible Party === Company Name: MALLINCKRODT/BAKER Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865-2219 Country:US Info Phone Num:908-859-2151 **Emergency Phone** Num:24 HR:908-859-2151/CAN 613-996-6666 Resp. Party Other MSDS Num.: S5018 Chemtrec Ind/Phone:(800)424-9300 CAGE:LO895 === Contractor Identification === Company Name: MALLINCKRODT/BAKER Address:222 RED SCHOOL LANE Box:City:PHILLIPSBURG State:NJ ZIP:08865-2219 Country:US Phone:908-859-2151 CAGE:LO895

Ingred Name:SODIUM SULFATE CAS:7757-82-6 RTECS #:WE1650000 Minumum % Wt:90. Maxumum % Wt:100.

====== Hazards Ide

Health Hazards Acute and Chronic:INHALATION-NOT EXPECTED TO BE A HEALTH HAZARD. INGESTION-MILDLY TOXIC BY INGESTION. SLOWLY ABSORBED FROM THE ALIMENTARY TRACT.BECAUSE OF OSMOTIC ACTIVITY, IT WILL DRAW WATER INTO THE LUMEN OF THE BOWE L & MAY CAUSE PURGING, FLUID LOSS, BLOOD IN STOOL, FALL OF BLOOD PRESSURE & HIGH SODIUM LEVELS IN THE BLOOD. SKIN-NO ADVERSE EFFECTS EXPECTED. EYE-NO ADVERSE EFFECTS EXPECTED BUT DUST MAY CAUSE MECHAN ICAL

IRRITATION. CHRONIC: NO

INFORMATION FOUND. Medical Cond Aggravated by Exposure:NO INFORMATION FOUND.

First Aid:INHALATION-NOT EXPECTED TO REQUIRE FIRST AID MEASURES. INGESTION-GIVE SEVERAL GLASSES O WATER TO DRINK TO DILUTE. IF LARGE VOLUMES WERE SWALLOWED, GET MEDICAL ADVICE. SKIN-WASH EXPOSED AREA WITH SOAP AND WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS. EYE-WASH THOROUGHLY WITH RUNNING WATER.GET MEDICAL ADVICE IF

IRRITATION DEVELOPS.

Extinguishing Media:USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. NOT CONSIDERED TO BE A FIRE HAZARD. Fire Fighting Procedures:USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. USE PROTECTIVE CLOTHING AND BREATHING EQUIPMENT APPROPRIATE FOR THE SURROUNDING FIRE.

Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION HAZARD, BUT VIOLENT E

XPLOSIONS OCCUR WHEN POTASSIUM SULFATE AND SODIUM SULFATE ARE MELTED WITH ALUMINUM.

Spill Release Procedures: VENTILATE ARE OF LEAK OR SPILL. WEAR APPROPIATE PERSONAL PROTECTIVE EQUIPMENT. SWEEP UP AND CONTAINERIZE FOR RECLAMATION OR DISPOSAL. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

Handling and Storage Precautions:KEEP

IN A TIGHTLY CLOSED CONTAINER,

STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM INCOMPATIBLE SUBSTANCES. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMP TY SINCE THEY RETAIN PRODUCT RESIDUES; OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

Other Precautions: AS PART OF GOOD INDUSTRIAL AND PERSONAL HYGIENE AND SAFETY PROCEDURES, AVOID ALL UNNECESSARY EXPOSURE TO THE CHEMICAL SUBSTANCE AND ENSURE PROMPT REMOVAL FROM SKIN, EYES AND CLOTHING.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection: PERSONAL RESPIRATORS (NIOSH APPROVED): FOR CONDITIONS OF USE WHERE EXPOSURE TO DUST OR MIST IS APPARENT, A HALF-FACE DUST/MIST RESPIRATOR MAY BE WORN. FOR EMERGENCIES OR WHERE EXPOSURE LEVELS ARE NOT KNOWN, USE FULL-FACE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. WARNING: AIR PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES. Vent

ilation:DILUTION VENTILATION IS OKAYFOR HEALTH HAZARD CONTROL OF THIS SUBSTANCE. IF CONDITIONS OF USE CREATE DISCOMFORT TO WORKER, LOCAL EXHAUST SYSTEM BE CONSIDERED.
Protective Gloves:WEAR PROTECTIVE GLOVES
Eye Protection:USE CHEMICAL SAFETY GOGGLES.
Other Protective Equipment:MAINTAIN EYE WASH FOUNTAIN & QUICK-DRENCH

FACILITIES IN WORK AREA.

Work Hygienic Practices: CLEAN BODY-COVERING CLOTHING.

Supplemental Safety and Health

====== Physical/Chemical Properties ====

===================

HCC:N1 Melt/Freeze Pt:=843.9C, ######F Vapor Density:2.68 Solubility in Water:3.6 PARTS H20,1 IN 2 MAX. Appearance and Odor:FINE WHITE CRYSTALLINE GRANULES. ODORLESS. Percent Volatiles by Volume:@21C(70F):0

Stability Indicator/Materials to Avoid:YES IN COMBINATION WITH SODIUM SULFATE, ALUMINUM AND MAGNESIUM WILL EXPLODE @ 800C (1472C); STRONG MINERAL ACIDS AND BASES. Stability Condition to Avoid:AIR, MOISTU

RE, AND INCOMPATIBLES. STABLE IN TIGHTLY CLOSED CONTAINERS UNDER NORMAL CONDITIONS OF STORAGE. Hazardous Decomposition Products: OXIDES OF SULFUR AND SODIUM MAY FORM WHEN HEATED TO DECOMPOSITION. Conditions to Avoid Polymerization: WILL NOT OCCUR. Toxicological Information:NO LD50/LC50 INFORMATION FOUND RELATING TO NORMAL ROUTES OF OCCUPATIONAL EXPOSURE. INVESTIGATED AS A TUMORIGEN, MUTAGEN, REPRODUCTIVE EFFECTOR. SODIUM SULFATE: NONE. Ecological: ECOLOGICAL: ENVORINMENTAL FATE-WHEN RELEASED INTO THE SOIL, THIS MATERIAL IS EXPECTED TO LEACH INTO GROUNDWATER. THIS MATERIAL SI NOT EXPECTED TO SIGNIFICANTLY BIOACCUMULATE. ENVIRONMENTAL TOXICITY-T HIS MATERIAL IS NOT EXPECTED TO BE TOXIC TO AQUATIC LIFE. THE LC50/96-HOUR VALUES FOR FISH ARE OVER 100 MG/L. THE EC50/48-HOUR VALUES FOR DAPHNIA ARE OVER 100 MG/L. _____ Waste Disposal Methods: WHAT CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPIATE & APPROVED WASTE DISPOSAL FACILITY. PROCESSSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. DISPOSE OF CONTAINER & UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REQUIREME NTS. Transport Informati on:NOT REGULATED. SARA Title III Information:NONE. Federal Regulatory Information:NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accura

te and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.