View NSN Online: https://aerobasegroup.jp/nsn/6850-01-079-0889

ENGELHARD CORP., CHEMICAL CATALYSTS GROUP -- DESICCITE 25 -- 6850-01-079-0889

Product ID:DESICCITE 25 MSDS Date:06/08/1998 FSC:6850 NIIN:01-079-0889 Status Code:A MSDS Number: CJYKD === Responsible Party === Company Name: ENGELHARD CORP., CHEMICAL CATALYSTS GROUP Address:600 E. MCDOWELL ROAD **City:JACKSON** State:MS ZIP:39204 Country:US Info Phone Num:800-458-6850 Em ergency Phone Num:800-458-6850 Resp. Party Other MSDS Num.:CODE: J96001 Chemtrec Ind/Phone:(800)424-9300 CAGE:0NH81 === Contractor Identification === Company Name: ENGELHARD CORP Address:600 E. MCDOWELL ROAD Box:City:JACKSON State:MS ZIP:39204 Country:US Phone:800-458-6850 / 601-948-3966 CAGE:0NH81

Ingred Name:SILICA, CRYSTALLINE (QUARTZ) CAS:14808-60-7 RTECS #:VV7330000 Minumum % Wt:1. Maxumum % Wt:3. OSHA PEL:SEE TABLE Z-3 A CGIH TLV:0.1 MG/M3

Ingred Name:ALUMINUM SILICATE CAS:12141-46-7 = Wt:97.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic: EYE: MAY CAUSE MECHANICAL IRRITATION IF EXPOSED TO LARGE AMOUNTS OF DUST. SKIN: MAY CAUSE IRRITATION DUE TO MECHANICAL ABRASION. INHALATION: CAUSES IRRITATION OF THE RESPIRATORY TRACT AND MAY CAUSE DI SABLING, PROGRESSIVE PULMONARY FIBROSIS (SILICOSIS) DUE TO CRYSTALLINE SILICA (QUARTZ). INGESTION: NO ADVERSE EFFECTS EXPECTED. Explanation of Carcinogenicity:CRYSTALLINE SILICA: NTP- CONFIRMED ANIMAL CARCINOGEN, IARC- SUFFICIENT EVIDENCE OF CARCINOGENICITY IN BOTH HUMANS & EXPERIMENTAL ANIMALS FOR INHALED CRYSTALLINE SILICA IN THE FORM OF QUARTZ OR CRISTAB ALITE. Effects of Overexposure: COUGH, DYSPNEA, WHEEZING, AND IMPAIRMENT OF PULMONARY FUNCTION. PROGRESSION OF SY STOMS CAN CONTINUE AFTER DUST EXPOSURE CEASES.

Medical Cond Aggravated by Exposure:MAY AGGRAVATE EXISTING MEDICAL CONDITIONS SUCH AS RESPIRATORY AILMENTS.

First Aid:EYE: FLUSH EYES WITH PLENTY OF WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN. SKIN: PROCEDURES NORMALLY NOT NEEDED. IF SKIN CONTACT OCCURS FLUSH WITH PLENTY OF WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, OXYGEN SHOULD BE ADMINISTERED BY QUALIFIED PERSONNE.

CALL A PHYSICIAN. INGUESTION: PROCEDURES NORMALLY NOT NEEDED. IF LARGE QUANT ITIES ARE INGESTED. SEEK MEDICAL ADVICE.

Autoignition Temp:Autoignition Temp Text:N/D

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREA

THING APPARATUS AND PROTECTIVE CLOTHING AS SPECIFIED IN 29 CFR 1910.156. Unusual Fire/Explosion Hazard:NOT A FIRE OR EXPLOSION HAZARD

Spill Release Procedures: CONTAIN SPILLAGE AND SCOOP UP OR VACUUM. AVOID DUSTING. PROPER EXPOSURE CONTROLS AND PERSONAL PROTECTION EQUIPMENT SHOULD BE USED AND DISPOSAL OF THE MATERIAL SHOULD BE IN ACCORDANCE WITH THE DISPOSAL SECTION.

================= Handling and Storage

Handling and Storage Precautions: KEEP CONTAINER CLOSED. STORE IN A COOL, DRY LOCATION AWAY FROM INCOMPATIBLE MATERIALS. DO NOT PERMIT DUST TO COLLECT ON WALLS, FLOORS, SILLS, LEDGES, MACHINERY, OR EQUIPMENT. AVOID GENERATING OR BREAT HING DUST. AVOID CONTACT WITH EYES. USE ONLY WITH ADEQUATE VENTILATION.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: A NIOSH/MSHA APPROVED RESPIRATOR IS RECOMMENDED IF DUST

IS GENERATED. IF RESPIRATORY PROTECTION IS USED, FOLLOW ALL REQUIREMENTS FOR RESPIRATORY PROGRAMS SET FORTH IN OSHA REGULATIONS (29CFR1019.139)

Ventilation: GENERAL; LOCAL VENTILATION AS NECESSARY TO CONTROL ANY AIR CONTAMINANTS TO WITHIN THEIR PELS OR TLVS DURING THE USE OF THIS PRODUCT.

Protective Gloves:RECOMMENDED Eye Protection:SAFETY GLASSES (WITH SIDE SHIELDS) Other Protective Equipment:NONE PROVIDED BY MFR. Work Hygienic Practices:NONE PROVIDED BY MFR. Supplemental Safety and Health NONE PROVIDED BY MFR.

HCC:T6 Spec Gravity:2.4 (H2O=1) pH:6 TO 9 (SLURRY) Solubility in Water:NEGLIGIBLE Appearance and Odor:GREY TO OFF-WHITE GRANULES, ODORLESS

Stability Indicator/Materials to Avoid:YES STRONG ALKALI; STRONG OXIDIZERS. Stability Condition to Avoid:GENERALLY CONSIDERED STABLE. NONE EXPECTED Hazardous Decomposition Product

## s:NONE EXPECTED Conditions to Avoid Polymerization:WILL NOT OCCUR

======================================
Ecological:NO DATA AVAILABLE ON ECOTOXICITY OR ENVIRONMENTAL FATE.
======================================
Waste Disposal Methods:FEDERAL, STATE AND LOCAL DISPOSAL LAWS AND REGULATIONS WILL DETERMINE THE PROPER WASTE DISPOSAL/RECYCLING/RECLAMATION PROCEDURE. DISPOSAL REQUIREMENTS ARE DEPENDENT ON THE HAZARD CLASSIFICATI ON AND WI LL VARY BY LOCATION AND THE TYPE OF DISPOSAL SELECTED.
======================================
Transport Information:NOT INTERNATIONAL OR DOT REGULATED.
======================================
SARA Title III Information: SARA 311 & 312 HAZARD CATEGORY: A DELATED (CHRONIC) HEALTH HAZARD. SARA SECTION 313 NOTIFICATION: THIS PRODUCT DOES NOT CONTAIN TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTIO
N 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372. Federal Regulatory Information:THIS PRODUCT NEITHER CONTAINS NOR IS MANUFACTURED WITH AN OZONE DEPLETING SUBSTANCE SUBJECT TO THE LABELLING REQUIREMENTS OF THE CLEAN AIR ACT AMENDMENTS 1990 AND 40 CFR PART 82.
State Regulatory Information:WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.
======================================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to thei r particular situation.