

COULTER DIAGNOSTIC DIVISION -- COULTER CLENZ CLEANING AGENT -- 6630-01-156-0687

===== Product Identification =====

Product ID:COULTER CLENZ CLEANING AGENT

MSDS Date:01/27/1992

FSC:6630

NIIN:01-156-0687

MSDS Number: CKJZC

=== Responsible Party ===

Company Name:COULTER DIAGNOSTIC DIVISION

Address:740 WEST 83RD ST.

City:HIALEAH

State:FL

ZIP:33014

Country:US

Info Phone Num:305-822-8250

Emergency Phone Num:800-424-8802

Resp. Party Other MSDS Num.:MSDS PART NO.: 758

5131-C

CAGE:0DP51

=== Contractor Identification ===

Company Name:COULTER DIAGNOSTIC DIVISION

Address:740 WEST 83RD ST.

Box:City:HIALEAH

State:FL

ZIP:33014

Country:US

Phone:305-822-8250

CAGE:0DP51

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

= Wt:100.

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin

:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: CONTACT WITH PRODUCT MAY CAUSE
EYE AND SKIN IRRITATION. MAY BE HARMFUL IF INGESTED.
Explanation of Carcinogenicity:NONE LISTED.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF
RESP) . SKIN CONTACT:WASH AFFECTED AREA(S) THOROUGHLY WITH WATER.
EYE CONTACT:FLUSH WITH COPIOUS AMOUNT OF WATER FOR AT LEAST 15
MINUT ES, CALL PHYSICIAN. INGEST:SEEK MEDICALATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Extinguishing Media:ANY TYPE SUITABLE.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====
===

Spill Release Procedures:FLUSH WITH COPIOUS AMOUNT OF WATER TO APPROVED
DRAINAGE. NOTE:IF SPILLS ARE INSUFFICIENTLY DILUTED WITH WATER
PRIOR TO REMOVAL, SPILL AREA MAY REMAIN SLIPPERY WHILE MOIST. TO
AVOID ACCIDENTS, FLUSH SP ILLS THOROUGHLY WITH WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE (20-25C).
AVOID EYE AND SKIN CONTACT, FLUSH A
FFECTED AREAS WITH COPIOUS
AMOUNT OF WATER FOR MINIMUM OF 15 MINUTES.
Other Precautions:DO NOT INGEST. IF TAKEN INTERNALLY, CONSULT
PHYSICIAN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN .
Ventilation:GENERAL PURPOSE.
Protective Gloves:PROTECTIVE GLOVES.
Eye Protection:SAFETY CLASSES.
Work Hygienic Practices:DO NOT EAT WHILE HDNLG THIS PROD. FOLLOW GOOD
HOUSEKEEPING & PE

PERSONAL HYGIENE PRACTICES.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:=100.C, 212.F
B.P. Text:212F,100C
Spec Gravity:1 (H*2O=1)
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR BLUE SOLUTION.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS - CHLORATES, NITRATES.
Stability Condition to Avoid:STRONG ACIDS.
Hazardous Decomposition
Products:MAY YIELD CARBON MONOXIDE, CARBON
DIOXIDE GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST COMPLY WITH FEDERAL, STATE AND
LOCAL DISCHARGE REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be
accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.