

AIRPATH INSTRUMENT CO -- PETROLEUM DISTILATE, N.O.S. -- 6605-00-566-6425

=====
Product Identification
=====

Product ID:PETROLEUM DISTILATE, N.O.S.

MSDS Date:01/01/2000

FSC:6605

NIIN:00-566-6425

Status Code:A

MSDS Number: CKNXZ

=== Responsible Party ===

Company Name:AIRPATH INSTRUMENT CO

Address:13150 TAUSSING AVE

City:BRIDGETON

State:MO

ZIP:63044

Country:US

Info Phone Num:314-739-8117/8118

Emerge

ncy Phone Num:314-739-8117

CAGE:70214

=== Contractor Identification ===

Company Name:AIRPATH INSTRUMENT CO

Address:13150 TAUSSING AVE

Box:City:BRIDGETON

State:MO

ZIP:63044

Country:US

Phone:314-739-8117/8118

CAGE:70214

Company Name:INSTRUMENT TECH CORP

Address:15060 BELTWOOD PKY E

City:ADDISON

State:TX

ZIP:75001-3715

Country:US

Phone:972-458-8785

Contract Num:SP0440-00-M-JD20

CAGE:59413

=====
Composition/Information on Ingredients
=====

Ingred Name:C10-13-ISOALKANES OR MIXTURE

OF C10-C13 ISOPARAFFINS

CAS:68551-17-7

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: RECOMMENDED EXPOSURE LIMIT
400PPM. CHRONIC: NO KNOWN APPLICATION LIMIT.

Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Effects of Overexposure:MAY BE IRRITATING TO EYES. STRONG SKIN
IRRITANT. MAY CAUSE HEADAC

HE, DIZZINESS, NAUSEA, UNCONSCIOUSNESS.

MAY BE ASPIRATION HAZARD IF SWALLOWED. MAY IRRITATE STOMACH AND
INTESTINES.

Medical Cond Aggravated by Exposure:NO KNOWN APPLICABLE INFORMATION.

SEE SIGNS AND SYMPTOMS OF EXPOSURE NOTED ABOVE.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM CONTAMINATED AIR. IF ILLNESS
DEVELOPS, CONSULT PHYSICIAN. EYES: IMMEDIATELY FLUSH EYES WITH
WATER FOR 15 MINUTES. IF IRRITATION DEVELOPS, CONS

ULT PHYSICIAN.

SKIN: IMMEDIATELY WASH WITH SOAP AND WATER AND SEEK MEDICAL
ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF SWALLOWED, CONSULT
A PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-56.1C, 133.F

Lower Limits:N/E

Upper Limits:N/E

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE.

Fire Fighting Procedures:SHHUT OFF SOURCE. USE WATER FOG OR SPRAY TO
COOL EXPOSED EQUIPMENT AND CONTAINER

S. WEAR SELF-CONTAINED
BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. PROTECT FROM SOURCES
OF IGNITION.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PROTECT FROM IGNITION. CONTAIN SPILL. KEEP OUT
OF WATER SOURCES AND SEWERS. ABSORB IN DRY INERT MATERIAL.(SAND,
CLAY, SAW DUST, ETC). REFER TO PERSONAL PROTECTION INFORMATION
SECTION. CONTACT APPROPRIATE SAFETY PERSONNEL FOR RESPIRATORY
REQUIREMENTS.

N

neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID INHALATION AND SKIN & EYE CONTACT. WEAR PROTECTIVE AND/OR GARMENTS AS DESCRIBED IN SECTION 8 IF CONDITIONS WARRANT. WASH HANDS BEFORE EATING, DRINKING OR SMOKING. STORE IN A COOL, DRY, WELL VENTILLATED AREA. PROTECT FROM SOURCES OF IGNITION. PROVIDE MEANS OF CONTROLLING LEAKS OR SPILLS.

Other Precautions:BOND AND GROUND DURING LIQUID TRANSFER. WHERE SPECIAL OR UNUSUAL USES OR CONDITIONS EXIST, IT IS SUGGESTED THAT THE EXPERT ASSISTANCE OF AN INDUSTRIAL HYGENIST OR OTHER QUALIFIED PROFESSIONAL BE SOUGHT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT GENERALLY REQUIRED UNLESS NEEDED TO PREVENT RESPIRATORY IRRITATION.

Ventilation:USE ADEQUATE VENTILATION. LOCAL EXHAUST IF NEEDED.

Protective Gloves:RUBBER, NEOPRENE OR VINYL ALCOHOL.

Eye Protec

tion:CHEMICAL GOGGLES & FACESHIELD FOR SPLASH PROTECTION.

Other Protective Equipment:USE PROTECTIVE GARMENTS TO PREVENT SKIN CONTACT.

Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE USE.

Supplemental Safety and Health

NO DATA PROVIDED BY RESPONSIBLE PARTY.

=====
Physical/Chemical Properties
=====

HCC:F4

Boiling Pt:B.P. Text:176-208C

Melt/Freeze Pt:M.P/F.P Text:N/E

Vapor Pres:103 MM HG

Vapor Density:>1

Spec Gravity:75@60/60F

Solubility in Water:NEGLI

GIBLE

Appearance and Odor:COLORLESS LIQUID, MILD ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

OXYGEN OR STRONG OXIDIZING MATERIALS.

Stability Condition to Avoid:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Hazardous Decomposition Products:CARBON OXIDES.

=====
Toxicological Information
=====

Toxicological Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

=====
Ecological Informatio
=====

n =====

Ecological:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER CONTROLLED CONDITION OR PLACE
IN RCRA PERMITTED WASTE MANAGEMENT FACILITY.

===== MSDS Transport Information =====

Transport Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Regulatory Information =====

SARA Title III Information:NO DA
TA PROVIDED BY RESPONSIBLE PARTY.

Federal Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

State Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information
to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.