

OCLASSEN PHARMACEUTICALS INC -- CONDYLOX (PODOFILOX) TOPICAL SOLUTION 0.5% --
6505-01-338-4710

===== Product Identification =====

Product ID:CONDYLOX (PODOFILOX) TOPICAL SOLUTION 0.5%

MSDS Date:07/07/2000

FSC:6505

NIIN:01-338-4710

Status Code:A

MSDS Number: CKQNT

=== Responsible Party ===

Company Name:OCLASSEN PHARMACEUTICALS INC

City:SAN RAFAEL

State:CA

ZIP:94901

Country:US

Info Phone Num:800-272

-5525

Emergency Phone Num:800-272-5525

CAGE:0PU77

=== Contractor Identification ===

Company Name:OCLASSEN PHARMACEUTICALS INC

Box:City:SAN RAFAEL

State:CA

ZIP:94901

Country:US

Phone:800-272-5525

CAGE:0PU77

Company Name:OCLASSEN PHARMACEUTICALS INC (WATSON LABORATORIES)

Address:311 BONNIE CIRCLE

City:CORONA

State:CA

ZIP:91720

Country:US

Phone:800-272-5525

Contract Num:SP0200-99-F-J592

CAGE:TO835

===== Composition/Information on Ingredients =====

Ingred Name:PODOFILOX (PODOPHYL

LOTOXIN)
CAS:518-28-5
RTECS #:LV2500000
= Wt:.5

Ingred Name:ETHYL ALCOHOL
CAS:64-17-5
RTECS #:KQ6300000
= Wt:95.
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

===== Hazards Identification =====

Health Hazards Acute and Chronic:INHALATION: MAY CAUSE IRRITATION OF
RESPIRATORY TRACT. EXPOSURE TO OVER 1,000 PPM MAY CAUSE HEADACHE,
DIZZINESS AND LASSITUDE. EYES: MAY CAUSE LOCAL IRRITATION.
INGESTION: MAY CAUSE IRRITATION. CAN CA USE DEPRES
SION OF CNS,
NAUSEA, VOMITING AND DIARRHEA.
Explanation of Carcinogenicity:KNOWN CLASSTOGEN.
Effects of Overexposure:INHALATION: COUGHING, SHORTNESS OF BREATH,
HEADACHE, DIZZINESS AND LASSITUDE. SKIN: MAY PARALLEL INGESTION, AS
ACTIVE MAY BE ABSORBED THROUGH SKIN. INGESTION: DEPRESSION OF
CENTRAL NERVOUS SYSTEM, NAU SEA, VOMITING, AND DIARRHEA.
Medical Cond Aggravated by Exposure:INFORMATION NOT AVAILABLE.

===== First Aid Measures =====

Fir
st Aid:INHALATION: REMOVE PERSON TO FRESH AIR, OBSERVE FOR SIGNS OF
RESPIRATORY DIFFICULTY, KEEP WARM. IF NOT BREATHING, GIVE
ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
EYE/SKIN: FLUSH W ITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15
MINUTES. INGESTION: FLUSH OUT MOUTH WITH WATER. IF PERSON IS ALERT,
INDUCE VOMITING. OBTAIN MEDICAL ATTENTION. WASH ALL EXPOSED SKIN
AND MUCOUS MEMBRANES W ITH COPIOUS AMOUNTS OF WATER FOR AT LEAST
15 MINUTES. REMOVE F
ROM EXPOSURE. REMOVE CONTAMINATED CLOTHING.
OBTAIN MEDICAL ATTENTION. WASH ALL EXPOSED SKIN AND MUCOUS
MEMBRANES WITH COPIOUS AMOUNT OF WATER FOR AT LEAST 15 MINUTES.

===== Fire Fighting Measures =====

Flash Point:=15.6C, 60.F
APPROXIMATELY
Autoignition Temp:=362.8C, 685.F
Lower Limits:3.3
Upper Limits:19
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE OR FOAM
AS APPROPRIATE FOR SURROUNDING FIRE AND MATERIALS.
Fire Fighting Procedure

s:EVACUATE PERSONNEL TO SAFE AREA. FIREFIGHTERS SHOULD USE SELF-CONTAINED BREATHING EQUIPMENT AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:MATERIAL IS COMBUSTIBLE. WHEN HEATED TO DECOMPOSITION, MATERIAL EMITS TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR FACE MASK AND EYE PROTECTION, CHEMICALLY COMPATIBLE GLOVES AND PROTECTIVE CLOTHING. COLLECT SPILLAGE BY ABSORBING ONTO APPROPRIATE MATERIAL SUCH AS DIATOMACCOUS EARTH.

PLACE SPILLAGE IN APPROPRIATE CONTAINER FOR WASTE DISPOSAL. LABEL ADEQUATELY. WASH CONTAMINATED CLOTHING. VENTILATE AREA AND WASH SPILL SITE WITH A DILUTE SODIUM HYDROXIDE SOLUTION (2%).

===== Handling and Storage =====

Handling and Storage Precautions:THIS MATERIAL SHOULD BE HANDLED AND STORED PER LABEL AND OTHER INSTRUCTIONS TO ENSURE PRODUCT INTEGRITY. KEEP IN A TIGHTLY CLOSED CONTAINER. STORE IN A COOL, DRY, VE

NTILATED AREA AWAY FROM SOURCES OF HEAT OR IGNITION.

PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM OXIDIZING AGENTS.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN OR CLOTHING. AVOID BREATHING MISTS. WASH HANDS THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING. DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR MATERIAL. MINIMIZE HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:OSHA APPROVED FACE MASK AND EYE PROTECTION

Ventilation:LOCAL EXHAUST SYSTEM.

Protective Gloves:PLASTIC OR RUBBER

Eye Protection:GOGGLES OR EQUIVALENT

Supplemental Safety and Health

NDC NO: CONDYLOX 55515-101.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:=78.3C, 173.F

B.P. Text:APPROXIMATELY

Vapor Pres:~ 44.6 MMHG @68F

Vapor Density:~ 1.59

Spec Gravity:0.82-0.84

Solubility in Water:MISICIBLE/COMPLETE

Appearance and Odor:CLEAR, COLORLESS, WITH ALCOHOLIC ODOR

===== Stability and Re

activity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS MAY CAUSE A VIOLENT REACTION.

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE CAN
FORM WHEN HEATED TO DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH APPLICABLE
FEDERAL, STATE AND LOCAL LAWS FOR HAZARDOUS WASTE DISPOSAL.

===== MSDS Transport Information =====

=====

Transport Information:NOT PROVIDED BY MFR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the
suitability of this information to their
particular situation.