View NSN Online: https://aerobasegroup.jp/nsn/6850-01-470-1234

Product ID:TBN CALIBRATION OIL STANDARD MSDS Date:01/19/1996 FSC:6850 NIIN:01-470-1234 Status Code:A MSDS Number: CKWGW === Responsible Party === Company Name: EXAXOL CHEMICAL CORP. Address:14325 60TH STREET City:CLEARWATER State:FL ZIP:34620 Country:US Info Phone Num:727-524-7732 Emergency Phone Num:727-524-7732 CAGE:TO410 === Contractor Identification === Company Name: EXAXOL CHEMICAL CORP. Address:14325 60TH STREET **City:CLEARWATER** State:FL ZIP:34620 Country:US Phone:727-524-7732 CAGE:TO410 Company Name: MICROSENSOR SYSTEMS, INC. Address:1818 S HWY 441 **Box:UNKNOW** City: APOPKA State:FL ZIP:32703 Country:US Phone:407-886-8860 Contract Num:SP0411-01-M-E436 CAGE:0GLR6

======= Composition/Information on Ingredients ==========

Ingred Name: DEWAXED HEAVY PARAFINIC DISTILLATE (P

ETROLEUM) CAS:64742-65-0 RTECS #:PY8038500 = Wt:100.

LD50 LC50 Mixture:LD50: UNAVAILABLE

Health Hazards Acute and Chronic:MAY BE HARMFUL OR FATAL BY INHALATION, INGESTION, OR SKIN ABSORPTION. CAUSES IRRITATION TO EYES, MUCOUS MEMBRANES, AND RESPIRATORY TRACT. TOXICOLOGICAL PROPERTIES OF BLENDED COMPOUNDS HAVE NOT YET BEE N WELL DEFINED AND NEW HAZARDOUS PRODUCTS MAY ARISE FROM REACTIONS BETWEEN CHEMICALS.

Expl

anation of Carcinogenicity:NONE PROVIDED BY MFR

Effects of Overexposure: CAUSES IRRITATION TO EYES, MUCOUS MEMBRANES, AND RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:NONE PROVIDED BY MFR

First Aid:IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES, SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINS. WHILE REMOVING CONTAMINATED CLOTHING. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIF ICIAL

RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SWALLOWED, WASH OUT MOUTH PROVIDED PERSON IS CONSCIOUS. CALL A POISON CONTROL CENTER OR A PHYSICIAN!!

Extinguishing Media:DRY CHEMICAL POWDER OR APPROPRIATE FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures:FOR FIRE FIGHTING, WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PROTECT AGAINST HEAT/FUMES. Unusual Fire/Explosion Hazard:E

MITS TOXIC FUMES UNDER FIRE CONDITIONS.

Spill Release Procedures: WEAR SELF CONTAINED BREATHING APPARATUS, AND RUBBER GLOVES. COVER WITH SAND. PLACE IN CLOSED CONTAINER AND HOLD FOR PROPER WASTE DISPOSAL. VENTILATE AREA WELL AFTER MATERIAL IS PICKED UP, WASH SITE.

Handling and Storage Precautions:WEAR APPROVED RESPIRATOR, CHEMICAL RESISTANT GL

OVES/CLOTHING, SAFETY GLASSES, AND HANDLE NEAR SAFETY SHOWER AND EYE WASH. USE WITH ADEQUATE VENTILATION OR FUME HOOD. DO NOT CONTACT WITH SKIN. STORE IN A COOL, DRY PLACE. WASH THOROUGHLY AFTER HANDLING.

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS. Ventilation:USE WITH ADEQUATE VENTILATION OR FUME HOOD. Protective Gloves:CHEMICAL RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equi pment:CHEMICAL RESISTANT CLOTHING. SAFETY SHOWER, EYE WASH. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health PRODUCT: TBN CALIBRATION OIL STANDARD.

HCC:N1 Spec Gravity:0.88 Appearance and Odor:AMBER LIQUID.

Stability Indicator/Materials to Avoid:YES OXIDIZERS.

Toxicological Information:TOXICOLOGICAL PROPERTIES OF BLENDED COMPOUNDS HAVE NOT YET BEEN WELL DEFINED AND NEW HAZARDOUS PRODUCTS MAY ARISE FROM REACTIONS BETWEEN CHEMICALS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, wa rrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.