

CRC INDUSTRIES, INC. -- CRC WASP & HORNET PLUS, 14010 -- 6840-00-459-2443

=====
Product Identification
=====

Product ID:CRC WASP & HORNET PLUS, 14010

MSDS Date:08/11/1998

FSC:6840

NIIN:00-459-2443

Status Code:A

MSDS Number: CKXDQ

=== Responsible Party ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Info Phone Num:215-674-4300

Emerge

ncy Phone Num:215-674-4300

Resp. Party Other MSDS Num.:MSDS14010

Preparer's Name:ADAM SELISKER

Chemtrec Ind/Phone:(800)424-9300

CAGE:10136

=== Contractor Identification ===

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATES

CAS:64742-47-8

RTECS #:OA5504000

Minimum % Wt:70.

Maxumum % Wt:90.

OSHA PEL:400 PPM
ACGIH TLV:ND

Ingred Name:TETRAMETHRIN
CAS:7696-12-0
RTECS #:GZ1730000
Minumum % Wt:1.
Maxumum % Wt:10.
OSHA PEL:N/D
ACGIH TLV:N/D

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Minumum % Wt:1.
Maxumum % Wt:20.
OSHA PEL:9000 MG/M3;5000 PPM
ACGIH TLV:9000 MG/M3;5000 PPM
ACGIH STEL:54000 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

He

alth Hazards Acute and Chronic:ACUTE OVEREXPOSURE: MAY CAUSE
BURNING/IRRITATION OF EYES. SKIN CONTACT WILL CAUSE DRYNESS.
INHALATION OF MIST MAY CAUSE BREATHING PROBLEMS. VAPORS MAY CAUSE
HEADACHES, NAUSEA, DIZZINESS. CHRONIC OVERE XPOSURE: PROLONGED
EXPOSURE TO SKIN MAY CAUSE DEVELOPMENT OF DERMATITIS.

Explanation of Carcinogenicity:NO DATA PROVIDED BY MANUFACTURER

Effects of Overexposure:ACUTE OVEREXPOSURE: MAY CAUSE

BURNING/IRRITATION OF EYES. SKIN CONTACT WILL CAUSE DRYNE
SS.

INHALATION OF MIST MAY CAUSE BREATHING PROBLEMS. VAPORS MAY CAUSE
HEADACHES, NAUSEA, DIZZINESS. CHRONIC OVERE XPOSURE: PROLONGED
EXPOSURE TO SKIN MAY CAUSE DEVELOPMENT OF DERMATITIS.

===== First Aid Measures =====

First Aid:(IF SYMPTOMS PERSIT CALL A PHYSICIAN) INHALATION: REMOVE TO
FRESH AIR. APPLY ARTIFICIAL RESPIRATION. EYES: FLUSH WITH LARGE
AMOUNTS OF WATER FOR 15 MINUTES. SKIN: REMOVE CONTAMINATED
CLOTHING. WASH EXPOSED A

REA WITH SOAP AND WATER. SKIN: REMOVE
CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP AND WATER.
INGESTION: DO NOT INDUCE VOMITING. CALL A DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Extinguishing Media:CO2, DRY CHEMICAL, OR FOAM.
Fire Fighting Procedures:NO DATA PROVIDED BY MANUFACTURER.
Unusual Fire/Explosion Hazard:AERSOL CONTAINERS MAY EXplode WHEN HEATED
ABOVE 120 F.

===== Accidental Release Measures ==
=====

Spill Release Procedures:PRECAUTIONS TO BE TAKEN: STORE IN A COOL, DRY
AREA.
Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STEPS TO BE TAKEN IN CASE: VENTILATE
ARA, ABSORB WITH INERT MATERIAL AND MATERIAL IS RELEASED OR PLACE
IN A CLOSED CONTAINER.
Other Precautions:AERSOLS MAY EXPLODE IF CONTENTS ARE HEATED ABOVE
120F. VAPORS ARE HEAVIER THAN AIR AND WI
LL TEND TO COLLECT IN LOW
AREAS. OSHA SHORT TERM EXPOSURE LIMIT (STEL) FOR OIL IS 10 MG/M3.
USE PRODUCT IN ACCO RDANCE WITH WITH LABEL AND INSTRUCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:POSITIVE PRESSURE SELF-CONTAINED BREATHING
APPARATUS IF ACCUMULATION OF VAPORS IS SUSPECTED.
Ventilation:ADEQUATE VENTILATION TO PREVENT THE ACCUMULATION OF VAPORS.
Protective Gloves:SOLVENT RESISTANT.
Eye Protection:SAFETY GLASSES
Other Prot
ective Equipment:NO DATA PROVIDED BY MANUFACTURER
Work Hygienic Practices:NO DATA PROVIDED BY MANUFACTURER
Supplemental Safety and Health
NO DATA PROVIDED BY MANUFACTURER

===== Physical/Chemical Properties =====

HCC:V2
Melt/Freeze Pt:M.P/F.P Text:N/D
Vapor Pres:0.23 MM
Vapor Density:>AIR
Spec Gravity:0.79
Evaporation Rate & Reference:SLOW 0.01 TOLUENE=1
Solubility in Water:NEGLIGIBLE IN WATER.
Appearance and Odor:AMBER LIQUID, PETROLEUM ODOR.

=====

Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: NO DATA PROVIDED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON DIOXIDE AND CARBON MONOXIDE (FIRE).

===== Toxicological Information =====

Toxicological Information: NO DATA PROVIDED BY MANUFACTURER.

===== Ecological Information =====

Ecological: NO DATA PROVIDED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods: ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN CONFORMANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information: NO DATA PROVIDED BY MANUFACTURER.

===== Regulatory Information =====

SARA Title III Information: THIS PRODUCT CONTAINS NO CHEMICALS THAT ARE SUBJECT TO RELEASE

REPORTING UNDER SECTION 313 OF SARA TITLE III.

Federal Regulatory Information: NO DATA PROVIDED BY MANUFACTURER.

State Regulatory Information: NO DATA PROVIDED BY MANUFACTURER.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this info

rmation to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.