View NSN Online: https://aerobasegroup.jp/nsn/9150-01-399-8593

EQUILON ENTERPRISIES LLC PRODUCT STEWARDSHIP -- CAPRINUS XR 40 -- 9150-01-399-8593

Product ID:CAPRINUS XR 40 MSDS Date:01/04/1999 FSC:9150 NIIN:01-399-8593 MSDS Number: CKYHV === Responsible Party === Company Name: EQUILON ENTERPRISIES LLC PRODUCT STEWARDSHIP Box:674414 **City:HOUSTON** State:TX ZIP:77267-4414 Country:US Info Phone Num:877-276-7285 **Emergency Phone Num** :(800)424-9300 Resp. Party Other MSDS Num.:66535E-01 Preparer's Name: KAREN G. HAYNES Chemtrec Ind/Phone:(800)424-9300 CAGE:TO527 === Contractor Identification === Company Name: EQUILON ENTERPRISES LLC Address:1100 LOUISIANA SUITE 2200 Box:City:HOUSTON State:TX ZIP:77002 Country:US Phone:614-886-7508 CAGE:1D3L3 Company Name: EQUILON ENTERPRISES LLC Address: PRODUCT STEWARDSHIP Box:674414 **City:HOUSTON** State:TX ZIP:77267-4414 Country:US Phone:877-276-7285 CAGE:TO225 Company Name: EQUILON ENTERPRISES LL

C, PRODUCT STEWARDSHIP Address:Box:674414 City:HOUSTON State:TX ZIP:77267-4414 Country:US Phone:877-276-7285 CAGE:TO300 Company Name: EQUILON ENTERPRISES LLC. Address: PRODUCT STEWARDSHIP Box:674414 City:HOUSTON State:TX ZIP:77267-4414 Country:US Phone:877-276-7285 CAGE:TO351 Company Name: EQUILON ENTERPRISIES LLC PRODUCT STEWARDSHIP Address:Box:674414 City:HOUSTON State:TX ZIP:77267-4414 Country:US Phone:877-276-7285 CAGE:TO527 Company Name: RADIAN INTL LLC Address:8501 N MOPAC BLVD Box:201088 City :AUSTIN State:TX ZIP:78720-1088 Country:US Phone:512-419-5224 Contract Num:SP0450-00-D-4021 CAGE:29913 Company Name:SDB CONSULTANTS LTD Address:401 WHITNEY AVE SUITE 120 Box:City:GRETNA State:LA ZIP:70056 Country:US Phone:504-366-9105 Contract Num:SP0450-02-M-L164 CAGE:0PGK2

Ingred Name:HIGHLY REFINED PETROLEUM OILS (MAY CONTAIN: 64742-52-5, 64742-57-0) Minumum % Wt:80. Maxumum % Wt:90.

Ingred Name:ADDITIVES Minumum % Wt Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: BASED ON COMPONENT INFORMATION PRODUCT IS NO MORE THAN MINIMALLY IRRITATING TO THE EYES. SKIN: BASED ON COMPONENT INFORMATION PRODUCT IS NO MORE THAN MILDLY IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT CAN RESULT IN VARIOUS SKIN DIS

ORDERS SUCH AS DERMATITIS, FOLLICULTIS OR OIL

ACNE. INHALATION: INHALATION OF VAPORS (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST FROM THIS PRODUCT MAY CAUSE MILD IRRITATION OF THE UPPER RESPIRATORY TRACT. INGESTION: BASED ON COMPONENT INFORMATION PRODUCT IS NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED.

Explanation of Carcinogenicity: THIS PRODUCT AND ITS COMPONENTS ARE NOT CLASSIFIED AS CARCINOGENS BY IARC, NTP, OR OSHA.

Effects of Overexposure:EYE: BASED ON COMPONENT I

NFORMATION PRODUCT IS

NO MORE THAN MINIMALLY IRRITATING TO THE EYES. SKIN: BASED ON COMPONENT INFORMATION PRODUCT IS NO MORE THAN MILDLY IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT CAN RESULT IN VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULTIS OR OIL ACNE. INHALATION: INHALATION OF VAPORS (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST FROM THIS PRODUCT MAY CAUSE MILD IRRITATION OF THE UPPER RESPIRATORY TRACT. INGESTION: BASED ON COMPONENT INF

ORMATION PRODUCT IS NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED. Medical Cond Aggravated by Exposure:PREEXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYE: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING AND WIPE EXCESS OFF. WASH WITH SOAP AND WATER OR A WATERLESS HAND CLEANER FOL LOWED BY SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. INGESTION: DO NOT INDU CE VOMITING, IN GENERAL NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ADVICE.

Flash Point Method:PMCC Flash Point:=240.6C, 465.F Lower Limits:N/AV Upper Limits:N/AV Extingu ishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE-PRESSURE NIOSH -APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:DO NOT USE A DIRECT STEAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SUR FACE OF WATER.

Spill Release Procedures: MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTIOUS JUDGEMENT WHEN CLEANING UP LARGE SPILLS. LARGE SPILLS: WEAR RESPIRATOR AND PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND, OR OTHER SUITABLE MATERIALS.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICL ES, INCLUDING SHOES, THAT CANNOT BE DECONTAMINATE Respiratory Protection: IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES. Protective Gloves: CHEMICAL RESISTANT GLOVES, NITRILE Eye Protection: SAFETY GOGGLES Other Protective Equipment: WEAR PROTECTIVE CLOTHING AS REQUIRED TO MINIMUZE SKIN CONTACT. Supplemental Safety and Health

HCC:V6 Melt/Freeze Pt:=-26.1C, -15.F Vapor Pres: